

thm_2EpatternMatches_2EPMATCH_ROW_COND_NOT_EX_C
(TMKMCkbkxdke8qqgVPu3u3Mm9orusogXspQ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (3)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (4)$$

Let $c_2EpatternMatches_2EPMATCH : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2EpatternMatches_2EPMATCH A_27a A_27b \in ((A_27a^{(ty_2Elist_2Elist ((ty_2Eoption_2Eoption A_27a)^{A_27b}))})^{A_27b}) \quad (5)$$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (6)$$

Let $c_2Elist_2EEXISTS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEXISTS\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \quad (7)$$

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (8)$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone$

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (9)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (10)$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (11)$$

Definition 11 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ ($

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.))$

Definition 13 We define $c_2EpatternMatches_2EPMATCH_ROW_COND_NOT_EX_OR_EQ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0i \in A_27a.\lambda V1r \in ((ty_2Eoption_2Eoption\ A_27b)^{A_27a}).\lambda V2rows \in (ty_2E$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\ & (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty \ A_27a \Rightarrow ((\forall V0P \in (2^{A_27a}).((p \ (ap \\ & (ap \ (c_2Elist_2EEXISTS \ A_27a) \ V0P) \ (c_2Elist_2ENIL \ A_27a))) \Leftrightarrow \\ & False) \wedge (\forall V1P \in (2^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in \\ & (ty_2Elist_2Elist \ A_27a).((p \ (ap \ (ap \ (c_2Elist_2EEXISTS \ A_27a) \\ & V1P) \ (ap \ (ap \ (c_2Elist_2ECONS \ A_27a) \ V2h) \ V3t))) \Leftrightarrow ((p \ (ap \ V1P \ V2h)) \vee \\ & (p \ (ap \ (ap \ (c_2Elist_2EEXISTS \ A_27a) \ V1P) \ V3t)))))) \end{aligned} \quad (18)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ & \forall V0i \in A_27a.(\forall V1r \in ((ty_2Eoption_2Eoption \ A_27b)^{A_27a}). \\ & ((p \ (ap \ (ap \ (ap \ (c_2EpatternMatches_2EPMATCH_ROW_COND_NOT_EX_OR_EQ \\ & A_27a \ A_27b) \ V0i) \ V1r) \ (c_2Elist_2ENIL \ ((ty_2Eoption_2Eoption \\ & A_27b)^{A_27a})))) \Leftrightarrow ((\neg((ap \ V1r \ V0i) = (c_2Eoption_2ENONE \ A_27b))) \Rightarrow \\ & False)))) \end{aligned}$$