

thm_2EpatternMatches_2EPMATCH_ROW_REDUNDANT_SUO
(TMKk4nWJzdRdfiyf9mqrhfp7DpePg5iJDG)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (2)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (3)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a)^{(ty_2Elist_2Elist\ A_27a)} \quad (4)$$

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ (\lambda V1t \in 2.V1t))\ (\lambda V2t \in 2.V2t))\ (\lambda V3t \in 2.V3t))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))\ (\lambda V3t \in 2.V3t))\ (\lambda V4t \in 2.V4t))$

Definition 6 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF\ V0t))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (5)$$

Definition 8 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 9 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone$

Definition 10 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (6)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (7)$$

Definition 11 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (8)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (9)$$

Definition 12 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ ($

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS$

Definition 15 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEL\ A_27a \in ((A_27a^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Eoption_2EIS_SOME : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2EIS_SOME\ A_27a \in (2^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (12)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (13)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (15)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (16)$$

Definition 16 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 17 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 18 We define $c_2EpatternMatches_2EPMATCH_ROW_REDUNDANT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0v \in A_27a.\lambda V1rs \in (ty_2Elist_2Elist\ ((ty_2Eoption_2Eoption\ A_27b)^{A_27a}))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (17)$$

Definition 19 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum.(V0m = (ap\ c_2Enum_2ESUC\ V1n)))))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ c_2Enum_2ESUC\ V0m))\ (ap\ c_2Enum_2ESUC\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)))) \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (31)$$

Assume the following.

$$2.((\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \Rightarrow \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0h \in A_27a.(\forall V1t \in (ty_2Elist_2Elist A_27a).((ap (c_2Elist_2EHD A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V0h) V1t)) = V0h))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (((ap (c_2Elist_2ELENGTH A_27a) (c_2Elist_2ENIL A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a.(\forall V1t \in (ty_2Elist_2Elist A_27a).((ap (c_2Elist_2ELENGTH A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V0h) V1t)) = (ap c_2Enum_2ESUC (ap (c_2Elist_2ELENGTH A_27a) V1t)))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\forall V1l \in A_27b.(\forall V2ls \in (ty_2Elist_2Elist A_27b).(((ap (c_2Elist_2EEL A_27a) c_2Enum_2E0) = (c_2Elist_2EHD A_27a)) \wedge ((ap (ap (c_2Elist_2EEL A_27b) (ap c_2Enum_2ESUC V0n)) (ap (ap (c_2Elist_2ECONS A_27b) V1l) V2ls)) = (ap (ap (c_2Elist_2EEL A_27b) V0n) V2ls)))))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption A_27a).((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a.(V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x)))))) \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\neg((c_2Eoption_2ENONE A_27a) = (ap (c_2Eoption_2ESOME A_27a) V0x)))) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow ((\forall V0x \in A_27a.((p (ap (c_2Eoption_2EIS_SOME A_27a) (ap (c_2Eoption_2ESOME A_27a) V0x))) \Leftrightarrow True)) \wedge ((p (ap (c_2Eoption_2EIS_SOME A_27a) (c_2Eoption_2ENONE A_27a))) \Leftrightarrow False)) \quad (38)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Enum_2ESUC V0n)))) \quad (39)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\\ & \quad \forall V0v \in A_{27a}.(\forall V1r \in ((ty_2Eoption_2Eoption\ A_{27b})^{A_{27a}}). \\ & \quad (\forall V2rs \in (ty_2Elist_2Elist\ ((ty_2Eoption_2Eoption\ A_{27b})^{A_{27a}})). \\ & (\forall V3i \in ty_2Enum_2Enum.((p\ (ap\ (ap\ (ap\ (c_2EpatternMatches_2EPMATCH_ROW_REDUNDANT \\ & \quad A_{27a}\ A_{27b})\ V0v)\ (ap\ (ap\ (c_2Elist_2ECONS\ ((ty_2Eoption_2Eoption \\ & \quad A_{27b})^{A_{27a}}))\ V1r)\ V2rs))\ (ap\ c_2Enum_2ESUC\ V3i))) \Leftrightarrow (((\neg((ap\ V1r \\ & \quad V0v) = (c_2Eoption_2ENONE\ A_{27b}))) \wedge (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ & \quad V3i)\ (ap\ (c_2Elist_2ELENGTH\ ((ty_2Eoption_2Eoption\ A_{27b})^{A_{27a}})) \\ & \quad V2rs)))) \vee (p\ (ap\ (ap\ (ap\ (c_2EpatternMatches_2EPMATCH_ROW_REDUNDANT \\ & \quad A_{27a}\ A_{27b})\ V0v)\ V2rs)\ V3i)))))) \end{aligned}$$