

thm_2Epoly_2EDEGREE_ZERO (TMXc1RFkAuDFpiEgtYMzS4VRxDNNaY8LT Ae)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2.V 0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V 0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 0t) \text{ c_2Ebool_2EF } 2))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A 0) \quad (1)$$

Let `c_2Elist_2EEVERY` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2EEVERY } A. 27a \in ((2^{(\text{ty_2Elist_2Elist } A. 27a)})^{(2^{A-27a})}) \quad (2)$$

Let `ty_2Erealx_2Ereal` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Erealx_2Ereal} \quad (3)$$

Let `c_2Epoly_2Epoly` : ι be given. Assume the following.

$$\text{c_2Epoly_2Epoly} \in ((\text{ty_2Erealx_2Ereal}^{\text{ty_2Erealx_2Ereal}})^{(\text{ty_2Elist_2Elist } \text{ty_2Erealx_2Ereal})}) \quad (4)$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \quad (5)$$

Let `c_2Ereal_2Ereal_of_num` : ι be given. Assume the following.

$$\text{c_2Ereal_2Ereal_of_num} \in (\text{ty_2Erealx_2Ereal}^{\text{ty_2Enum_2Enum}}) \quad (6)$$

Definition 7 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in 2.))$

Definition 8 We define $c_Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define c_Ebool_2ECOND to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.(ap$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ECONS A.27a \in (((ty_2Elist_2Elist A.27a)^{(ty_2Elist_2Elist A.27a)})^{A.27a}) \quad (7)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ENIL A.27a \in (ty_2Elist_2Elist A.27a) \quad (8)$$

Let $c_2Epoly_2Enormalize : \iota$ be given. Assume the following.

$$c_2Epoly_2Enormalize \in ((ty_2Elist_2Elist ty_2Erealax_2Ereal)^{(ty_2Elist_2Elist ty_2Erealax_2Ereal)}) \quad (9)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ELENGTH A.27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A.27a)}) \quad (10)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (13)$$

Definition 10 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (14)$$

Definition 11 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 12 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2E$

Definition 13 We define $c_2Epoly_2Edegree$ to be $\lambda V0p \in (ty_2Elist_2Elist ty_2Erealax_2Ereal).(ap c_2E$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0t1 \in A.27a.(\forall V1t2 \in \\ & A.27a.(((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2EF) \\ & V0t1) V1t2) = V1t2)))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (((ap (c.2Elist.2ELENGTH A.27a) \\ & (c.2Elist.2ENIL A.27a)) = c.2Enum.2E0) \wedge (\forall V0h \in A.27a.(\\ & \forall V1t \in (ty.2Elist.2Elist A.27a).((ap (c.2Elist.2ELENGTH \\ & A.27a) (ap (ap (c.2Elist.2ECONS A.27a) V0h) V1t)) = (ap c.2Enum.2ESUC \\ & (ap (c.2Elist.2ELENGTH A.27a) V1t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow ((\forall V0P \in (2^{A.27a}).((p (ap \\ & (ap (c.2Elist.2EEVERY A.27a) V0P) (c.2Elist.2ENIL A.27a))) \Leftrightarrow True)) \wedge \\ & (\forall V1P \in (2^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty.2Elist.2Elist \\ & A.27a).((p (ap (ap (c.2Elist.2EEVERY A.27a) V1P) (ap (ap (c.2Elist.2ECONS \\ & A.27a) V2h) V3t))) \Leftrightarrow ((p (ap V1P V2h)) \wedge (p (ap (ap (c.2Elist.2EEVERY \\ & A.27a) V1P) V3t)))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist A.27a)}). \\ & (((p (ap V0P (c.2Elist.2ENIL A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\ & A.27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A.27a.(p (ap V0P (ap (ap (\\ & c.2Elist.2ECONS A.27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\ & A.27a).(p (ap V0P V3l)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal).(((ap\ c_2Epoly_2Epoly \\
& V0p) = (ap\ c_2Epoly_2Epoly\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal))) \Leftrightarrow \\
& (p\ (ap\ (ap\ (c_2Elist_2EVERY\ ty_2Erealax_2Ereal)\ (\lambda V1c \in ty_2Erealax_2Ereal. \\
& (ap\ (ap\ (c_2Emin_2E_3D\ ty_2Erealax_2Ereal)\ V1c)\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))))))\ V0p))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (((ap\ c_2Epoly_2Enormalize\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal)) = \\
& (c_2Elist_2ENIL\ ty_2Erealax_2Ereal)) \wedge (\forall V0h \in ty_2Erealax_2Ereal. \\
& (\forall V1t \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal).((ap\ c_2Epoly_2Enormalize \\
& (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Erealax_2Ereal)\ V0h)\ V1t)) = (ap\ (\\
& ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Elist_2Elist\ ty_2Erealax_2Ereal)) \\
& (ap\ (ap\ (c_2Emin_2E_3D\ (ty_2Elist_2Elist\ ty_2Erealax_2Ereal)) \\
& (ap\ c_2Epoly_2Enormalize\ V1t))\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal)))) \\
& (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Elist_2Elist\ ty_2Erealax_2Ereal)) \\
& (ap\ (ap\ (c_2Emin_2E_3D\ ty_2Erealax_2Ereal)\ V0h)\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)))\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal))\ (ap\ (ap \\
& (c_2Elist_2ECONS\ ty_2Erealax_2Ereal)\ V0h)\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal)))) \\
& (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Erealax_2Ereal)\ V0h)\ (ap\ c_2Epoly_2Enormalize \\
& V1t))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (((ap\ c_2Eprim_rec_2EPRE\ c_2Enum_2E0) = c_2Enum_2E0) \wedge (\forall V0m \in \\
& ty_2Eenum_2Eenum.((ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Enum_2ESUC\ V0m)) = \\
& V0m)))
\end{aligned} \tag{25}$$

Theorem 1

$$\begin{aligned}
& (\forall V0p \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal).(((ap\ c_2Epoly_2Epoly \\
& V0p) = (ap\ c_2Epoly_2Epoly\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal))) \Rightarrow \\
& ((ap\ c_2Epoly_2Edegree\ V0p) = c_2Enum_2E0)))
\end{aligned}$$