

# thm\_2Epoly\_2EPOLY\_\_CONT

(TMNf5uGgP1pqqimk3EdJ7Lo66nx7jqsmY4w)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{4}$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}) \tag{5}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{6}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{7}$$

Let  $c\_2Erealx\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealx\_2Ereal}) \tag{8}$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 6** We define  $c\_2Erealx\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealx\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty\_2Erealx\_2Ereal$

Let  $c\_2Erealx\_2Etreall\_add : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreall\_add \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (9)$$

Let  $c\_2Erealx\_2Etreall\_eq : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreall\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (10)$$

Let  $c\_2Erealx\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Ereal\_ABS\_CLASS \in (ty\_2Erealx\_2Ereal(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})) (11)$$

**Definition 7** We define  $c\_2Erealx\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)$

**Definition 8** We define  $c\_2Erealx\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.\lambda V1T2 \in ty\_2Erealx\_2Ereal$

Let  $c\_2Erealx\_2Etreall\_neg : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreall\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (12)$$

**Definition 9** We define  $c\_2Erealx\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.(ap c\_2Erealx\_2Ereal\_add$

**Definition 10** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealx\_2Ereal.\lambda V1y \in ty\_2Erealx\_2Ereal$

Let  $c\_2Erealx\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (13)$$

**Definition 11** We define  $c\_2Erealx\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.\lambda V1T2 \in ty\_2Erealx\_2Ereal$

**Definition 12** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 14** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21))$

**Definition 15** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.$

**Definition 16** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.$

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 18** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap (ap (ap (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)} \end{aligned} \quad (14)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)} \end{aligned} \quad (15)$$

**Definition 19** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a}$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Emetric\_2Emetric A0) \quad (16)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Emetric\_2Emetric A\_27a \in ((ty\_2Emetric\_2Emetric \\ A\_27a)^{(ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod A\_27a A\_27a)}} \end{aligned} \quad (17)$$

**Definition 20** We define  $c\_2Emetric\_2Emr1$  to be  $(ap (c\_2Emetric\_2Emetric ty\_2Erealax\_2Ereal) (ap (c$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}} \end{aligned} \quad (18)$$

**Definition 21** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Enets\_2Etendsto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Enets\_2Etendsto A\_27a \in (((2^{A\_27a})^{A\_27a})^{(ty\_2Epair\_2Eprod (ty\_2Emetric\_2Emetric A\_27a) A\_27a)}) \quad (19)$$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Emetric\_2Edist A\_27a \in ((ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod A\_27a A\_27a)}) \quad (20)$$

**Definition 22** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (21)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Etopology\_2Etopology\ A.27a \in ((ty\_2Etopology\_2Etopology\ A.27a)^{2^{(2^A - 27a)}}) \quad (22)$$

**Definition 23** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A.27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A.27a).(ap$

Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Enets\_2Etends\ A.27a\ A.27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A.27a)\ ((2^{A-27b})^{A-27b}))})_{A.27a})_{(A.27a)^{A-27b}}) \quad (23)$$

**Definition 24** We define  $c\_2Elim\_2Etends\_real\_real$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).$

**Definition 25** We define  $c\_2Elim\_2Econtl$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).\lambda V1x \in ty$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (24)$$

Let  $c\_2Elist\_2ETL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ETL\ A.27a \in ((ty\_2Elist\_2Elist\ A.27a)^{(ty\_2Elist\_2Elist\ A.27a)}) \quad (25)$$

**Definition 26** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (26)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (27)$$

**Definition 27** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (28)$$

**Definition 28** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 29** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Epoly\_2Epoly\_diff\_aux : \iota$  be given. Assume the following.

$$c\_2Epoly\_2Epoly\_diff\_aux \in (((ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)^{(ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)})) \quad (29)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a.nonempty\ A. 27a \Rightarrow c\_2Elist\_2ENIL\ A. 27a \in (ty\_2Elist\_2Elist\ A. 27a) \quad (30)$$

**Definition 30** We define  $c\_2Epoly\_2Ediff$  to be  $\lambda V0l \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(ap\ (ap\ (ap\ (ap\ (ap\ (ap\ c\_2Epoly\_2Epoly\_diff\_aux\ V0l)\ V2x)\ V1l)\ V2x)\ V1l)\ V2x)\ V1l)\ V2x)\ V1l)$

Let  $c\_2Epoly\_2Epoly : \iota$  be given. Assume the following.

$$c\_2Epoly\_2Epoly \in ((ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})^{(ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)}) \quad (31)$$

Let  $c\_2Erealax\_2Etreal\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_inv \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (32)$$

**Definition 31** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_ABS\ V0T1)$

Let  $c\_2Erealax\_2Etreal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_mul \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (33)$$

**Definition 32** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(ap\ (ap\ c\_2Erealax\_2Etreal\_mul\ V0T1\ V1T2))$

**Definition 33** We define  $c\_2Ereal\_2E.2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.(ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V0x\ V1y))$

**Definition 34** We define  $c\_2Elim\_2Ediff$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).\lambda V1l \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (ap\ (ap\ (ap\ (ap\ (ap\ (ap\ (ap\ c\_2Elim\_2Econtl\ V0f)\ V2x)\ V1l)\ V2x)\ V1l)\ V2x)\ V1l)\ V2x)\ V1l)\ V2x)\ V1l)\ V2x)\ V1l)$

Assume the following.

$$(\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1l \in ty\_2Erealax\_2Ereal.(\forall V2x \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ c\_2Elim\_2Ediff\ V0f)\ V1l)\ V2x)) \Rightarrow (p\ (ap\ (ap\ c\_2Elim\_2Econtl\ V0f)\ V2x)))))) \quad (34)$$

Assume the following.

$$(\forall V0l \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(\forall V1x \in ty\_2Erealax\_2Ereal.(p\ (ap\ (ap\ (ap\ c\_2Elim\_2Ediff\ (\lambda V2x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ c\_2Epoly\_2Epoly\ V0l)\ V2x)))\ (ap\ (ap\ c\_2Epoly\_2Epoly\ (ap\ c\_2Epoly\_2Ediff\ V0l)\ V1x))\ V1x)))))) \quad (35)$$

**Theorem 1**

$$(\forall V0l \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(\forall V1x \in ty\_2Erealax\_2Ereal.(p\ (ap\ (ap\ c\_2Elim\_2Econtl\ (\lambda V2x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ c\_2Epoly\_2Epoly\ V0l)\ V2x)))\ V1x))))))$$