

# thm\_2Epoly\_2EPOLY\_\_DIFF\_\_CLAUSES (TMdqo2tZJJZN3Luinv8j1GLNBjsvAsmwrJn)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num (c\_2Enum\_2ESUC\_REP m))$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{5}$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (7)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (9)$$

**Definition 8** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 9** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal$ .( $ap\ (c\_2Emin\_2E40\ (ty$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (10)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (11)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (12)$$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal$ . $\lambda V1T2 \in ty\_2Erealax$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (13)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ECONS\ A.27a \in (((ty\_2Elist\_2Elist\ A.27a)^{(ty\_2Elist\_2Elist\ A.27a)})^{A.27a}) \quad (14)$$

**Definition 12** We define  $c\_Ebool\_E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21 2) (\lambda V2t \in 2.(c\_Ebool\_E\_21 2)) V1t2)))$   
Let  $c\_Elist\_E\_ETL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_Elist\_E\_ETL A\_27a \in ((ty\_Elist\_E\_elist A\_27a)^{(ty\_Elist\_E\_elist A\_27a)}) \quad (15)$$

Let  $c\_Enum\_E\_ZERO\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_E\_ZERO\_REP \in \omega \quad (16)$$

**Definition 13** We define  $c\_Enum\_E\_0$  to be  $(ap c\_Enum\_E\_ABS\_num c\_Enum\_E\_ZERO\_REP)$ .

**Definition 14** We define  $c\_Earithmetic\_E\_ZERO$  to be  $c\_Enum\_E\_0$ .

Let  $c\_Earithmetic\_E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2B \in ((ty\_Enum\_E\_enum^{ty\_Enum\_E\_enum})^{ty\_Enum\_E\_enum}) \quad (17)$$

**Definition 15** We define  $c\_Earithmetic\_E\_BIT1$  to be  $\lambda V0n \in ty\_Enum\_E\_enum.(ap (ap c\_Earithmetic\_E\_2B) V0n)$ .

**Definition 16** We define  $c\_Earithmetic\_E\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_E\_enum.V0x$ .

Let  $c\_Epoly\_E\_poly\_diff\_aux : \iota$  be given. Assume the following.

$$c\_Epoly\_E\_poly\_diff\_aux \in (((ty\_Elist\_E\_elist ty\_Erealx\_E\_real)^{(ty\_Elist\_E\_elist ty\_Erealx\_E\_real)})^{ty\_Elist\_E\_elist ty\_Erealx\_E\_real}) \quad (18)$$

Let  $c\_Elist\_E\_ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_Elist\_E\_ENIL A\_27a \in (ty\_Elist\_E\_elist A\_27a) \quad (19)$$

**Definition 17** We define  $c\_Ebool\_E\_COND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(c\_Ebool\_E\_21 2) V1t1 V2t2)))$

**Definition 18** We define  $c\_Epoly\_E\_diff$  to be  $\lambda V0l \in (ty\_Elist\_E\_elist ty\_Erealx\_E\_real).(ap (ap (ap c\_Epoly\_E\_poly\_diff\_aux) V0l)))$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (23)
\end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0t1 \in A.27a.(\forall V1t2 \in \\
& A.27a.(((ap \ (ap \ (ap \ (c.2Ebool.2ECOND \ A.27a) \ c.2Ebool.2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (c.2Ebool.2ECOND \ A.27a) \ c.2Ebool.2EF) \\
& V0t1) \ V1t2) = V1t2)))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in \\
& (ty\_2Elist\_2Elist \ A.27a).((ap \ (c.2Elist\_2ETL \ A.27a) \ (ap \ (ap \ ( \\
& c.2Elist\_2ECONS \ A.27a) \ V0h) \ V1t)) = V1t))) \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist \\
& A.27a).(\forall V1a0 \in A.27a.(\neg((ap \ (ap \ (c.2Elist\_2ECONS \ A.27a) \\
& V1a0) \ V0a1) = (c.2Elist\_2ENIL \ A.27a)))))) \quad (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (((\forall V0n \in ty\_2Enum\_2Enum.((ap \ (ap \ c.2Epoly\_2Epoly\_diff\_aux \\
& V0n) \ (c.2Elist\_2ENIL \ ty\_2Erealx\_2Ereal)) = (c.2Elist\_2ENIL \\
& ty\_2Erealx\_2Ereal))) \wedge (\forall V1n \in ty\_2Enum\_2Enum.(\forall V2h \in \\
& ty\_2Erealx\_2Ereal.(\forall V3t \in (ty\_2Elist\_2Elist \ ty\_2Erealx\_2Ereal). \\
& ((ap \ (ap \ c.2Epoly\_2Epoly\_diff\_aux \ V1n) \ (ap \ (ap \ (c.2Elist\_2ECONS \\
& ty\_2Erealx\_2Ereal) \ V2h) \ V3t)) = (ap \ (ap \ (c.2Elist\_2ECONS \ ty\_2Erealx\_2Ereal) \\
& (ap \ (ap \ c.2Erealx\_2Ereal\_mul \ (ap \ c.2Ereal\_2Ereal\_of\_num \\
& V1n)) \ V2h)) \ (ap \ (ap \ c.2Epoly\_2Epoly\_diff\_aux \ (ap \ c.2Enum\_2ESUC \\
& V1n)) \ V3t)))))) \quad (28)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned} & (\forall V0c \in ty\_2Erealax\_2Ereal. (\forall V1h \in ty\_2Erealax\_2Ereal. \\ & (\forall V2t \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal). (((ap\ c\_2Epoly\_2Ediff \\ & (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal)) = (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal)) \wedge \\ & ((ap\ c\_2Epoly\_2Ediff\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal) \\ & V0c)\ (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal))) = (c\_2Elist\_2ENIL \\ & ty\_2Erealax\_2Ereal)) \wedge ((ap\ c\_2Epoly\_2Ediff\ (ap\ (ap\ (c\_2Elist\_2ECONS \\ & ty\_2Erealax\_2Ereal)\ V1h)\ V2t)) = (ap\ (ap\ c\_2Epoly\_2Epoly\_diff\_aux \\ & (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))) \\ & V2t)))))) \end{aligned}$$