

thm_2Epoly_2EPOLY__DIFF__CMUL (TMH8DcWqCNBJ4yBhhzab2GzD3gsZurPgZjo)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_7E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_7E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal_REP_CLASS a)))$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (5)$$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (6)$$

Let $c_2Erealax_2Ereal_2ABS_2CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_2ABS_2CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 9 We define $c_2Erealax_2Ereal_2ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 10 We define $c_2Erealax_2Ereal_2mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (8)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)(ty_2Elist_2Elist\ A_27a))^{A_27a})^{A_27a} \quad (9)$$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2)))$

Let $c_2Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ETL\ A_27a \in ((ty_2Elist_2Elist\ A_27a)(ty_2Elist_2Elist\ A_27a)) \quad (10)$$

Let $c_2Enum_2EZERO_2REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_2REP \in \omega \quad (11)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (12)$$

Let $c_2Enum_2EABS_2num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_2num \in (ty_2Enum_2Enum)^{\omega} \quad (13)$$

Definition 12 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_2num\ c_2Enum_2EZERO_2REP)$.

Definition 13 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (15)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (16)$$

Definition 15 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 16 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (17)$$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $c_2Epoly_2Epoly_diff_aux : \iota$ be given. Assume the following.

$$c_2Epoly_2Epoly_diff_aux \in (((ty_2Elist_2Elist\ ty_2Erealax_2Ereal)^{ty_2Elist_2Elist\ ty_2Erealax_2Ereal})^{ty_2Elist_2Elist\ ty_2Erealax_2Ereal}) \quad (18)$$

Definition 18 We define c_2Epoly_2Ediff to be $\lambda V0l \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal).(ap\ (ap\ (ap$

Let $c_2Epoly_2E_23_23 : \iota$ be given. Assume the following.

$$c_2Epoly_2E_23_23 \in (((ty_2Elist_2Elist\ ty_2Erealax_2Ereal)^{ty_2Elist_2Elist\ ty_2Erealax_2Ereal})^{ty_2Elist_2Elist\ ty_2Erealax_2Ereal}) \quad (19)$$

Let $c_2Epoly_2Epoly : \iota$ be given. Assume the following.

$$c_2Epoly_2Epoly \in ((ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})^{ty_2Elist_2Elist\ ty_2Erealax_2Ereal}) \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF) \\ V0t1)\ V1t2) = V1t2)))) \end{aligned} \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2ETL\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = V1t))) \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ A_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (\\ c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ A_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1a0 \in A_27a. (\neg((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V1a0)\ V0a1) = (c_2Elist_2ENIL\ A_27a)))))) \quad (29)$$

Assume the following.

$$\begin{aligned} ((\forall V0c \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Epoly_2E_23_23 \\ V0c)\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal)) = (c_2Elist_2ENIL \\ ty_2Erealax_2Ereal))) \wedge (\forall V1c \in ty_2Erealax_2Ereal. (\forall V2h \in \\ ty_2Erealax_2Ereal. (\forall V3t \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal). \\ ((ap\ (ap\ c_2Epoly_2E_23_23\ V1c)\ (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Erealax_2Ereal) \\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Erealax_2Ereal)\ (ap\ (\\ ap\ c_2Erealax_2Ereal_mul\ V1c)\ V2h))\ (ap\ (ap\ c_2Epoly_2E_23_23 \\ V1c)\ V3t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal).(\forall V1c \in \\
& ty_2Erealax_2Ereal.(\forall V2n \in ty_2Enum_2Enum.((ap\ c_2Epoly_2Epoly \\
& (ap\ (ap\ c_2Epoly_2Epoly_diff_aux\ V2n)\ (ap\ (ap\ c_2Epoly_2E_23_23 \\
& V1c)\ V0p)))) = (ap\ c_2Epoly_2Epoly\ (ap\ (ap\ c_2Epoly_2E_23_23\ V1c) \\
& (ap\ (ap\ c_2Epoly_2Epoly_diff_aux\ V2n)\ V0p))))))
\end{aligned} \tag{31}$$

Theorem 1

$$\begin{aligned}
& (\forall V0p \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal).(\forall V1c \in \\
& ty_2Erealax_2Ereal.((ap\ c_2Epoly_2Epoly\ (ap\ c_2Epoly_2Ediff \\
& (ap\ (ap\ c_2Epoly_2E_23_23\ V1c)\ V0p))) = (ap\ c_2Epoly_2Epoly\ (ap \\
& (ap\ c_2Epoly_2E_23_23\ V1c)\ (ap\ c_2Epoly_2Ediff\ V0p))))))
\end{aligned}$$