

thm\_2Epoly\_2EPOLY\_\_DIFF\_\_MUL\_\_LEMMA  
 (TMWsEGejnsFn-  
 Cyap8FXdnGDsEPifbQHN8gJ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EHD : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EHD A\_27a \in (A\_27a^{(ty\_2Elist\_2Elist A\_27a)}) \quad (2)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (3)$$

Let  $c\_2Elist\_2ETL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ETL A\_27a \in ((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)}) \quad (4)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (5)$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 8** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(a$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{6}$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{7}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{8}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{9}$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 10** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{10}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{11}$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{12}$$

**Definition 12** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Earithmetic$

**Definition 13** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Epoly\_2Epoly\_diff\_aux : \iota$  be given. Assume the following.

$$c\_2Epoly\_2Epoly\_diff\_aux \in (((ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)^{(ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)}) \tag{13}$$

**Definition 14** We define  $c\_2\text{Epoly\_2Ediff}$  to be  $\lambda V0l \in (ty\_2\text{Elist\_2Elist } ty\_2\text{Erealax\_2Ereal}).(ap (ap (ap$

Let  $c\_2\text{Epoly\_2Epoly\_add} : \iota$  be given. Assume the following.

$$c\_2\text{Epoly\_2Epoly\_add} \in (((ty\_2\text{Elist\_2Elist } ty\_2\text{Erealax\_2Ereal})^{(ty\_2\text{Elist\_2Elist } ty\_2\text{Erealax\_2Ereal})})^{(ty\_2\text{Elist\_2Elist } ty\_2\text{Erealax\_2Ereal})})^{(ty\_2\text{Elist\_2Elist } ty\_2\text{Erealax\_2Ereal})} \quad (14)$$

Let  $c\_2\text{Epoly\_2Epoly} : \iota$  be given. Assume the following.

$$c\_2\text{Epoly\_2Epoly} \in ((ty\_2\text{Erealax\_2Ereal}^{ty\_2\text{Erealax\_2Ereal}})^{(ty\_2\text{Elist\_2Elist } ty\_2\text{Erealax\_2Ereal}}))^{(ty\_2\text{Elist\_2Elist } ty\_2\text{Erealax\_2Ereal})} \quad (15)$$

Let  $ty\_2\text{Ehreal\_2Ehreal} : \iota$  be given. Assume the following.

$$nonempty \ ty\_2\text{Ehreal\_2Ehreal} \quad (16)$$

Let  $ty\_2\text{Epair\_2Eprod} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty \ A0 \Rightarrow \forall A1.nonempty \ A1 \Rightarrow nonempty \ (ty\_2\text{Epair\_2Eprod} \ A0 \ A1) \quad (17)$$

Let  $c\_2\text{Erealax\_2Ereal\_REP\_CLASS} : \iota$  be given. Assume the following.

$$c\_2\text{Erealax\_2Ereal\_REP\_CLASS} \in ((2^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal } ty\_2\text{Ehreal\_2Ehreal})})^{ty\_2\text{Erealax\_2Ereal}})^{ty\_2\text{Erealax\_2Ereal}} \quad (18)$$

**Definition 15** We define  $c\_2\text{Erealax\_2Ereal\_REP}$  to be  $\lambda V0a \in ty\_2\text{Erealax\_2Ereal}.(ap (c\_2\text{Emin\_2E} \ 40 (t$

Let  $c\_2\text{Erealax\_2Etreal\_lt} : \iota$  be given. Assume the following.

$$c\_2\text{Erealax\_2Etreal\_lt} \in ((2^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal } ty\_2\text{Ehreal\_2Ehreal})})^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal})})^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal})} \quad (19)$$

**Definition 16** We define  $c\_2\text{Erealax\_2Ereal\_lt}$  to be  $\lambda V0T1 \in ty\_2\text{Erealax\_2Ereal}.\lambda V1T2 \in ty\_2\text{Erealax\_2Ereal}.$

Let  $c\_2\text{Ereal\_2Ereal\_of\_num} : \iota$  be given. Assume the following.

$$c\_2\text{Ereal\_2Ereal\_of\_num} \in (ty\_2\text{Erealax\_2Ereal}^{ty\_2\text{Eenum\_2Eenum}})^{ty\_2\text{Erealax\_2Ereal}} \quad (20)$$

Let  $c\_2\text{Erealax\_2Etreal\_neg} : \iota$  be given. Assume the following.

$$c\_2\text{Erealax\_2Etreal\_neg} \in ((ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal} \ ty\_2\text{Ehreal\_2Ehreal})^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal } ty\_2\text{Ehreal\_2Ehreal})})^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal})} \quad (21)$$

Let  $c\_2\text{Erealax\_2Etreal\_eq} : \iota$  be given. Assume the following.

$$c\_2\text{Erealax\_2Etreal\_eq} \in ((2^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal } ty\_2\text{Ehreal\_2Ehreal})})^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal})})^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal})} \quad (22)$$

Let  $c\_2\text{Erealax\_2Ereal\_ABS\_CLASS} : \iota$  be given. Assume the following.

$$c\_2\text{Erealax\_2Ereal\_ABS\_CLASS} \in (ty\_2\text{Erealax\_2Ereal}^{(2^{(ty\_2\text{Epair\_2Eprod } ty\_2\text{Ehreal\_2Ehreal } ty\_2\text{Ehreal\_2Ehreal})})})^{ty\_2\text{Erealax\_2Ereal}} \quad (23)$$

**Definition 17** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 18** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

**Definition 19** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E$

**Definition 20** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)} \quad (24)$$

**Definition 21** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)} \quad (25)$$

**Definition 22** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 23** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (31)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((\forall V2x \in A\_27a.((ap V0f V2x) = (ap V1g V2x))) \Rightarrow (V0f = V1g)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (36)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in A\_27a.(((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V0t1) V1t2) = V1t2)))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))) \quad (38)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0h \in A\_27a.(\forall V1t \in (ty\_2Elist\_2Elist A\_27a).((ap (c\_2Elist\_2ETL A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = V1t))) \quad (39)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}).(((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist A\_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A\_27a.(p (ap V0P (ap (ap (c\_2Elist\_2ECONS A\_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist A\_27a).(p (ap V0P V3l)))))) \quad (40)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist\ A.27a).(\forall V1a0 \in A.27a.(\neg((ap\ (ap\ (c\_2Elist\_2ECONS\ A.27a\ V1a0)\ V0a1) = (c\_2Elist\_2ENIL\ A.27a)))))) \quad (41)$$

Assume the following.

$$\begin{aligned} & ((\forall V0x \in ty\_2Erealax\_2Ereal.((ap\ (ap\ c\_2Epoly\_2Epoly\ (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal)\ V0x) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \wedge (\forall V1h \in ty\_2Erealax\_2Ereal.(\forall V2t \in \\ & (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(\forall V3x \in ty\_2Erealax\_2Ereal. \\ & ((ap\ (ap\ c\_2Epoly\_2Epoly\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal\ V1h)\ V2t))\ V3x) = (ap\ (ap\ c\_2Erealax\_2Ereal\_add\ V1h)\ (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V3x)\ (ap\ (ap\ c\_2Epoly\_2Epoly\ V2t)\ V3x)))))))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & ((\forall V0l2 \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).((ap\ (ap\ c\_2Epoly\_2Epoly\_add\ (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal)\ V0l2) = V0l2)) \wedge (\forall V1h \in ty\_2Erealax\_2Ereal.(\forall V2t \in \\ & (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(\forall V3l2 \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).((ap\ (ap\ c\_2Epoly\_2Epoly\_add\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal\ V1h)\ V2t))\ V3l2) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)\ (ap\ (ap\ (c\_2Emin\_2E3D\ (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)\ V3l2)\ (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal)))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal\ V1h)\ V2t))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal)\ (ap\ (ap\ c\_2Erealax\_2Ereal\_add\ V1h)\ (ap\ (c\_2Elist\_2EHD\ ty\_2Erealax\_2Ereal\ V3l2))))\ (ap\ (ap\ c\_2Epoly\_2Epoly\_add\ V2t)\ (ap\ (c\_2Elist\_2ETL\ ty\_2Erealax\_2Ereal\ V3l2)))))))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & ((\forall V0n \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Epoly\_2Epoly\_diff\_aux\ V0n)\ (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal)) = (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal))) \wedge (\forall V1n \in ty\_2Enum\_2Enum.(\forall V2h \in \\ & ty\_2Erealax\_2Ereal.(\forall V3t \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal). \\ & ((ap\ (ap\ c\_2Epoly\_2Epoly\_diff\_aux\ V1n)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal\ V2h)\ V3t)) = (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal\ (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ V1n))\ V2h))\ (ap\ (ap\ c\_2Epoly\_2Epoly\_diff\_aux\ (ap\ c\_2Enum\_2ESUC\ V1n))\ V3t)))))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p1 \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(\forall V1p2 \in \\
& (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(\forall V2x \in ty\_2Erealax\_2Ereal. \\
& ((ap\ (ap\ c\_2Epoly\_2Epoly\ (ap\ (ap\ c\_2Epoly\_2Epoly\_add\ V0p1)\ V1p2)) \\
& V2x) = (ap\ (ap\ c\_2Erealax\_2Ereal\_add\ (ap\ (ap\ c\_2Epoly\_2Epoly\ V0p1) \\
& V2x))\ (ap\ (ap\ c\_2Epoly\_2Epoly\ V1p2)\ V2x))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(\forall V1n \in \\
& ty\_2Enum\_2Enum.((ap\ c\_2Epoly\_2Epoly\ (ap\ (ap\ c\_2Epoly\_2Epoly\_diff\_aux \\
& (ap\ c\_2Enum\_2ESUC\ V1n))\ V0p)) = (ap\ c\_2Epoly\_2Epoly\ (ap\ (ap\ c\_2Epoly\_2Epoly\_add \\
& (ap\ (ap\ c\_2Epoly\_2Epoly\_diff\_aux\ V1n)\ V0p))\ V0p))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((ap\ (ap\ c\_2Erealax\_2Ereal\_add\ V0x)\ V1y) = (ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& V1y)\ V0x))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal.((ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& V0x)\ (ap\ (ap\ c\_2Erealax\_2Ereal\_add\ V1y)\ V2z)) = (ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& (ap\ (ap\ c\_2Erealax\_2Ereal\_add\ V0x)\ V1y))\ V2z))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal.((ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V0x) = V0x))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal.((ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& (ap\ c\_2Erealax\_2Ereal\_neg\ V0x))\ V0x) = (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal.((ap\ (ap\ c\_2Erealax\_2Ereal\_mul \\
& (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ ( \\
& ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))))\ V0x) = V0x))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal.((ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& V0x)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)) = V0x))
\end{aligned} \tag{52}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_add V0x) (ap c\_2Erealax\_2Ereal\_neg V0x)) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (53)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. ((ap c\_2Erealax\_2Ereal\_neg (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) = (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Erealax\_2Ereal\_neg V0x)) (ap c\_2Erealax\_2Ereal\_neg V1y)))))) \quad (54)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (55)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul V0x) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (56)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V0x))) \quad (57)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V0x))) \Leftrightarrow (V0x = V1y)))))) \quad (58)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Erealax\_2Ereal\_neg V0x)) V1y) = (ap c\_2Erealax\_2Ereal\_neg (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)))))) \quad (59)$$

Assume the following.

$$(\forall V0y \in ty\_2Erealax\_2Ereal.(\forall V1x \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt V1x) V0y)) \Leftrightarrow (\neg (p (ap (ap c\_2Ereal\_2Ereal\_lte V0y) V1x)))))) \quad (60)$$



Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Erealax\_2Ereal\_neg V0x)) \\
& V1y)) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Erealax\_2Ereal\_neg V0x)) \\
& (ap c\_2Erealax\_2Ereal\_neg V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V1y) V0x))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap c\_2Erealax\_2Ereal\_neg \\
& (ap c\_2Erealax\_2Ereal\_neg V0x)) = V0x))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) (ap c\_2Erealax\_2Ereal\_neg \\
& V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap (ap c\_2Erealax\_2Ereal\_add \\
& V0x) V1y)) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) (ap (ap c\_2Erealax\_2Ereal\_add V1y) V2z)) = (ap (ap c\_2Erealax\_2Ereal\_add \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) V2z))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) V2z) = (ap (ap c\_2Erealax\_2Ereal\_add \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V1y) V2z))))))
\end{aligned} \tag{66}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{67}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{68}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (69)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (70)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (71)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (72)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (73)$$

**Theorem 1**

$$(\forall V0t \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal).(\forall V1h \in ty\_2Erealax\_2Ereal.((ap\ c\_2Epoly\_2Epoly\ (ap\ c\_2Epoly\_2Ediff\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal)\ V1h)\ V0t))) = (ap\ c\_2Epoly\_2Epoly\ (ap\ (ap\ c\_2Epoly\_2Epoly\_add\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Erealax\_2Ereal)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ (ap\ c\_2Epoly\_2Ediff\ V0t)))\ V0t))))))$$