

thm_2Epoly_2EPOLY__DIFF__ZERO (TMahCsaDCAsi44HsiPYHd86GBkL38Fq8dCv)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{5}$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \tag{6}$$

Definition 8 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in 2)))$
Let $c_Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_2ETL A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (7)$$

Let $c_Eenum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_Eenum_2EZERO_REP \in omega \quad (8)$$

Definition 9 We define c_Eenum_2E0 to be $(ap c_Eenum_2EABS_num c_Eenum_2EZERO_REP)$.

Definition 10 We define $c_Earithmetic_2EZERO$ to be c_Eenum_2E0 .

Let $c_Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2B \in ((ty_2Eenum_2Eenum)^{ty_2Eenum_2Eenum})^{ty_2Eenum_2Eenum} \quad (9)$$

Definition 11 We define $c_Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Eenum_2Eenum.(ap (ap c_Earithmetic_2E_2B))$

Definition 12 We define $c_Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Eenum_2Eenum.V0x$.

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty ty_2Erealax_2Ereal \quad (10)$$

Let $c_Epoly_2Epoly_diff_aux : \iota$ be given. Assume the following.

$$c_Epoly_2Epoly_diff_aux \in (((ty_2Elist_2Elist ty_2Erealax_2Ereal)^{(ty_2Elist_2Elist ty_2Erealax_2Ereal)})^{(ty_2Elist_2Elist ty_2Erealax_2Ereal)})^{(ty_2Elist_2Elist ty_2Erealax_2Ereal)} \quad (11)$$

Definition 13 We define $c_Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A) \wedge P)$
of type $\iota \Rightarrow \iota$.

Definition 14 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.)))$

Let $c_Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (12)$$

Definition 15 We define c_Epoly_2Ediff to be $\lambda V0l \in (ty_2Elist_2Elist ty_2Erealax_2Ereal).(ap (ap (ap c_Earithmetic_2E_2B)))$

Let $c_Elist_2EEVERY : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_2EEVERY A_27a \in ((2^{(ty_2Elist_2Elist A_27a)})^{(2^{A_27a})}) \quad (13)$$

Let $c_2Epoly_2Epoly : \iota$ be given. Assume the following.

$$c_2Epoly_2Epoly \in ((ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})(ty_2Elist_2Elist\ ty_2Erealax_2Ereal)) \quad (14)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (15)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (16)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (17)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (18)$$

Definition 16 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ t$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (19)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (20)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})}) \quad (21)$$

Definition 17 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 18 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (24)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (26) \end{aligned}$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (\\ & p V0t)))))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF \\ & V0t1) V1t2) = V1t2)))))) \quad (29) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in \\ & (ty_2Elist_2Elist\ A_27a). ((ap (c_2Elist_2ETL\ A_27a) (ap (ap (\\ & c_2Elist_2ECONS\ A_27a) V0h) V1t)) = V1t))) \quad (30) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow ((\forall V0P \in (2^{A_27a}). ((p (ap \\ & (ap (c_2Elist_2EEVERY\ A_27a) V0P) (c_2Elist_2ENIL\ A_27a))) \Leftrightarrow True)) \wedge \\ & (\forall V1P \in (2^{A_27a}). (\forall V2h \in A_27a. (\forall V3t \in (ty_2Elist_2Elist \\ & A_27a). ((p (ap (ap (c_2Elist_2EEVERY\ A_27a) V1P) (ap (ap (c_2Elist_2ECONS \\ & A_27a) V2h) V3t))) \Leftrightarrow ((p (ap V1P V2h)) \wedge (p (ap (ap (c_2Elist_2EEVERY \\ & A_27a) V1P) V3t)))))))))) \quad (31) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}), \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & \quad A.27a).(p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & \quad c_2Elist_2ECONS\ A.27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & \quad A.27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a1 \in (ty_2Elist_2Elist \\ & \quad A.27a).(\forall V1a0 \in A.27a. (\neg((ap\ (ap\ (c_2Elist_2ECONS\ A.27a) \\ & \quad V1a0)\ V0a1) = (c_2Elist_2ENIL\ A.27a)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & ((\forall V0n \in ty_2Enum_2Enum. ((ap\ (ap\ c_2Epoly_2Epoly_diff_aux \\ & \quad V0n)\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal)) = (c_2Elist_2ENIL \\ & \quad ty_2Erealax_2Ereal))) \wedge (\forall V1n \in ty_2Enum_2Enum. (\forall V2h \in \\ & \quad ty_2Erealax_2Ereal. (\forall V3t \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal). \\ & \quad ((ap\ (ap\ c_2Epoly_2Epoly_diff_aux\ V1n)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & \quad ty_2Erealax_2Ereal)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Erealax_2Ereal) \\ & \quad (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Ereal_of_num \\ & \quad V1n))\ V2h))\ (ap\ (ap\ c_2Epoly_2Epoly_diff_aux\ (ap\ c_2Enum_2ESUC \\ & \quad V1n))\ V3t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal). (((ap\ c_2Epoly_2Epoly \\ & \quad V0p) = (ap\ c_2Epoly_2Epoly\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal))) \Leftrightarrow \\ & (p\ (ap\ (ap\ (c_2Elist_2EVERY\ ty_2Erealax_2Ereal)\ (\lambda V1c \in ty_2Erealax_2Ereal. \\ & \quad (ap\ (ap\ (c_2Emin_2E_3D\ ty_2Erealax_2Ereal)\ V1c)\ (ap\ c_2Ereal_2Ereal_of_num \\ & \quad c_2Enum_2E0))))\ V0p)))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\ & \quad V0x)\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) = (ap\ c_2Ereal_2Ereal_of_num \\ & \quad c_2Enum_2E0))) \end{aligned} \quad (36)$$

Theorem 1

$$\begin{aligned} & (\forall V0p \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal). (((ap\ c_2Epoly_2Epoly \\ & \quad V0p) = (ap\ c_2Epoly_2Epoly\ (c_2Elist_2ENIL\ ty_2Erealax_2Ereal))) \Rightarrow \\ & ((ap\ c_2Epoly_2Epoly\ (ap\ c_2Epoly_2Ediff\ V0p)) = (ap\ c_2Epoly_2Epoly \\ & \quad (c_2Elist_2ENIL\ ty_2Erealax_2Ereal)))))) \end{aligned}$$