

thm_2Epoly_2EPOLY__DIVIDES__TRANS (TMKQ2y8faU4t1DaW7eHgV3nm6LqqRE7Kxzg)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Epoly_2Epoly_mul : \iota$ be given. Assume the following.

$$c_2Epoly_2Epoly_mul \in (((ty_2Elist_2Elist\ ty_2Erealx_2Ereal)^{(ty_2Elist_2Elist\ ty_2Erealx_2Ereal)})^{(ty_2Elist_2Elist\ ty_2Erealx_2Ereal)}) \tag{3}$$

Let $c_2Epoly_2Epoly : \iota$ be given. Assume the following.

$$c_2Epoly_2Epoly \in ((ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal})^{(ty_2Elist_2Elist\ ty_2Erealx_2Ereal)}) \tag{4}$$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 7 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P)))$

Definition 8 We define $c_2Epoly_2Epoly_divides$ to be $\lambda V0p1 \in (ty_2Elist_2Elist\ ty_2Erealx_2Ereal).\lambda V1p2 \in (ty_2Elist_2Elist\ ty_2Erealx_2Ereal).$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (5)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{ty_2Erealax}) \quad (7)$$

Definition 9 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ ty_2Erealax))$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (10)$$

Definition 10 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 11 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A.27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \Rightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((\forall V2x \in \\ & \quad A_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x))) \Rightarrow (V0f = V1g)))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1p1 \in (ty_2Elist_2Elist \\ & \quad ty_2Erealax_2Ereal). (\forall V2p2 \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal). \\ & \quad ((ap\ (ap\ c_2Epoly_2Epoly\ (ap\ (ap\ c_2Epoly_2Epoly_mul\ V1p1)\ V2p2)) \\ & \quad V0x) = (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ (ap\ c_2Epoly_2Epoly\ V1p1) \\ & \quad V0x))\ (ap\ (ap\ c_2Epoly_2Epoly\ V2p2)\ V0x)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\ & \quad (\forall V2z \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\ & \quad V0x)\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V1y)\ V2z)) = (ap\ (ap\ c_2Erealax_2Ereal_mul \\ & \quad (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ V1y))\ V2z)))))) \end{aligned} \quad (17)$$

Theorem 1

$$\begin{aligned} & (\forall V0p \in (ty_2Elist_2Elist\ ty_2Erealax_2Ereal). (\forall V1q \in \\ & \quad (ty_2Elist_2Elist\ ty_2Erealax_2Ereal). (\forall V2r \in (ty_2Elist_2Elist \\ & \quad ty_2Erealax_2Ereal). (((p\ (ap\ (ap\ c_2Epoly_2Epoly_divides\ V0p) \\ & \quad V1q)) \wedge (p\ (ap\ (ap\ c_2Epoly_2Epoly_divides\ V1q)\ V2r))) \Rightarrow (p\ (ap\ (\\ & \quad ap\ c_2Epoly_2Epoly_divides\ V0p)\ V2r)))))) \end{aligned}$$