

# thm\_2Epoly\_2EPOLY\_MONO (TMSbcm6qRnmPNNDKwiyuNq6eHrKJ46qyTUs)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EMAP \\ & A\_27a A\_27b \in (((ty\_2Elist\_2Elist A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{(A\_27b^{A\_27a})}) \end{aligned} \quad (2)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (3)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (4)$$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty ty\_2Erealx\_2Ereal \quad (5)$$

Let  $c\_2Epoly\_2Epoly : \iota$  be given. Assume the following.

$$c\_2Epoly\_2Epoly \in ((ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})(ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)) \quad (6)$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (7)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (9)$$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .**if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then** *(the*  $(\lambda x.x \in A \wedge p\ x)$  *of type*  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ (ty\_2Erealax\_2Ereal\ a)))$

Let  $c\_2Erealax\_2Etrealmul\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (10)$$

Let  $c\_2Erealax\_2Etrealmul\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (11)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (12)$$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealmul\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (13)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etreal\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) \quad (14)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. (ap\ c\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (15)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (16)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (17)$$

**Definition 14** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (18)$$

Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal))) \quad (19)$$

**Definition 15** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. \lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 16** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 18** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg (p\ V0t)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\forall V2x \in A.27a.((p\ V0P) \Rightarrow (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \Rightarrow (\forall V3x \in A.27a.(p\ (ap\ V1Q\ V3x)))))))) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V0f)\ (c.2Elist.2ENIL\ A.27a)) = (c.2Elist.2ENIL\ A.27b)) \wedge (\forall V1f \in \\ & (A.27b^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty.2Elist.2Elist\ A.27a).((ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ (ap\ V1f\ V2h))\ (ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V1f)\ V3t)))))) \quad (24) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist\ A.27a)}). \\ & (((p\ (ap\ V0P\ (c.2Elist.2ENIL\ A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist\ A.27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist\ A.27a).(p\ (ap\ V0P\ V3l)))))) \quad (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} & ((\forall V0x \in ty.2Erealx.2Ereal.((ap\ (ap\ c.2Epoly.2Epoly\ ( \\ & c.2Elist.2ENIL\ ty.2Erealx.2Ereal)\ V0x) = (ap\ c.2Ereal.2Ereal\_of\_num \\ & c.2Enum.2E0))) \wedge (\forall V1h \in ty.2Erealx.2Ereal.(\forall V2t \in \\ & (ty.2Elist.2Elist\ ty.2Erealx.2Ereal).(\forall V3x \in ty.2Erealx.2Ereal. \\ & ((ap\ (ap\ c.2Epoly.2Epoly\ (ap\ (ap\ (c.2Elist.2ECONS\ ty.2Erealx.2Ereal)\ V1h)\ V2t))\ V3x) = (ap\ (ap\ c.2Erealx.2Ereal\_add\ V1h)\ (ap\ (ap\ c.2Erealx.2Ereal\_mul\ V3x)\ (ap\ (ap\ c.2Epoly.2Epoly\ V2t)\ V3x)))))) \quad (26) \end{aligned}$$

Assume the following.

$$(\forall V0x \in ty.2Erealx.2Ereal.(p\ (ap\ (ap\ c.2Ereal.2Ereal\_lte\ V0x)\ V0x))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty.2Erealx.2Ereal.(\forall V1y \in ty.2Erealx.2Ereal. \\ & (\forall V2z \in ty.2Erealx.2Ereal.(((p\ (ap\ (ap\ c.2Ereal.2Ereal\_lte\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c.2Ereal.2Ereal\_lte\ V1y)\ V2z))) \Rightarrow (p\ (ap\ ( \\ & ap\ c.2Ereal.2Ereal\_lte\ V0x)\ V2z)))))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) (ap (ap c\_2Erealax\_2Ereal\_add \\
& V0x) V2z))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V2z))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in ty\_2Erealax\_2Ereal. (\forall V1x2 \in ty\_2Erealax\_2Ereal. \\
& (\forall V2y1 \in ty\_2Erealax\_2Ereal. (\forall V3y2 \in ty\_2Erealax\_2Ereal. \\
& (((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) V0x1)) \wedge ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) V2y1)) \wedge ((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x1) V1x2)) \wedge \\
& (p (ap (ap c\_2Ereal\_2Ereal\_lte V2y1) V3y2)))))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V0x1) V2y1)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V1x2) V3y2))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& ((ap c\_2Ereal\_2Eabs (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Eabs (ap (ap c\_2Erealax\_2Ereal\_add \\
& V0x) V1y))) (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Eabs \\
& V0x)) (ap c\_2Ereal\_2Eabs V1y))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((ap c\_2Ereal\_2Eabs (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) = \\
& (ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Eabs V0x)) (ap c\_2Ereal\_2Eabs \\
& V1y))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Ereal\_2Eabs \\
& V0x))))
\end{aligned} \tag{34}$$

### Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1k \in ty\_2Erealax\_2Ereal. \\
& (\forall V2p \in (ty\_2Elist\_2Elist ty\_2Erealax\_2Ereal). ((p (ap \\
& (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Eabs V0x)) V1k)) \Rightarrow (p (ap \\
& (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Eabs (ap (ap c\_2Epoly\_2Epoly \\
& V2p) V0x))) (ap (ap c\_2Epoly\_2Epoly (ap (ap (c\_2Elist\_2EMAP ty\_2Erealax\_2Ereal \\
& ty\_2Erealax\_2Ereal) c\_2Ereal\_2Eabs) V2p)) V1k))))))
\end{aligned}$$