

# thm\_2Epoly\_2EPOLY\_ZERO (TMdHPHhaLr- MMn5rHkwtZcRiwzAnw9f6HTCV)

October 26, 2020

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (1)$$

Let  $c\_2Elist\_2EEVERY : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEVERY\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \quad (2)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (3)$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (5)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$ .

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1Q \in 2.V1Q))\ (\lambda V2R \in 2.V2R)))$ .

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t)))$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P (ap (c\_2Emin\_2E40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Earithmetic\_2E3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 13** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E21\ 2) (\lambda V2t \in$

**Definition 14** We define  $c\_2Earithmetic\_2E3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A.\lambda a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.\lambda V2t2 \in A.27a.$

**Definition 17** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebool\_2E$

Let  $c\_2Earithmetic\_2E2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 18** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Earithmetic$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Earithmetic\_2E2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Earithmetic\_2E2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 19** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (14)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (15)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (16)$$

Let  $c\_2Epoly\_2Epoly : \iota$  be given. Assume the following.

$$c\_2Epoly\_2Epoly \in ((ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})^{(ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal)}) \quad (17)$$

**Definition 20** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 21** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EBIT1\ n))$ .

**Definition 22** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (18)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (19)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (20)$$

**Definition 23** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ ty\_2Erealax\_2Ereal\_REP\_CLASS\ a))$ .

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (21)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (22)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})}) \quad (23)$$

**Definition 24** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 25** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)} \quad (24)$$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)} \quad (25)$$

**Definition 27** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (26)$$

**Definition 28** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

**Definition 29** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (27)$$

**Definition 30** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V0m)\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Enum\_2E0)\ V0n)) \quad (28)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\neg(p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V0m)\ V1n)))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V1n)\ V0m)))) \quad (29)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = c\_2Enum\_2E0) \Leftrightarrow ((V0m = c\_2Enum\_2E0) \wedge (V1n = c\_2Enum\_2E0)))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) c\_2Enum\_2E0)) \Leftrightarrow (V0n = c\_2Enum\_2E0))) \wedge (\forall V1m \in ty\_2Enum\_2Enum. \\
& (\forall V2n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) (ap c\_2Enum\_2ESUC V2n))) \Leftrightarrow ((V1m = (ap c\_2Enum\_2ESUC V2n)) \vee \\
& (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1m) V2n)))))))
\end{aligned} \tag{31}$$

Assume the following.

$$True \tag{32}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{36}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{37}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\
& \forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((\forall V2x \in \\
& A\_27a.((ap V0f V2x) = (ap V1g V2x))) \Rightarrow (V0f = V1g))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p V0t))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg( \\
& p V0A) \vee \neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow ((\forall V0P \in (2^{A.27a}).((p (ap \\
& (ap (c.2Elist.2EVERY A.27a) V0P) (c.2Elist.2ENIL A.27a))) \Leftrightarrow True)) \wedge \\
& (\forall V1P \in (2^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty.2Elist.2Elist \\
& A.27a).((p (ap (ap (c.2Elist.2EVERY A.27a) V1P) (ap (ap (c.2Elist.2ECONS \\
& A.27a) V2h) V3t)))) \Leftrightarrow ((p (ap V1P V2h)) \wedge (p (ap (ap (c.2Elist.2EVERY \\
& A.27a) V1P) V3t))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist A.27a)}). \\
& (((p (ap V0P (c.2Elist.2ENIL A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\
& A.27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A.27a.(p (ap V0P (ap (ap ( \\
& c.2Elist.2ECONS A.27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\
& A.27a).(p (ap V0P V3l))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Epoly\_2Epoly ( \\
& c\_2Elist\_2ENIL ty\_2Erealax\_2Ereal)) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0))) \wedge (\forall V1h \in ty\_2Erealax\_2Ereal.(\forall V2t \in \\
& (ty\_2Elist\_2Elist ty\_2Erealax\_2Ereal).(\forall V3x \in ty\_2Erealax\_2Ereal. \\
& ((ap (ap c\_2Epoly\_2Epoly (ap (ap (c\_2Elist\_2ECONS ty\_2Erealax\_2Ereal) \\
& V1h) V2t)) V3x) = (ap (ap c\_2Erealax\_2Ereal\_add V1h) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V3x) (ap (ap c\_2Epoly\_2Epoly V2t) V3x))))))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty\_2Erealax\_2Ereal.(\forall V1t \in (ty\_2Elist\_2Elist \\
& ty\_2Erealax\_2Ereal).(((ap c\_2Epoly\_2Epoly (ap (ap (c\_2Elist\_2ECONS \\
& ty\_2Erealax\_2Ereal) V0h) V1t)) = (ap c\_2Epoly\_2Epoly (c\_2Elist\_2ENIL \\
& ty\_2Erealax\_2Ereal)))) \Rightarrow ((V0h = (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) \wedge ((ap c\_2Epoly\_2Epoly V1t) = (ap c\_2Epoly\_2Epoly \\
& (c\_2Elist\_2ENIL ty\_2Erealax\_2Ereal))))))
\end{aligned} \tag{46}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x) = V0x)) \tag{47}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul V0x) (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) = V0x)) \tag{48}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))) \tag{49}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul V0x) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))) \tag{50}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V0x))) \Leftrightarrow (V0x = V1y)))) \tag{51}$$



Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Ereal\_of\_num \\
V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n)) = (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad (ap (ap c\_2Earithmic\_2E\_2B V0m) V1n))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty\_2Erealax\_2Ereal. (\forall V1x \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Erealax\_2Ereal\_lt V1x) V0y)) \Leftrightarrow (\neg (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
V0y) V1x))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Erealax\_2Ereal\_neg V0x)) \\
V1y)) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
c\_2Enum\_2E0)) (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Erealax\_2Ereal\_neg V0x)) \\
(ap c\_2Erealax\_2Ereal\_neg V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
V1y) V0x))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) (ap c\_2Erealax\_2Ereal\_neg \\
V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap (ap c\_2Erealax\_2Ereal\_add \\
V0x) V1y)) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
V0m) V1n))))))
\end{aligned} \tag{57}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{58}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{59}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (60)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (61)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (63)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (64)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (65)$$

### Theorem 1

$$(\forall V0p \in (ty\_2Elist\_2Elist\ ty\_2Erealax\_2Ereal). (((ap\ c\_2Epoly\_2Epoly\ V0p) = (ap\ c\_2Epoly\_2Epoly\ (c\_2Elist\_2ENIL\ ty\_2Erealax\_2Ereal))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Elist\_2EVERY\ ty\_2Erealax\_2Ereal)\ (\lambda V1c \in ty\_2Erealax\_2Ereal.\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ ty\_2Erealax\_2Ereal)\ V1c)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))))\ V0p))))$$