

thm_2Epowser_2EPOWDIFF__LEMMA (TMMfCg3h8GixCzNFtQy1Bkf29SaYknuYCuJ)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** $(the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define c_2Ebool_2ECOND to be $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.\lambda V2t2 \in A.27a.(ap (c_2Emin_2E_40 (2^{A-27a})))$

Definition 10 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega^{\omega}}) \quad (4)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega^{\omega}}) \quad (5)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (6)$$

Definition 12 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 13 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 14 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 15 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \quad (8)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealx_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealx_2Ereal}) \quad (10)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (11)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (12)$$

Let $c_2Erealx_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealx_2Ereal}) \quad (13)$$

Definition 16 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (t$
Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (14)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (15)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}} \quad (16)$$

Definition 17 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty$

Definition 18 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b} A_27a)}) \quad (17)$$

Definition 19 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal)^{(ty_2Erealax_2Ereal)^{ty_2Eenum_2Eenum}})^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum)} \quad (18)$$

Definition 20 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 21 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 22 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Eenum_2Eenum.((ap (ap c_2Earithmetic_2E_2D \\ & c_2Eenum_2E0) V0m) = c_2Eenum_2E0)) \wedge (\forall V1m \in ty_2Eenum_2Eenum. \\ & (\forall V2n \in ty_2Eenum_2Eenum.((ap (ap c_2Earithmetic_2E_2D (\\ & ap c_2Eenum_2E0) V1m) V2n) = (ap (ap (c_2Ebool_2ECOND ty_2Eenum_2Eenum) \\ & (ap (ap c_2Eprim_rec_2E_3C V1m) V2n)) c_2Eenum_2E0) (ap c_2Eenum_2E0) \\ & (ap (ap c_2Earithmetic_2E_2D V1m) V2n)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\
& ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\
& (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\
& V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\
& V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))))) \\
& \tag{20}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (\neg(p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1n) V0m)))))) \\
& \tag{21}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0m) V0m))) \\
& \tag{22}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Rightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0m) V1n)))))) \\
& \tag{23}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \text{True} \\
& \tag{24}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \\
& \tag{25}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (False \Rightarrow (p V0t))) \\
& \tag{26}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \\
& \tag{27}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t)))))) \\
& \tag{28}
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) \\ & V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (p (ap (ap c_2Eprim_rec_2E_3C V0m) (ap c_2Enum_2ESUC V1n))) \Leftrightarrow (\\ & (V0m = V1n) \vee (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\ & ((ap (ap c_2Erealx_2Ereal_mul V0x) V1y) = (ap (ap c_2Erealx_2Ereal_mul \\ & V1y) V0x)))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\ & (\forall V2z \in ty_2Erealx_2Ereal. ((ap (ap c_2Erealx_2Ereal_mul \\ & V0x) (ap (ap c_2Erealx_2Ereal_mul V1y) V2z)) = (ap (ap c_2Erealx_2Ereal_mul \\ & (ap (ap c_2Erealx_2Ereal_mul V0x) V1y)) V2z)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & ((\forall V0x \in ty_2Erealx_2Ereal. ((ap (ap c_2Ereal_2Epow V0x) \\ & c_2Enum_2E0) = (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge (\forall V1x \in \\ & ty_2Erealx_2Ereal. (\forall V2n \in ty_2Enum_2Enum. ((ap (ap c_2Ereal_2Epow \\ & V1x) (ap c_2Enum_2ESUC V2n)) = (ap (ap c_2Erealx_2Ereal_mul V1x) \\ & (ap (ap c_2Ereal_2Epow V1x) V2n)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}). (\forall V1c \in \\ & ty_2Erealx_2Ereal. (\forall V2m \in ty_2Enum_2Enum. (\forall V3n \in \\ & ty_2Enum_2Enum. ((ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C \\ & ty_2Enum_2Enum ty_2Enum_2Enum) V2m) V3n)) (\lambda V4n \in ty_2Enum_2Enum. \\ & (ap (ap c_2Erealx_2Ereal_mul V1c) (ap V0f V4n)))))) = (ap (ap c_2Erealx_2Ereal_mul \\ & V1c) (ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\ & ty_2Enum_2Enum) V2m) V3n)) V0f)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1g \in \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V2m \in ty_2Enum_2Enum. \\
& (\forall V3n \in ty_2Enum_2Enum.((\forall V4p \in ty_2Enum_2Enum. \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D V2m) V4p)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C \\
& V4p) (ap (ap c_2Earithmetic_2E_2B V2m) V3n)))) \Rightarrow ((ap V0f V4p) = (\\
& ap V1g V4p)))) \Rightarrow ((ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C \\
& ty_2Enum_2Enum ty_2Enum_2Enum) V2m) V3n)) V0f) = (ap (ap c_2Ereal_2Esum \\
& (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) V2m) V3n)) \\
& V1g))))))))) \\
& \tag{35}
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.(\forall V1x \in ty_2Erealax_2Ereal. \\
& (\forall V2y \in ty_2Erealax_2Ereal.((ap (ap c_2Ereal_2Esum (ap \\
& (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) c_2Enum_2E0) \\
& (ap c_2Enum_2ESUC V0n))) (\lambda V3p \in ty_2Enum_2Enum.(ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Ereal_2Epow V1x) V3p)) (ap (ap c_2Ereal_2Epow V2y) (ap \\
& (ap c_2Earithmetic_2E_2D (ap c_2Enum_2ESUC V0n)) V3p)))))) = (ap \\
& (ap c_2Erealax_2Ereal_mul V2y) (ap (ap c_2Ereal_2Esum (ap (ap \\
& (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) c_2Enum_2E0) \\
& (ap c_2Enum_2ESUC V0n))) (\lambda V4p \in ty_2Enum_2Enum.(ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Ereal_2Epow V1x) V4p)) (ap (ap c_2Ereal_2Epow V2y) (ap \\
& (ap c_2Earithmetic_2E_2D V0n) V4p)))))))))
\end{aligned}$$