

# thm\_2Epowser\_2EPOWREV (TMP- MqK1z2bVJ7CPthH1HhnxDvfHDr4rwxLo)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \tag{3}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{5}$$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (c\_2Enum\_2ESUC\_REP\ m))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (7)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (8)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (9)$$

**Definition 7** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p\ x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 8** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal$ .( $ap\ (c\_2Emin\_2E40\ (ty\_2Erealax\_2Ereal\ a))$ )

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (10)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (11)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (12)$$

**Definition 9** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal$ .( $ap\ c\_2Erealax\_2Ereal\_neg$ )

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (13)$$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal$ . $\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 12** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal$ . $\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{14}$$

**Definition 13** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \tag{15}$$

**Definition 14** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$ .

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \tag{16}$$

**Definition 16** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$ .

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal}) \tag{17}$$

**Definition 17** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))))$ .

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{18}$$

**Definition 18** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y))$ .

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \tag{19}$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{20}$$

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0P))))$ .

**Definition 20** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$ .

**Definition 21** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$ .

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V0m)))) \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg (p V0t)))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1x \in ty\_2Erealax\_2Ereal. (\forall V2y \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Ereal\_2Epow V1x) (ap c\_2Enum\_2ESUC V0n)) (ap (ap c\_2Ereal\_2Epow V2y) (ap c\_2Enum\_2ESUC V0n))) = (ap (ap c\_2Erealax\_2Ereal\_mul (ap (ap c\_2Ereal\_2Ereal\_sub V1x) V2y)) (ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) c\_2Enum\_2E0) (ap c\_2Enum\_2ESUC V0n))) (\lambda V3p \in ty\_2Enum\_2Enum. (ap (ap c\_2Erealax\_2Ereal\_mul (ap (ap c\_2Ereal\_2Epow V1x) V3p)) (ap (ap c\_2Ereal\_2Epow V2y) (ap (ap c\_2Earithmetic\_2E\_2D V0n) V3p)))))))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y) = (ap (ap c\_2Erealax\_2Ereal\_mul V1y) V0x)))) \quad (28)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((ap c\_2Erealax\_2Ereal\_neg (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) = (ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Erealax\_2Ereal\_neg V0x) V1y)))) \quad (29)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap\ c\_2Erealax\_2Ereal\_neg\ (ap\ c\_2Erealax\_2Ereal\_neg\ V0x)) = V0x)) \quad (30)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(((ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V0x)\ V1y) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)) \Leftrightarrow (V0x = V1y)))) \quad (31)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.((ap\ c\_2Erealax\_2Ereal\_neg\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V0x)\ V1y)) = (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V1y)\ V0x)))) \quad (32)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(\forall V2z \in ty\_2Erealax\_2Ereal.((\neg(V0x = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \Rightarrow ((V1y = V2z) \Leftrightarrow ((ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V0x)\ V1y) = (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V0x)\ V2z))))))) \quad (33)$$

Assume the following.

$$(\forall V0c \in ty\_2Erealax\_2Ereal.(\forall V1m \in ty\_2Enum\_2Enum.(\forall V2n \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Ereal\_2Epow\ V0c)\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1m)\ V2n)) = (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ (ap\ c\_2Ereal\_2Epow\ V0c)\ V1m))\ (ap\ (ap\ c\_2Ereal\_2Epow\ V0c)\ V2n)))))) \quad (34)$$

Assume the following.

$$(\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1g \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V2m \in ty\_2Enum\_2Enum.(\forall V3n \in ty\_2Enum\_2Enum.((\forall V4p \in ty\_2Enum\_2Enum.(((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V2m)\ V4p)) \wedge (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V4p)\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V2m)\ V3n)))))) \Rightarrow ((ap\ V0f\ V4p) = (ap\ V1g\ V4p)))))) \Rightarrow ((ap\ (ap\ c\_2Ereal\_2Esum\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)\ V2m)\ V3n))\ V0f) = (ap\ (ap\ c\_2Ereal\_2Esum\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)\ V2m)\ V3n))\ V1g)))))) \quad (35)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1x \in ty\_2Erealax\_2Ereal. \\ & (\forall V2y \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Ereal\_2Esum (ap \\ & (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) c\_2Enum\_2E0) \\ & (ap c\_2Enum\_2ESUC V0n))) (\lambda V3p \in ty\_2Enum\_2Enum. (ap (ap c\_2Erealax\_2Ereal\_mul \\ & (ap (ap c\_2Ereal\_2Epow V1x) V3p)) (ap (ap c\_2Ereal\_2Epow V2y) (ap \\ & (ap c\_2Earithmetic\_2E\_2D V0n) V3p)))))) = (ap (ap c\_2Ereal\_2Esum \\ & (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) c\_2Enum\_2E0) \\ & (ap c\_2Enum\_2ESUC V0n))) (\lambda V4p \in ty\_2Enum\_2Enum. (ap (ap c\_2Erealax\_2Ereal\_mul \\ & (ap (ap c\_2Ereal\_2Epow V1x) (ap (ap c\_2Earithmetic\_2E\_2D V0n) V4p))) \\ & (ap (ap c\_2Ereal\_2Epow V2y) V4p)))))))) \end{aligned}$$