

# thm\_2Epowser\_2ETERMDIFF (TMXi21A4wLvpTh48Ui1yrvcjXQKhirSsXpx)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 3** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{4}$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}) \tag{5}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{6}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{7}$$

Let  $c\_2Erealx\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealx\_2Ereal}) \tag{8}$$

**Definition 4** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}$

**Definition 6** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Ereal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_add \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (9)$$

Let  $c\_2Erealax\_2Ereal\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (10)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (11)$$

**Definition 7** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)$

**Definition 8** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (12)$$

**Definition 9** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal\_neg$

**Definition 10** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_inv \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (13)$$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_inv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal\_inv$

Let  $c\_2Erealax\_2Ereal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_mul \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) (14)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$



Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (20)$$

**Definition 24** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Enets\_2Etendsto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Enets\_2Etendsto\ A\_27a \in (((2^{A\_27a})^{A\_27a})^{(ty\_2Epair\_2Eprod\ (ty\_2Emetric\_2E} \quad (21)$$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27} \quad (22)$$

**Definition 25** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (23)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (24)$$

**Definition 26** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap$

Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Etends \\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ (2^{A\_27b})^{A\_27b}}))^{A\_27a})^{(A\_27a)^{A\_27b}}) \end{aligned} \quad (25)$$

**Definition 27** We define  $c\_2Elim\_2Etends\_real\_real$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).$

**Definition 28** We define  $c\_2Elim\_2Ediff$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).\lambda V1l \in ty\_2$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (26)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (27)$$

**Definition 29** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 30** We define  $c\_2Epowser\_2Ediffs$  to be  $\lambda V0c \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\lambda V1n \in$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (28)$$

**Definition 31** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (29)$$

**Definition 32** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 33** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 34** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})ty\_2Erealax\_2Ereal) \quad (30)$$

**Definition 35** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)}) \quad (31)$$

**Definition 36** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 37** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 38** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 39** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 40** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2Enum\_2Enum$

**Definition 41** We define  $c\_2Eseq\_2Esummable$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(ap (c\_2Eseq\_2Esums$

**Definition 42** We define  $c\_2Eseq\_2Esuminf$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(ap (c\_2Eseq\_2Esums$

Assume the following.

$$\begin{aligned} & ((ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO)) = \\ & (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO)))) \end{aligned} \quad (32)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in ty\_2Enum\_2Enum.(V0m = (ap\ c\_2Enum\_2ESUC\ V1n)))))) \quad (33)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\forall V1m \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Earithmetic\_2E\_2D\ (ap\ c\_2Enum\_2ESUC\ V0n))\ (ap\ c\_2Enum\_2ESUC\ V1m)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V0n)\ V1m)))))) \quad (34)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(((ap\ c\_2Enum\_2ESUC\ V0m) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))))) \quad (35)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(((ap\ (ap\ c\_2Earithmetic\_2E\_2D\ (ap\ c\_2Enum\_2ESUC\ V0m))\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) = V0m))) \quad (36)$$

Assume the following.

$$True \quad (37)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (38)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \wedge (p\ V1t2)) \Leftrightarrow ((p\ V1t2) \wedge (p\ V0t1)))))) \quad (39)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (41)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (42)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1y0 \in \\ & \quad ty\_2Erealax\_2Ereal. (\forall V2x0 \in ty\_2Erealax\_2Ereal. ((p\ ( \\ & \quad \quad ap\ (ap\ c\_2Elim\_2Etends\_real\_real\ V0f)\ V1y0)\ V2x0)) \Leftrightarrow (\forall V3e \in \\ & \quad ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\ & \quad \quad c\_2Enum\_2E0))\ V3e)) \Rightarrow (\exists V4d \in ty\_2Erealax\_2Ereal. ((p\ (ap \\ & \quad (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)) \\ & \quad \quad V4d)) \wedge (\forall V5x \in ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt \\ & \quad (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ (ap\ c\_2Ereal\_2Eabs \\ & \quad (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V5x)\ V2x0)))) \wedge (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt \\ & \quad (ap\ c\_2Ereal\_2Eabs\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V5x)\ V2x0)))\ V4d)))) \Rightarrow \\ & \quad (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Eabs\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub \\ & \quad \quad (ap\ V0f\ V5x))\ V1y0)))\ V3e)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1l \in \\ & \quad ty\_2Erealax\_2Ereal. (\forall V2x \in ty\_2Erealax\_2Ereal. ((p\ (ap \\ & \quad (ap\ (ap\ c\_2Elim\_2Etends\_real\_real\ V0f)\ V1l)\ V2x)) \Leftrightarrow (p\ (ap\ (ap \\ & \quad (ap\ c\_2Elim\_2Etends\_real\_real\ (\lambda V3x \in ty\_2Erealax\_2Ereal. \\ & \quad (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ (ap\ V0f\ V3x))\ V1l)))\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\ & \quad \quad c\_2Enum\_2E0))\ V2x)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1g \in \\ & \quad (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V2x0 \in ty\_2Erealax\_2Ereal. \\ & \quad (\forall V3l \in ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ (ap\ c\_2Elim\_2Etends\_real\_real \\ & \quad (\lambda V4x \in ty\_2Erealax\_2Ereal. (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ ( \\ & \quad \quad ap\ V0f\ V4x))\ (ap\ V1g\ V4x))))\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)) \\ & \quad \quad V2x0)) \wedge (p\ (ap\ (ap\ (ap\ c\_2Elim\_2Etends\_real\_real\ V1g)\ V3l)\ V2x0))) \Rightarrow \\ & \quad (p\ (ap\ (ap\ (ap\ c\_2Elim\_2Etends\_real\_real\ V0f)\ V3l)\ V2x0)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1x \in \\
& \quad ty\_2Erealax\_2Ereal.(\forall V2z \in ty\_2Erealax\_2Ereal.(((p ( \\
& \quad ap\ c\_2Eseq\_2Esummable (\lambda V3n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Erealax\_2Ereal\_mul \\
& \quad (ap\ V0f\ V3n)) (ap (ap\ c\_2Ereal\_2Epow\ V1x\ V3n)))))) \wedge (p (ap (ap\ c\_2Erealax\_2Ereal\_lt \\
& \quad (ap\ c\_2Ereal\_2Eabs\ V2z)) (ap\ c\_2Ereal\_2Eabs\ V1x)))))) \Rightarrow (p (ap\ c\_2Eseq\_2Esummable \\
& \quad (\lambda V4n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Erealax\_2Ereal\_mul (ap \\
& \quad c\_2Ereal\_2Eabs (ap\ V0f\ V4n)) (ap (ap\ c\_2Ereal\_2Epow\ V2z)\ V4n))))))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1x \in \\
& \quad ty\_2Erealax\_2Ereal.(\forall V2z \in ty\_2Erealax\_2Ereal.(((p ( \\
& \quad ap\ c\_2Eseq\_2Esummable (\lambda V3n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Erealax\_2Ereal\_mul \\
& \quad (ap\ V0f\ V3n)) (ap (ap\ c\_2Ereal\_2Epow\ V1x\ V3n)))))) \wedge (p (ap (ap\ c\_2Erealax\_2Ereal\_lt \\
& \quad (ap\ c\_2Ereal\_2Eabs\ V2z)) (ap\ c\_2Ereal\_2Eabs\ V1x)))))) \Rightarrow (p (ap\ c\_2Eseq\_2Esummable \\
& \quad (\lambda V4n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Erealax\_2Ereal\_mul (ap \\
& \quad V0f\ V4n)) (ap (ap\ c\_2Ereal\_2Epow\ V2z)\ V4n))))))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1x \in \\
& \quad ty\_2Erealax\_2Ereal.((p (ap\ c\_2Eseq\_2Esummable (\lambda V2n \in ty\_2Enum\_2Enum. \\
& \quad (ap (ap\ c\_2Erealax\_2Ereal\_mul (ap (ap\ c\_2Epowser\_2Ediffs\ V0c) \\
& \quad V2n)) (ap (ap\ c\_2Ereal\_2Epow\ V1x\ V2n)))))) \Rightarrow (p (ap (ap\ c\_2Eseq\_2Esums \\
& \quad (\lambda V3n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Erealax\_2Ereal\_mul (ap \\
& \quad c\_2Ereal\_2Ereal\_of\_num\ V3n)) (ap (ap\ c\_2Erealax\_2Ereal\_mul \\
& \quad (ap\ V0c\ V3n)) (ap (ap\ c\_2Ereal\_2Epow\ V1x) (ap (ap\ c\_2Earithmetic\_2E\_2D \\
& \quad V3n) (ap\ c\_2Earithmetic\_2ENUMERAL (ap\ c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO)))))))))) (ap\ c\_2Eseq\_2Esuminf (\lambda V4n \in \\
& \quad ty\_2Enum\_2Enum.(ap (ap\ c\_2Erealax\_2Ereal\_mul (ap (ap\ c\_2Epowser\_2Ediffs \\
& \quad V0c)\ V4n)) (ap (ap\ c\_2Ereal\_2Epow\ V1x)\ V4n))))))))))
\end{aligned} \tag{50}$$



Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty\_2Erealax\_2Ereal. (\forall V1h \in ty\_2Erealax\_2Ereal. \\
& (\forall V2n \in ty\_2Enum\_2Enum. (\forall V3k\_27 \in ty\_2Erealax\_2Ereal. \\
& (((\neg(V1h = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \wedge ((p\ ( \\
& \quad ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Ereal\_2Eabs\ V0z))\ V3k\_27))) \wedge \\
& (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Ereal\_2Eabs\ (ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& \quad V0z)\ V1h)))\ V3k\_27)))) \Rightarrow (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Ereal\_2Eabs \\
& \quad (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub \\
& \quad \quad (ap\ (ap\ c\_2Ereal\_2Epow\ (ap\ (ap\ c\_2Erealax\_2Ereal\_add\ V0z)\ V1h)) \\
& \quad V2n))\ (ap\ (ap\ c\_2Ereal\_2Epow\ V0z)\ V2n)))\ V1h))\ (ap\ (ap\ c\_2Erealax\_2Ereal\_mul \\
& \quad (ap\ c\_2Ereal\_2Ereal\_of\_num\ V2n))\ (ap\ (ap\ c\_2Ereal\_2Epow\ V0z) \\
& \quad (ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V2n)\ (ap\ c\_2Earithmetic\_2ENUMERAL \\
& \quad \quad (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))))))\ (ap \\
& \quad (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ V2n)) \\
& \quad (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& \quad (ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V2n)\ (ap\ c\_2Earithmetic\_2ENUMERAL \\
& \quad \quad (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))))\ (ap\ (ap \\
& \quad c\_2Erealax\_2Ereal\_mul\ (ap\ (ap\ c\_2Ereal\_2Epow\ V3k\_27)\ (ap\ (ap \\
& \quad c\_2Earithmetic\_2E\_2D\ V2n)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& \quad \quad c\_2Earithmetic\_2EZERO))))\ (ap\ c\_2Ereal\_2Eabs\ V1h))))))\ (51)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}). (\forall V1g \in \\
& ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal}). \\
& (\forall V2k \in ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt \\
& (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V2k)) \wedge ((p\ (ap\ c\_2Eseq\_2Esummable \\
& \quad V0f)) \wedge (\forall V3h \in ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt \\
& \quad (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ (ap\ c\_2Ereal\_2Eabs \\
& \quad \quad V3h))) \wedge (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Eabs\ V3h)) \\
& \quad \quad V2k))) \Rightarrow (\forall V4n \in ty\_2Enum\_2Enum. (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte \\
& \quad (ap\ c\_2Ereal\_2Eabs\ (ap\ (ap\ V1g\ V3h)\ V4n))\ (ap\ (ap\ c\_2Erealax\_2Ereal\_mul \\
& \quad (ap\ V0f\ V4n))\ (ap\ c\_2Ereal\_2Eabs\ V3h)))))) \Rightarrow (p\ (ap\ (ap\ (ap\ c\_2Elim\_2Etends\_real\_real \\
& \quad (\lambda V5h \in ty\_2Erealax\_2Ereal. (ap\ c\_2Eseq\_2Esuminf\ (ap\ V1g\ V5h)))) \\
& \quad (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& \quad \quad c\_2Enum\_2E0))))))\ (52)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((ap\ (ap\ c\_2Erealax\_2Ereal\_add\ V0x)\ V1y) = (ap\ (ap\ c\_2Erealax\_2Ereal\_add \\
& \quad V1y)\ V0x))))\ (53)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y) = (ap (ap c\_2Erealax\_2Ereal\_mul \\
& \quad V1y) V0x))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) (ap (ap c\_2Erealax\_2Ereal\_mul V1y) V2z)) = (ap (ap c\_2Erealax\_2Ereal\_mul \\
& \quad (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) V2z))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((\neg(V0x = (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))) \Rightarrow ((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Erealax\_2Einv \\
& V0x)) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) = V0x))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((\neg(V0x = (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))) \Rightarrow ((ap (ap c\_2Erealax\_2Ereal\_mul V0x) (ap c\_2Erealax\_2Einv \\
& V0x)) = (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0)))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0)))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& \quad V0x) V1y))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V2z))) \Rightarrow (p (ap ( \\
& ap c\_2Erealax\_2Ereal\_lt V0x) V2z))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V0x) V1y)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) V2z))) \Rightarrow (p (ap ( \\
& ap c\_2Erealax\_2Ereal\_lt V0x) V2z))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V2z))) \Rightarrow (p (ap ( \\
& ap c\_2Ereal\_2Ereal\_lte V0x) V2z))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (((ap (ap c\_2Ereal\_2Ereal\_sub V0x) V1y) = (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Ereal\_2Ereal\_sub V0x) V1y))) \Leftrightarrow (p (ap ( \\
& ap c\_2Erealax\_2Ereal\_lt V1y) V0x))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) (ap (ap c\_2Ereal\_2Ereal\_sub V1y) V2z)) = (ap (ap c\_2Ereal\_2Ereal\_sub \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) V2z))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap (ap c\_2Ereal\_2Ereal\_sub V0x) V1y)) V2z) = (ap (ap c\_2Ereal\_2Ereal\_sub \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V1y) V2z))))))
\end{aligned} \tag{68}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \Rightarrow (\neg(V0x = V1y)))))) \quad (69)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) (ap (ap c\_2Ereal\_2Ereal\_sub V1y) V2z))) \Leftrightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap (ap c\_2Erealax\_2Ereal\_add V0x) V2z)) V1y))))))) \quad (70)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Ereal\_2Ereal\_sub V0x) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = V0x)) \quad (71)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \Rightarrow (\exists V2z \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V2z)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt V2z) V1y))))))) \quad (72)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V2z))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z))))))) \quad (73)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (((ap c\_2Ereal\_2Eabs V0x) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \Leftrightarrow (V0x = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (74)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Eabs (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y))) (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Eabs V0x) (ap c\_2Ereal\_2Eabs V1y))))))) \quad (75)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Ereal\_2Eabs V0x)))) \quad (76)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((ap\ c\_2Ereal\_2Eabs\ (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V0x)\ V1y)) = \\
& (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Ereal\_2Eabs\ V0x))\ (ap\ c\_2Ereal\_2Eabs \\
& \quad V1y))))))
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((\neg(V0x = (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))\ (ap\ c\_2Ereal\_2Eabs\ V0x))))))
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte \\
& \quad V0x)\ (ap\ c\_2Ereal\_2Eabs\ V0x))))
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (((ap\ c\_2Ereal\_2Eabs\ V0x) = \\
& V0x) \Leftrightarrow (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0))\ V0x))))
\end{aligned} \tag{80}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((ap\ c\_2Ereal\_2Eabs\ (ap\ c\_2Ereal\_2Ereal\_of\_num \\
& \quad V0n)) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ V0n)))
\end{aligned} \tag{81}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2h \in ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt \\
& (ap\ c\_2Ereal\_2Eabs\ V2h))\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ (ap\ c\_2Ereal\_2Eabs \\
& \quad V1y))\ (ap\ c\_2Ereal\_2Eabs\ V0x)))) \Rightarrow (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt \\
& \quad (ap\ c\_2Ereal\_2Eabs\ (ap\ (ap\ c\_2Erealax\_2Ereal\_add\ V0x)\ V2h)) \\
& \quad (ap\ c\_2Ereal\_2Eabs\ V1y)))))))
\end{aligned} \tag{82}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty\_2Erealax\_2Ereal. (\forall V1m \in ty\_2Enum\_2Enum. \\
& (\forall V2n \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Ereal\_2Epow\ V0c)\ (ap \\
& (ap\ c\_2Earithmetic\_2E\_2B\ V1m)\ V2n)) = (ap\ (ap\ c\_2Erealax\_2Ereal\_mul \\
& (ap\ (ap\ c\_2Ereal\_2Epow\ V0c)\ V1m))\ (ap\ (ap\ c\_2Ereal\_2Epow\ V0c)\ V2n))))))
\end{aligned} \tag{83}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap\ (ap\ c\_2Ereal\_2Epow\ V0x) \\
& (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))) = \\
& \quad V0x))
\end{aligned} \tag{84}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (85)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (86)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (87)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (88)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (89)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (90)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (91)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (92)$$

Assume the following.

$$(\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1l \in ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Eseq\_2Esums V0f) V1l)) \Rightarrow (p (ap c\_2Eseq\_2Esumable V0f)))))) \quad (93)$$

Assume the following.

$$(\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).((p (ap c\_2Eseq\_2Esumable V0f)) \Rightarrow (p (ap (ap c\_2Eseq\_2Esums V0f) (ap c\_2Eseq\_2Esuminf V0f)))))) \quad (94)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1x \in \\
& ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Eseq\_2Esums V0f) V1x)) \Rightarrow (V1x = \\
& (ap c\_2Eseq\_2Esuminf V0f))))))
\end{aligned} \tag{95}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1x0 \in \\
& ty\_2Erealax\_2Ereal.(\forall V2y \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}). \\
& (\forall V3y0 \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Eseq\_2Esums \\
& V0x) V1x0)) \wedge (p (ap (ap c\_2Eseq\_2Esums V2y) V3y0))) \Rightarrow (p (ap (ap c\_2Eseq\_2Esums \\
& (\lambda V4n \in ty\_2Enum\_2Enum.(ap (ap c\_2Ereal\_2Ereal\_sub (ap V0x \\
& V4n)) (ap V2y V4n)))) (ap (ap c\_2Ereal\_2Ereal\_sub V1x0) V3y0))))))))))
\end{aligned} \tag{96}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1x0 \in \\
& ty\_2Erealax\_2Ereal.(\forall V2c \in ty\_2Erealax\_2Ereal.((p (ap \\
& (ap c\_2Eseq\_2Esums V0x) V1x0)) \Rightarrow (p (ap (ap c\_2Eseq\_2Esums (\lambda V3n \in \\
& ty\_2Enum\_2Enum.(ap (ap c\_2Ereal\_2E2F (ap V0x V3n)) V2c))) (ap \\
& (ap c\_2Ereal\_2E2F V1x0) V2c))))))
\end{aligned} \tag{97}$$

### Theorem 1

$$\begin{aligned}
& (\forall V0c \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1k\_27 \in \\
& ty\_2Erealax\_2Ereal.(\forall V2x \in ty\_2Erealax\_2Ereal.(((p ( \\
& ap c\_2Eseq\_2Esummable (\lambda V3n \in ty\_2Enum\_2Enum.(ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap V0c V3n)) (ap (ap c\_2Ereal\_2Epow V1k\_27) V3n)))))) \wedge ((p (ap c\_2Eseq\_2Esummable \\
& (\lambda V4n \in ty\_2Enum\_2Enum.(ap (ap c\_2Erealax\_2Ereal\_mul (ap \\
& (ap c\_2Epowser\_2Ediffs V0c) V4n)) (ap (ap c\_2Ereal\_2Epow V1k\_27) \\
& V4n)))))) \wedge ((p (ap c\_2Eseq\_2Esummable (\lambda V5n \in ty\_2Enum\_2Enum. \\
& (ap (ap c\_2Erealax\_2Ereal\_mul (ap (ap c\_2Epowser\_2Ediffs (ap \\
& c\_2Epowser\_2Ediffs V0c)) V5n)) (ap (ap c\_2Ereal\_2Epow V1k\_27) \\
& V5n)))))) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Eabs \\
& V2x)) (ap c\_2Ereal\_2Eabs V1k\_27)))))) \Rightarrow (p (ap (ap (ap c\_2Elim\_2Ediff \\
& (\lambda V6x \in ty\_2Erealax\_2Ereal.(ap c\_2Eseq\_2Esuminf (\lambda V7n \in \\
& ty\_2Enum\_2Enum.(ap (ap c\_2Erealax\_2Ereal\_mul (ap V0c V7n)) ( \\
& ap (ap c\_2Ereal\_2Epow V6x) V7n)))))) (ap c\_2Eseq\_2Esuminf (\lambda V8n \in \\
& ty\_2Enum\_2Enum.(ap (ap c\_2Erealax\_2Ereal\_mul (ap (ap c\_2Epowser\_2Ediffs \\
& V0c) V8n)) (ap (ap c\_2Ereal\_2Epow V2x) V8n)))))) V2x))))))
\end{aligned}$$