

thm_2Epowser_2ETERMDIFF__LEMMA1 (TMc- SqtpAEtWHskaT1Qu5m4hCyuXhH2VwAmZ)

October 26, 2020

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (3)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in (((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{ty_2Erealax_2Ereal})_{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal})_{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal} \quad (4)$$

Definition 1 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p\ (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2E27 to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (ty_2Erealax_2Ereal\ a)))$

Let $c_2Erealax_2Etreall_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)_{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal})_{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal})_{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal} \quad (5)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (8)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (11)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (13)$$

Definition 10 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2))$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (14)$$

Definition 13 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Definition 14 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (15)$$

Definition 15 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \quad (16)$$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (17)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2E_21\ 2)$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{ty_2Epair_2Eprod\ ty_2Enum_2Enum})^{ty_2Epair_2Eprod\ ty_2Enum_2Enum} \quad (18)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ 2)$

Definition 19 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2$

Definition 21 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ & ((ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Enum_2E0)\ V0m) = V0m) \wedge (((ap\ (\\ & ap\ c_2Earithmetic_2E_2B\ V0m)\ c_2Enum_2E0) = V0m) \wedge (((ap\ (ap\ c_2Earithmetic_2E_2B \\ & (ap\ c_2Enum_2ESUC\ V0m)\ V1n) = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\ & V0m)\ V1n))) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ (ap\ c_2Enum_2ESUC \\ & V1n)) = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (ap (ap c_2Earithmic_2E_2B V0m) V1n) = (ap (ap c_2Earithmic_2E_2B V1n) V0m)))) \quad (21)$$

Assume the following.

$$(p (ap (ap c_2Earithmic_2E_3C_3D V1n) V0m)) \Rightarrow ((ap (ap c_2Earithmic_2E_2B (ap (ap c_2Earithmic_2E_2D V0m) V1n)) V1n) = V0m))) \quad (22)$$

Assume the following.

$$(p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Rightarrow (p (ap (ap c_2Earithmic_2E_3C_3D V0m) V1n)))) \quad (23)$$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul V0x) V1y) = (ap (ap c_2Erealax_2Ereal_mul V1y) V0x)))) \quad (27)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul V0x) (ap (ap c_2Ereal_2Ereal_sub V1y) V2z)) = (ap (ap c_2Ereal_2Ereal_sub (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)))))) \quad (28)$$

Assume the following.

$$(\forall V0c \in ty_2Erealax_2Ereal. (\forall V1m \in ty_2Enum_2Enum. (\forall V2n \in ty_2Enum_2Enum. ((ap (ap c_2Ereal_2Epow V0c) (ap (ap c_2Earithmic_2E_2B V1m) V2n)) = (ap (ap c_2Erealax_2Ereal_mul (ap (ap c_2Ereal_2Epow V0c) V1m)) (ap (ap c_2Ereal_2Epow V0c) V2n)))))) \quad (29)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1g \in \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V2m \in ty_2Enum_2Enum. \\
& (\forall V3n \in ty_2Enum_2Enum.((\forall V4p \in ty_2Enum_2Enum. \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D V2m) V4p)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C \\
& V4p) (ap (ap c_2Earithmetic_2E_2B V2m) V3n)))) \Rightarrow ((ap V0f V4p) = (\\
& ap V1g V4p)))) \Rightarrow ((ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C \\
& ty_2Enum_2Enum ty_2Enum_2Enum) V2m) V3n)) V0f) = (ap (ap c_2Ereal_2Esum \\
& (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) V2m) V3n)) \\
& V1g)))))))))
\end{aligned} \tag{30}$$

Theorem 1

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum.(\forall V1z \in ty_2Erealax_2Ereal. \\
& (\forall V2h \in ty_2Erealax_2Ereal.((ap (ap c_2Ereal_2Esum (ap \\
& (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) c_2Enum_2E0) \\
& V0m)) (\lambda V3p \in ty_2Enum_2Enum.(ap (ap c_2Ereal_2Ereal_sub \\
& (ap (ap c_2Erealax_2Ereal_mul (ap (ap c_2Ereal_2Epow (ap (ap c_2Erealax_2Ereal_add \\
& V1z) V2h)) (ap (ap c_2Earithmetic_2E_2D V0m) V3p))) (ap (ap c_2Ereal_2Epow \\
& V1z) V3p))) (ap (ap c_2Ereal_2Epow V1z) V0m)))))) = (ap (ap c_2Ereal_2Esum \\
& (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) c_2Enum_2E0) \\
& V0m)) (\lambda V4p \in ty_2Enum_2Enum.(ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Ereal_2Epow V1z) V4p)) (ap (ap c_2Ereal_2Ereal_sub \\
& (ap (ap c_2Ereal_2Epow (ap (ap c_2Erealax_2Ereal_add V1z) V2h)) \\
& (ap (ap c_2Earithmetic_2E_2D V0m) V4p))) (ap (ap c_2Ereal_2Epow \\
& V1z) (ap (ap c_2Earithmetic_2E_2D V0m) V4p))))))))))
\end{aligned}$$