

thm\_2Epowser\_2ETERMDIFF\_\_LEMMA2  
(TMZ5npANL7cwQBDWEz5QpqDNUPycM8bhnPv)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (c\_2Enum\_2E0\ m))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 6** We define  $c\_2Earithmic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic\_2EBIT2))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A) P)))$

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2)) (\lambda V0t \in 2.V0t)$ .

Let  $c\_2Earithmic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (ap V1t2 t1))))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (8)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod\ A0\ A1) \quad (9)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (10)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (11)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ap V0a)))$

Let  $c\_2Erealax\_2Etreall\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_inv \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Erealax\_2Etreall\_inv}) \quad (12)$$

Let  $c\_2Erealax\_2Etreall\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal}) \quad (13)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (14)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 14** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_ABS)$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} \quad (15)$$

**Definition 15** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.$

**Definition 16** We define  $c\_2Ereal\_2E2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.$

**Definition 17** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E7E))$

**Definition 18** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 19** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EBIT1))$

**Definition 20** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal})^{ty\_2Enum\_2Enum} \quad (16)$$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} \quad (17)$$

**Definition 21** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.$

**Definition 22** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2)))$

**Definition 23** We define  $c\_2Eprim\_rec\_2E3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 24** We define  $c\_2Earithmetic\_2E3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (18)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (19)$$

**Definition 25** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b))$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum})})^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum)}) \quad (20)$$

Let  $c\_2Erealax\_2Etreall\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (21)$$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

**Definition 27** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Assume the following.

$$((ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ c\_2Enum\_2E0)) \quad (22)$$

Assume the following.

$$((ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) \quad (23)$$

Assume the following.

$$(\forall V0m \in ty\_2Eenum\_2Eenum.(\forall V1n \in ty\_2Eenum\_2Eenum.((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Enum\_2E0)\ V0m) = V0m) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ c\_2Enum\_2E0) = V0m) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Enum\_2ESUC\ V1n)) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n)))))) \quad (24)$$

Assume the following.

$$(\forall V0m \in ty\_2Eenum\_2Eenum.(\forall V1n \in ty\_2Eenum\_2Eenum.((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V0m)))) \quad (25)$$

Assume the following.

$$(\forall V0m \in ty\_2Eenum\_2Eenum.((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in ty\_2Eenum\_2Eenum.(V0m = (ap\ c\_2Enum\_2ESUC\ V1n)))))) \quad (26)$$

Assume the following.

$$(\forall V0m \in ty\_2Eenum\_2Eenum.(((ap\ (ap\ c\_2Earithmetic\_2E\_2D\ c\_2Enum\_2E0)\ V0m) = c\_2Enum\_2E0) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V0m)\ c\_2Enum\_2E0) = V0m))) \quad (27)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( (ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0n)) (ap c\_2Enum\_2ESUC V1m)) = (ap (ap c\_2Earithmetic\_2E\_2D V0n) V1m)))))) \quad (28)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0m) = (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \quad (29)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0m)) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m)) \quad (30)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1n) V0m)) \Rightarrow (\exists V2p \in ty\_2Enum\_2Enum. (V0m = (ap (ap c\_2Earithmetic\_2E\_2B V1n) (ap (ap c\_2Earithmetic\_2E\_2B V2p) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))))))) \quad (31)$$

Assume the following.

$$(\forall V0a \in ty\_2Enum\_2Enum. (\forall V1c \in ty\_2Enum\_2Enum. ( (ap (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2E\_2B V0a) V1c)) V1c) = V0a))) \quad (32)$$

Assume the following.

$$(\forall V0c \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2D V0c) V0c) = c\_2Enum\_2E0)) \quad (33)$$

Assume the following.

$$True \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (36)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{38}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1x \in ty\_2Erealax\_2Ereal. \\
& (\forall V2y \in ty\_2Erealax\_2Ereal.((ap \ (ap \ c\_2Ereal\_2Ereal\_sub \\
& (ap \ (ap \ c\_2Ereal\_2Epow \ V1x) \ (ap \ c\_2Enum\_2ESUC \ V0n)) \ (ap \ (ap \ c\_2Ereal\_2Epow \\
& V2y) \ (ap \ c\_2Enum\_2ESUC \ V0n))) = (ap \ (ap \ c\_2Erealax\_2Ereal\_mul \\
& (ap \ (ap \ c\_2Ereal\_2Ereal\_sub \ V1x) \ V2y)) \ (ap \ (ap \ c\_2Ereal\_2Esum \\
& (ap \ (ap \ (c\_2Epair\_2E\_2C \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum) \ c\_2Enum\_2E0) \\
& (ap \ c\_2Enum\_2ESUC \ V0n))) \ (\lambda V3p \in ty\_2Enum\_2Enum.(ap \ (ap \ c\_2Erealax\_2Ereal\_mul \\
& (ap \ (ap \ c\_2Ereal\_2Epow \ V1x) \ V3p)) \ (ap \ (ap \ c\_2Ereal\_2Epow \ V2y) \ (ap \\
& (ap \ c\_2Earithmic\_2E\_2D \ V0n) \ V3p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1x \in ty\_2Erealax\_2Ereal. \\
& (\forall V2y \in ty\_2Erealax\_2Ereal.((ap \ (ap \ c\_2Ereal\_2Esum \ (ap \\
& (ap \ (c\_2Epair\_2E\_2C \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum) \ c\_2Enum\_2E0) \\
& (ap \ c\_2Enum\_2ESUC \ V0n))) \ (\lambda V3p \in ty\_2Enum\_2Enum.(ap \ (ap \ c\_2Erealax\_2Ereal\_mul \\
& (ap \ (ap \ c\_2Ereal\_2Epow \ V1x) \ V3p)) \ (ap \ (ap \ c\_2Ereal\_2Epow \ V2y) \ (ap \\
& (ap \ c\_2Earithmic\_2E\_2D \ V0n) \ V3p)))))) = (ap \ (ap \ c\_2Ereal\_2Esum \\
& (ap \ (ap \ (c\_2Epair\_2E\_2C \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum) \ c\_2Enum\_2E0) \\
& (ap \ c\_2Enum\_2ESUC \ V0n))) \ (\lambda V4p \in ty\_2Enum\_2Enum.(ap \ (ap \ c\_2Erealax\_2Ereal\_mul \\
& (ap \ (ap \ c\_2Ereal\_2Epow \ V1x) \ (ap \ (ap \ c\_2Earithmic\_2E\_2D \ V0n) \ V4p))) \\
& (ap \ (ap \ c\_2Ereal\_2Epow \ V2y) \ V4p))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1z \in ty\_2Erealax\_2Ereal. \\
& (\forall V2h \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Ereal\_2Esum (ap \\
& (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) c\_2Enum\_2E0) \\
& V0m)) (\lambda V3p \in ty\_2Enum\_2Enum. (ap (ap c\_2Ereal\_2Ereal\_sub \\
& (ap (ap c\_2Erealax\_2Ereal\_mul (ap (ap c\_2Ereal\_2Epow (ap (ap c\_2Erealax\_2Ereal\_add \\
& V1z) V2h)) (ap (ap c\_2Earithmetic\_2E\_2D V0m) V3p))) (ap (ap c\_2Ereal\_2Epow \\
& V1z) V3p))) (ap (ap c\_2Ereal\_2Epow V1z) V0m)))))) = (ap (ap c\_2Ereal\_2Esum \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) c\_2Enum\_2E0) \\
& V0m)) (\lambda V4p \in ty\_2Enum\_2Enum. (ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap (ap c\_2Ereal\_2Epow V1z) V4p)) (ap (ap c\_2Ereal\_2Ereal\_sub \\
& (ap (ap c\_2Ereal\_2Epow (ap (ap c\_2Erealax\_2Ereal\_add V1z) V2h)) \\
& (ap (ap c\_2Earithmetic\_2E\_2D V0m) V4p))) (ap (ap c\_2Ereal\_2Epow \\
& V1z) (ap (ap c\_2Earithmetic\_2E\_2D V0m) V4p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y) = (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V1y) V0x))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) (ap (ap c\_2Erealax\_2Ereal\_mul V1y) V2z)) = (ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) V2z))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL ( \\
& ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) V0x) = V0x))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_add \\
& V0x) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = V0x))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) V2z) = (ap (ap c\_2Erealax\_2Ereal\_add \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V1y) V2z))))))
\end{aligned} \tag{47}$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (48)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul V0x) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (49)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Ereal\_2Ereal\_sub V0x) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (50)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Ereal\_2Ereal\_sub (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) V0x) = V1y)))) \quad (51)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(\forall V2z \in ty\_2Erealax\_2Ereal.(((ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)) \Leftrightarrow ((V0x = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \vee (V1y = V2z)))))) \quad (52)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(\forall V2z \in ty\_2Erealax\_2Ereal.(((ap (ap c\_2Erealax\_2Ereal\_mul V0x) (ap (ap c\_2Ereal\_2Ereal\_sub V1y) V2z)) = (ap (ap c\_2Ereal\_2Ereal\_sub (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)))))) \quad (53)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.((ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Enum\_2ESUC V0n)) = (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Ereal\_of\_num V0n)) (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \quad (54)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.((\neg (V1y = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))) \Rightarrow ((ap (ap c\_2Erealax\_2Ereal\_mul V1y) (ap (ap c\_2Ereal\_2E2F V0x) V1y)) = V0x)))) \quad (55)$$



Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Erealax\_2Ereal. (\forall V1b \in ty\_2Erealax\_2Ereal. \\
& (\forall V2c \in ty\_2Erealax\_2Ereal. (\forall V3d \in ty\_2Erealax\_2Ereal. \\
& ((ap (ap c\_2Ereal\_2Ereal\_sub (ap (ap c\_2Erealax\_2Ereal\_add \\
V0a) V1b)) (ap (ap c\_2Erealax\_2Ereal\_add V2c) V3d)) = (ap (ap c\_2Erealax\_2Ereal\_add \\
& (ap (ap c\_2Ereal\_2Ereal\_sub V0a) V2c)) (ap (ap c\_2Ereal\_2Ereal\_sub \\
& V1b) V3d)))))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((\neg(V0x = (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0))) \Rightarrow ((V1y = V2z) \Leftrightarrow ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) V1y) = (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)))))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Ereal\_2Epow V0x) \\
& c\_2Enum\_2E0) = (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge (\forall V1x \in \\
& ty\_2Erealax\_2Ereal. (\forall V2n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Ereal\_2Epow \\
& V1x) (ap c\_2Enum\_2ESUC V2n)) = (ap (ap c\_2Erealax\_2Ereal\_mul V1x) \\
& (ap (ap c\_2Ereal\_2Epow V1x) V2n))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum. (\forall V1f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}). \\
& ((ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V0n) c\_2Enum\_2E0)) V1f) = (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)))))) \wedge (\forall V2n \in ty\_2Enum\_2Enum. (\forall V3m \in \\
& ty\_2Enum\_2Enum. (\forall V4f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}). \\
& ((ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V2n) (ap c\_2Enum\_2ESUC V3m)) V4f) = (ap (ap c\_2Erealax\_2Ereal\_add \\
& (ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V2n) V3m)) V4f)) (ap V4f) (ap (ap c\_2Earithmetic\_2E\_2B \\
& V2n) V3m)))))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}). (\forall V1c \in \\
& ty\_2Erealax\_2Ereal. (\forall V2m \in ty\_2Enum\_2Enum. (\forall V3n \in \\
& ty\_2Enum\_2Enum. ((ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C \\
& ty\_2Enum\_2Enum ty\_2Enum\_2Enum) V2m) V3n)) (\lambda V4n \in ty\_2Enum\_2Enum. \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V1c) (ap V0f V4n)))))) = (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V1c) (ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V2m) V3n)) V0f)))))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1g \in \\
& (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V2m \in ty\_2Enum\_2Enum. \\
& (\forall V3n \in ty\_2Enum\_2Enum.((\forall V4p \in ty\_2Enum\_2Enum. \\
& (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V2m) V4p)) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V4p) (ap (ap c\_2Earithmetic\_2E\_2B V2m) V3n)))))) \Rightarrow ((ap V0f V4p) = ( \\
& ap V1g V4p)))))) \Rightarrow ((ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C \\
& ty\_2Enum\_2Enum ty\_2Enum\_2Enum) V2m) V3n)) V0f) = (ap (ap c\_2Ereal\_2Esum \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) V2m) V3n)) \\
& V1g))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}). \\
& (\forall V2c \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Ereal\_2Ereal\_sub \\
& (ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) c\_2Enum\_2E0) V0n)) V1f)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap c\_2Ereal\_2Ereal\_of\_num V0n)) V2c) = (ap (ap c\_2Ereal\_2Esum \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) c\_2Enum\_2E0) \\
& V0n)) (\lambda V3p \in ty\_2Enum\_2Enum.(ap (ap c\_2Ereal\_2Ereal\_sub \\
& (ap V1f V3p)) V2c))))))
\end{aligned} \tag{62}$$

### Theorem 1

$$\begin{aligned}
& (\forall V0z \in ty\_2Erealax\_2Ereal.(\forall V1h \in ty\_2Erealax\_2Ereal. \\
& (\forall V2n \in ty\_2Enum\_2Enum.((\neg (V1h = (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0))) \Rightarrow ((ap (ap c\_2Ereal\_2Ereal\_sub (ap (ap c\_2Ereal\_2E\_2F \\
& (ap (ap c\_2Ereal\_2Ereal\_sub (ap (ap c\_2Ereal\_2Epow (ap (ap c\_2Erealax\_2Ereal\_add \\
& V0z) V1h)) V2n)) (ap (ap c\_2Ereal\_2Epow V0z) V2n))) V1h)) (ap (ap \\
& c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num V2n)) ( \\
& ap (ap c\_2Ereal\_2Epow V0z) (ap (ap c\_2Earithmetic\_2E\_2D V2n) (ap \\
& c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) = \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V1h) (ap (ap c\_2Ereal\_2Esum (ap \\
& (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) c\_2Enum\_2E0) \\
& (ap (ap c\_2Earithmetic\_2E\_2D V2n) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) (\lambda V3p \in \\
& ty\_2Enum\_2Enum.(ap (ap c\_2Erealax\_2Ereal\_mul (ap (ap c\_2Ereal\_2Epow \\
& V0z) V3p)) (ap (ap c\_2Ereal\_2Esum (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) c\_2Enum\_2E0) (ap (ap c\_2Earithmetic\_2E\_2D (ap \\
& (ap c\_2Earithmetic\_2E\_2D V2n) (ap c\_2Earithmetic\_2ENUMERAL ( \\
& ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) V3p))) ( \\
& \lambda V4q \in ty\_2Enum\_2Enum.(ap (ap c\_2Erealax\_2Ereal\_mul (ap ( \\
& ap c\_2Ereal\_2Epow (ap (ap c\_2Erealax\_2Ereal\_add V0z) V1h)) V4q)) \\
& (ap (ap c\_2Ereal\_2Epow V0z) (ap (ap c\_2Earithmetic\_2E\_2D (ap (ap \\
& c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2E\_2D V2n) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO)))))) V3p)) V4q))))))
\end{aligned}$$