

thm_2Epred__set_2EBIJ__ID
(TMR7Aq7ikQWu4hutF8Pm3m1or53TMh5grfq)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1f \in (2^{A_27a}).(\lambda V1x \in A_27a.V1x).V1f V0x)) (\lambda V2t \in 2.V2t).V2t))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define `c_2Ebool_2E_2IN` to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(\lambda V1x \in A_27a.V1x).V1f V0x))$

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t).V2t))$

Definition 9 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$.

Definition 10 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 (2^{A_27a}) P) (\lambda V1s \in (2^{A_27a}).(\lambda V1t \in A_27a.V1t).V1s))))$

Definition 11 We define `c_2Epred__set_2ESURJ` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b}).(\lambda V2t \in A_27b.V2t).V2t)$

Definition 12 We define `c_2Epred__set_2EINJ` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b}).(\lambda V2t \in A_27b.V2t).V2t)$

Definition 13 We define `c_2Epred__set_2EBIJ` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b}).(\lambda V2t \in A_27b.V2t).V2t)$

Assume the following.

$$True \tag{1}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{2}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (3)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p \ V0t)))))) \quad (4)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(p \ (ap \ (\\
& ap \ (ap \ (c_2Epred_set_2EINJ \ A_27a \ A_27a) \ (\lambda V1x \in A_27a.V1x)) \\
& V0s) \ V0s))) \quad (5)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(p \ (ap \ (\\
& ap \ (ap \ (c_2Epred_set_2ESURJ \ A_27a \ A_27a) \ (\lambda V1x \in A_27a.V1x)) \\
& V0s) \ V0s))) \quad (6)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(p \ (ap \ (\\
& ap \ (ap \ (c_2Epred_set_2EBIJ \ A_27a \ A_27a) \ (\lambda V1x \in A_27a.V1x)) \\
& V0s) \ V0s)))
\end{aligned}$$