

thm\_2Epred\_set\_2EBIJ\_INSERT  
(TMR1qMaqMJ6fhPXm6Rc11fUZSXXK1dGuGHtZ)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

**Definition 5** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \ P \Rightarrow \ p \ Q)$  of type  $\iota$ .

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2.V2t))))$

**Definition 8** We define `c_2Ebool_2ECOND` to be  $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))))$

**Definition 9** We define `c_2Ebool_2EIN` to be  $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f \ V0x)))$

**Definition 10** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2.V2t))))$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 \ A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c\_2Epair\_2EABS\_prod } A. 27a \ A. 27b \in ((\text{ty\_2Epair\_2Eprod } A. 27a \ A. 27b))^{((2^{A-27b})^{A-27a})} \tag{2}$$

**Definition 11** We define `c_2Epair_2E_2C` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0x \in A. 27a. \lambda V1y \in A. 27b. (\text{ap } (\text{c\_2Epair\_2EABS\_prod } A. 27a \ A. 27b))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (3)$$

**Definition 12** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 13** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF).$

**Definition 14** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 15** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 16** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1x \in A\_27a.(ap\ (ap$

**Definition 17** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 18** We define  $c\_2Epred\_set\_2ESURJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in ($

**Definition 19** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A$

**Definition 20** We define  $c\_2Epred\_set\_2EBIJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A\_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{12}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \tag{13}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{14}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p \ V0t))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in \\
& A\_27a.(((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2EF) \\
& V0t1) \ V1t2) = V1t2))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in \\
& (2^{A\_27a}).((\forall V2x \in A\_27a.((p \ (ap \ V0P \ V2x)) \wedge (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow \\
& ((\forall V3x \in A\_27a.(p \ (ap \ V0P \ V3x))) \wedge (\forall V4x \in A\_27a.(p \ ( \\
& ap \ V1Q \ V4x))))))
\end{aligned} \tag{18}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (21)$$

Assume the following.

$$(\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2R \in 2. (((p V0P) \vee (p V1Q)) \Rightarrow (p V2R)) \Leftrightarrow (((p V0P) \Rightarrow (p V2R)) \wedge ((p V1Q) \Rightarrow (p V2R)))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_{.27a}. (\forall V3x_{.27} \in A_{.27a}. (\forall V4y \in A_{.27a}. \\ & (\forall V5y_{.27} \in A_{.27a}. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))) \Rightarrow ((\text{ap } (\text{ap } (\text{ap } (\text{c.2Ebool\_2ECOND } A_{.27a}) \\ & V0P) V2x) V4y) = (\text{ap } (\text{ap } (\text{ap } (\text{c.2Ebool\_2ECOND } A_{.27a}) V1Q) V3x_{.27}) \\ & V5y_{.27})))))) \quad (25) \end{aligned}$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0f \in (2^{A_{.27a}}). (\forall V1v \in A_{.27a}. ((\forall V2x \in A_{.27a}. ((V2x = V1v) \Rightarrow (p (\text{ap } V0f V2x)))) \Leftrightarrow (p (\text{ap } V0f V1v)))) \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}. (\forall V1t2 \in \\ & A_{.27a}. ((\text{ap } (\text{ap } (\text{ap } (\text{c.2Ebool\_2ECOND } A_{.27a}) \text{c.2Ebool\_2ET}) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}. (\forall V3t2 \in A_{.27a}. ((\text{ap } \\ & (\text{ap } (\text{ap } (\text{c.2Ebool\_2ECOND } A_{.27a}) \text{c.2Ebool\_2EF}) V2t1) V3t2) = V3t2)))) \quad (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ A\_27a. (\forall V2s \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ V0x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1y)\ V2s)))) \Leftrightarrow ((V0x = \\ V1y) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1s \in \\ (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V1s)) \Leftrightarrow ((ap\ (ap \\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V0x)\ V1s) = V1s)))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1x \in \\ A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1x) \\ (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ A\_27a)\ V0s)\ V2y)))) \Leftrightarrow ((p\ (ap\ (ap \\ (c\_2Ebool\_2EIN\ A\_27a)\ V1x)\ V0s)) \wedge \neg(V1x = V2y)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in (A\_27b^{A\_27a}). (\forall V1s \in (2^{A\_27a}). (\forall V2t \in \\ (2^{A\_27b}). ((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EBIJ\ A\_27a\ A\_27b)\ V0f) \\ V1s)\ V2t)) \Leftrightarrow ((\forall V3x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ V3x)\ V1s)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ (ap\ V0f\ V3x))\ V2t)))) \wedge \\ (\exists V4g \in (A\_27a^{A\_27b}). ((\forall V5x \in A\_27b. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A\_27b)\ V5x)\ V2t)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ (ap\ V4g\ V5x)) \\ V1s)))) \wedge ((\forall V6x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ V6x)\ V1s)) \Rightarrow ((ap\ V4g\ (ap\ V0f\ V6x)) = V6x))) \wedge (\forall V7x \in A\_27b. ( \\ (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V7x)\ V2t)) \Rightarrow ((ap\ V0f\ (ap\ V4g\ V7x)) = \\ V7x)))))))))) \end{aligned} \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (33)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg( \\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (( \\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (46)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in (A\_27b^{A\_27a}). (\forall V1e \in A\_27a. (\forall V2s \in ( \\ & \quad 2^{A\_27a}). (\forall V3t \in (2^{A\_27b}). ((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EBIJ \\ & \quad A\_27a\ A\_27b)\ V0f)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1e)\ V2s)) \\ & \quad V3t)) \Leftrightarrow (((\neg(p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1e)\ V2s))) \wedge ((p\ (ap \\ & \quad (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ (ap\ V0f\ V1e))\ V3t)) \wedge (p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EBIJ \\ & \quad A\_27a\ A\_27b)\ V0f)\ V2s)\ (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ A\_27b)\ V3t) \\ & \quad (ap\ V0f\ V1e)))))) \vee ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1e)\ V2s)) \wedge \\ & \quad (p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EBIJ\ A\_27a\ A\_27b)\ V0f)\ V2s)\ V3t))))))))) \end{aligned}$$