

thm_2Epred__set_2EBIJ__INV (TMV-
Toq85B6sVRXKhYsPoH8mTauNrHtTQYa6)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Definition 6 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Definition 7 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$
of type ι .

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 10 We define $c_2Epred_set_2ESURJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 11 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 12 We define $c_2Epred_set_2EBIJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 13 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 15 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Assume the following.

$$True \quad (1)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (2)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (3)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee \neg(p \ V0t))) \quad (4)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow \neg(p \ V0t))) \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.(\neg(p \ V0t) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (9)$$

Assume the following.

$$((\forall V0t \in 2.(\neg(\neg(p \ V0t)) \Leftrightarrow (p \ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (10)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t))))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). ((\neg(\exists V1x \in A_27a. (p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A_27a. (\neg(p\ (ap\ V0P\ V2x)))))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge (((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B)))))) \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (18)$$

Assume the following.

$$2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c.nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27a^{A_27c}). (\forall V2x \in A_27c. ((ap\ (ap\ (ap\ (c.2Ecombin_2Eo\ A_27c\ A_27b\ A_27a)\ V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.((p \vee 0A) \Rightarrow ((\neg(p \vee 0A)) \Rightarrow \text{False}))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \vee 0A) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \vee 0A)) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \vee 0A)) \Rightarrow \text{False}) \Rightarrow (((p \vee 0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (25)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Leftrightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((p \vee 1q) \vee (p \vee 2r))) \wedge (((p \vee 0p) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 1q)))) \wedge (((p \vee 1q) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 0p)))) \wedge ((p \vee 2r) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))))))) \quad (26)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \wedge (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 2r)))) \wedge (((p \vee 1q) \vee (\neg(p \vee 0p))) \wedge ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (27)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \vee (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Rightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((\neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (29)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))) \quad (30)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1s \in (2^{A_27a}). (\forall V2t \in \\ & \quad (2^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c_2Epred_set_2EIJ\ A_27a\ A_27b)\ V0f) \\ & \quad V1s)\ V2t)) \Rightarrow (\exists V3g \in (A_27a^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c_2Epred_set_2EIJ \\ & \quad A_27b\ A_27a)\ V3g)\ V2t)\ V1s)) \wedge ((\forall V4x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & \quad A_27a)\ V4x)\ V1s)) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27a\ A_27a\ A_27b) \\ & \quad V3g)\ V0f)\ V4x) = V4x))) \wedge (\forall V5x \in A_27b. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & \quad A_27b)\ V5x)\ V2t)) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27b\ A_27b\ A_27a) \\ & \quad V0f)\ V3g)\ V5x) = V5x)))))))))) \end{aligned}$$