

thm\_2Epred\_set\_2ECARD\_\_BIGUNION\_\_SAME\_\_SIZED\_\_SETS  
 (TMbKy-  
 BEf3x4TnLWwcAb5DpDmHUbzafSfp7o)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c_2$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enumty\_2Enum\_2Enum\_2Enum)ty\_2Enum\_2Enum) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap (ap c\_2Earithmetic\_2EBIT1$

**Definition 8** We define `c_2Earthmetic_2ENUMERAL` to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x.$

Let  $c_2Earithmetic_2E_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (7)$$

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 10** We define  $c\_2E\text{pred\_set\_2EEEMPTY}$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2E\text{bool\_2EF})$ .

**Definition 11** We define  $c_{\_2EBool\_2EIN}$  to be  $\lambda A.\lambda 27a.\lambda u.(\lambda V0x \in A.27a).(\lambda V1f \in (2^{A\_27a}).(ap\;V1f\;V0x))$

**Definition 12** We define  $c \in \text{Emin\_3D\_3D\_3E}$  to be  $\lambda P \in 2.\lambda Q \in 2.\text{inj\_o} (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 13** We define  $c_2Ebbo_2E_2F_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebbo_2E_21 2))(\lambda V2t \in$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty}(\text{ty\_2Epair\_2Eprod } A0 A1) \quad (8)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow \forall A_{\_27b}.nonempty\ A_{\_27b} \Rightarrow c\_2Epair\_2EABS\_prod\\ A_{\_27a}\ A_{\_27b} \in ((ty\_2Epair\_2Eprod\ A_{\_27a}\ A_{\_27b})^{((2^{A_{\_27b}})^{A_{\_27a}})}) \quad (9)$$

**Definition 14** We define  $c_2$ -Epair- $2E_2C$  to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap(c_2$

Let  $c_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow & c\_2Epred\_set\_2EGSPEC \\ A\_27a \ A\_27b \in ((2^{A\_27a})((ty\_2Epair\_2Eprod \ A\_27a \ 2)^{A\_27b})) & \end{aligned} \quad (10)$$

**Definition 15** We define  $c_2\text{Epred\_set\_2INTER}$  to be  $\lambda A.\lambda 27a:\iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap(c_2$

**Definition 16** We define  $c_2\text{EPrep}_\text{set\_2EDISJOINT}$  to be  $\lambda A\_\exists 2a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(\text{app}$

**Definition 17** We define  $c_2Emin_2E_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \ (ap \ P \ x)) \ \text{then } (\lambda x.x \in A \wedge$  of type  $\iota \rightarrow \iota$ .

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Epred\_set\_2ECARD : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Epred\_set\_2ECARD\ A\_27a \in (ty\_2Enum\_2Enum^{(2^{A\_27a})}) \quad (12)$$

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 20** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 21** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EUNION\ A\_27a\ V0s\ V1t))$

**Definition 22** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a\ V0x\ V1s))$

**Definition 23** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a\ V0P))$

**Definition 24** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ (2^{A\_27a}))$

**Definition 25** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V0m))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(((ap\ (ap\ c\_2Earithmetic\_2E\_2D\ c\_2Enum\_2E0)\ V0m) = c\_2Enum\_2E0) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V0m)\ c\_2Enum\_2E0) = V0m))) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ c\_2Enum\_2E0) = c\_2Enum\_2E0)) \quad (15)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge \\
& ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& V0m) V1n)))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2A \\
& V1n) V0m)))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2p \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\
& V2p) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{18}$$

Assume the following.

$$True \tag{19}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{20}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{21}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& A\_27a. (p V0t) \Leftrightarrow (p V0t)))
\end{aligned} \tag{23}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (27)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (28)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (31)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\forall V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg(p (ap V0P V2x))))))) \quad (32)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x))))))) \quad (33)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_{27a}}).((\forall V2x \in A_{27a}.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_{27a}.(p (ap V1P V3x)) \vee (p V0Q)))))) \quad (34)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_{27a}}).((\forall V2x \in A_{27a}.((p V0P) \Rightarrow (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \Rightarrow (\forall V3x \in A_{27a}.(p (ap V1Q V3x))))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge ((p V2C) \vee (p V0A))) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))) \quad (38)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (39)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))) \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{27a}.(\forall V3x_{27} \in A_{27a}.(\forall V4y \in A_{27a}. \\ & (\forall V5y_{27} \in A_{27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_{27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{27})))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A_{27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A_{27a}) V1Q) V3x_{27}) \\ & V5y_{27})))))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow ((\forall V0t1 \in A_{27a}.(\forall V1t2 \in A_{27a}.((ap (ap (c\_2Ebool\_2ECOND A_{27a}) c\_2Ebool\_2ET) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{27a}.(\forall V3t2 \in A_{27a}.((ap (ap (c\_2Ebool\_2ECOND A_{27a}) c\_2Ebool\_2EF) V2t1) V3t2) = V3t2)))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow & (\forall V0s \in (2^{A_{\_27a}}).(\forall V1t \in \\ (2^{A_{\_27a}}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_{\_27a}.((p (ap (ap (c\_2Ebool\_2EIN \\ A_{\_27a}) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN A_{\_27a}) V2x) V1t))))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow & (\forall V0x \in A_{\_27a}.(\neg(p (ap (ap \\ (c\_2Ebool\_2EIN A_{\_27a}) V0x) (c\_2Epred\_set\_2EEMPTY A_{\_27a})))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow & (\forall V0s \in (2^{A_{\_27a}}).(\forall V1t \in \\ (2^{A_{\_27a}}).(\forall V2x \in A_{\_27a}.((p (ap (ap (c\_2Ebool\_2EIN A_{\_27a}) \\ V2x) (ap (ap (c\_2Epred\_set\_2EINTER A_{\_27a}) V0s) V1t)) \Leftrightarrow ((p (ap \\ (ap (c\_2Ebool\_2EIN A_{\_27a}) V2x) V0s)) \wedge (p (ap (ap (c\_2Ebool\_2EIN \\ A_{\_27a}) V2x) V1t))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} \forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow & (\forall V0x \in A_{\_27a}.(\forall V1y \in \\ A_{\_27a}.(\forall V2s \in (2^{A_{\_27a}}).((p (ap (ap (c\_2Ebool\_2EIN A_{\_27a}) \\ V0x) (ap (ap (c\_2Epred\_set\_2EINSERT A_{\_27a}) V1y) V2s)) \Leftrightarrow ((V0x = \\ V1y) \vee (p (ap (ap (c\_2Ebool\_2EIN A_{\_27a}) V0x) V2s))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} \forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow & (\forall V0P \in (2^{(2^{A_{\_27a}})}).(( \\ (p (ap V0P (c\_2Epred\_set\_2EEMPTY A_{\_27a}))) \wedge (\forall V1s \in (2^{A_{\_27a}}). \\ (((p (ap (c\_2Epred\_set\_2EFINITE A_{\_27a}) V1s)) \wedge (p (ap V0P V1s))) \Rightarrow \\ (\forall V2e \in A_{\_27a}.((\neg(p (ap (ap (c\_2Ebool\_2EIN A_{\_27a}) V2e) V1s)) \Rightarrow \\ (p (ap V0P (ap (ap (c\_2Epred\_set\_2EINSERT A_{\_27a}) V2e) V1s))))))) \Rightarrow \\ (\forall V3s \in (2^{A_{\_27a}}).((p (ap (c\_2Epred\_set\_2EFINITE A_{\_27a}) \\ V3s)) \Rightarrow (p (ap V0P V3s))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} \forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow & ((ap (c\_2Epred\_set\_2ECARD A_{\_27a}) \\ (c\_2Epred\_set\_2EEMPTY A_{\_27a})) = c\_2Enum\_2E0) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} \forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow & (\forall V0s \in (2^{A_{\_27a}}).((p (ap \\ (c\_2Epred\_set\_2EFINITE A_{\_27a}) V0s)) \Rightarrow (\forall V1x \in A_{\_27a}.(( \\ ap (c\_2Epred\_set\_2ECARD A_{\_27a}) (ap (ap (c\_2Epred\_set\_2EINSERT \\ A_{\_27a}) V1x) V0s)) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Enum\_2Enum) \\ (ap (ap (c\_2Ebool\_2EIN A_{\_27a}) V1x) V0s)) (ap (c\_2Epred\_set\_2ECARD \\ A_{\_27a}) V0s)) (ap c\_2Enum\_2ESUC (ap (c\_2Epred\_set\_2ECARD A_{\_27a}) \\ V0s))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (\forall V0s \in (2^{A_{27a}}).(\forall V1t \in \\ & (2^{A_{27a}}).(((p (ap (c_2Epred_set_2EFINITE A_{27a}) V0s)) \wedge (p ( \\ & ap (c_2Epred_set_2EFINITE A_{27a}) V1t)))) \Rightarrow ((ap (c_2Epred_set_2ECARD \\ & A_{27a}) (ap (ap (c_2Epred_set_2EUNION A_{27a}) V0s) V1t)) = (ap (ap \\ & c_2Earithmetic_2E_2D (ap (ap c_2Earithmetic_2E_2B (ap (c_2Epred_set_2ECARD \\ & A_{27a}) V0s)) (ap (c_2Epred_set_2ECARD A_{27a}) V1t))) (ap (c_2Epred_set_2ECARD \\ & A_{27a}) (ap (ap (c_2Epred_set_2EINTER A_{27a}) V0s) V1t))))))) \\ & (50) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (\forall V0x \in A_{27a}.(\forall V1sos \in \\ & (2^{(2^{A_{27a}})}).((p (ap (ap (c_2Ebool_2EIN A_{27a}) V0x) (ap (c_2Epred_set_2EBIGUNION \\ & A_{27a}) V1sos))) \Leftrightarrow (\exists V2s \in (2^{A_{27a}}).((p (ap (ap (c_2Ebool_2EIN \\ & A_{27a}) V0x) V2s)) \wedge (p (ap (ap (c_2Ebool_2EIN (2^{A_{27a}})) V2s) V1sos))))))) \\ & (51) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & ((ap (c_2Epred_set_2EBIGUNION \\ & A_{27a}) (c_2Epred_set_2EEMPTY (2^{A_{27a}}))) = (c_2Epred_set_2EEMPTY \\ & A_{27a})) \\ & (52) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (\forall V0s \in (2^{A_{27a}}).(\forall V1P \in \\ & (2^{(2^{A_{27a}})}).((ap (c_2Epred_set_2EBIGUNION A_{27a}) (ap (ap \\ & (c_2Epred_set_2EINSERT (2^{A_{27a}})) V0s) V1P)) = (ap (ap (c_2Epred_set_2EUNION \\ & A_{27a}) V0s) (ap (c_2Epred_set_2EBIGUNION A_{27a}) V1P)))))) \\ & (53) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (\forall V0P \in (2^{(2^{A_{27a}})}).(( \\ & p (ap (c_2Epred_set_2EFINITE A_{27a}) (ap (c_2Epred_set_2EBIGUNION \\ & A_{27a}) V0P))) \Leftrightarrow ((p (ap (c_2Epred_set_2EFINITE (2^{A_{27a}})) V0P)) \wedge \\ & (\forall V1s \in (2^{A_{27a}}).((p (ap (ap (c_2Ebool_2EIN (2^{A_{27a}}) \\ & V1s) V0P)) \Rightarrow (p (ap (c_2Epred_set_2EFINITE A_{27a}) V1s))))))) \\ & (54) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (56)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (57) \end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (59)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((\neg(p V0p)) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((p V2r) \vee ((\neg(p V0p))))))))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee ((\neg(p V0p))))))))))) \end{aligned} \quad (63)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (64)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))))) \quad (65)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (66)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (67)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (68)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (69)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in \text{ty\_2Enum\_2Enum}. ( \\ & \quad \forall V1s \in (2^{(2^{A\_27a})}). (((p (\text{ap } (\text{c\_2Epred\_set\_2EFINITE} \\ & \quad (2^{A\_27a}) V1s)) \wedge ((\forall V2e \in (2^{A\_27a}). ((p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN} \\ & \quad (2^{A\_27a}) V2e) V1s)) \Rightarrow ((p (\text{ap } (\text{c\_2Epred\_set\_2EFINITE } A\_27a) \\ & \quad V2e)) \wedge ((\text{ap } (\text{c\_2Epred\_set\_2ECARD } A\_27a) V2e) = V0n)))) \wedge (\forall V3e1 \in \\ & \quad (2^{A\_27a}). (\forall V4e2 \in (2^{A\_27a}). (((p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN} \\ & \quad (2^{A\_27a}) V3e1) V1s)) \wedge ((p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN } (2^{A\_27a}) V4e2) \\ & \quad V1s)) \wedge (\neg(V3e1 = V4e2)))) \Rightarrow (p (\text{ap } (\text{ap } (\text{c\_2Epred\_set\_2EDISJOINT} \\ & \quad A\_27a) V3e1) V4e2))))))) \Rightarrow ((\text{ap } (\text{c\_2Epred\_set\_2ECARD } A\_27a) ( \\ & \quad \text{ap } (\text{c\_2Epred\_set\_2EBIGUNION } A\_27a) V1s)) = (\text{ap } (\text{ap } \text{c\_2Earithmetic\_2E\_2A} \\ & \quad (\text{ap } (\text{c\_2Epred\_set\_2ECARD } (2^{A\_27a})) V1s)) V0n)))) \end{aligned}$$