

thm_2Epred__set_2ECARD__PSUBSET
(TMUeRgocujV2n8TceeMEaEUa6budgrHVpEY)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p \Rightarrow Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 14 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap$

Definition 15 We define $c_2Epred_set_2EPSUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap$

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\lambda$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (5)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b} \wedge 2^{A_27a}})) \quad (6)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a 2)^{A_27b})}) \quad (7)$$

Definition 18 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2E$

Let $c_2Epred_set_2ECARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Epred_set_2ECARD A_27a \in (ty_2Enum_2Enum^{(2^{A_27a})}) \quad (8)$$

Definition 19 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 20 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 21 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 (2$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p (ap (ap (c_2Eprim_rec_2E_3C V0m) V1n)) \Leftrightarrow (p (ap (ap (c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC V0m)) V1n)))))) \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1s \in (2^{A_27a}). (\forall V2t \in (2^{A_27a}). ((p (ap (ap (c_2Epred_set_2ESUBSET A_27a) (ap (ap (c_2Epred_set_2EINSERT A_27a) V0x) V1s)) V2t)) \Leftrightarrow ((p (ap (ap (c_2Ebool_2EIN A_27a) V0x) V2t)) \wedge (p (ap (ap (c_2Epred_set_2ESUBSET A_27a) V1s) V2t))))))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in (2^{A_27a}). ((p (ap (ap (c_2Epred_set_2EPSUBSET A_27a) V0s) V1t)) \Leftrightarrow (\exists V2x \in A_27a. ((\neg (p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V0s))) \wedge (p (ap (ap (c_2Epred_set_2ESUBSET A_27a) (ap (ap (c_2Epred_set_2EINSERT A_27a) V2x) V0s)) V1t))))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). ((p (ap (c_2Epred_set_2EFINITE A_27a) V0s)) \Rightarrow (\forall V1t \in (2^{A_27a}). ((p (ap (ap (c_2Epred_set_2ESUBSET A_27a) V1t) V0s)) \Rightarrow (p (ap (c_2Epred_set_2EFINITE A_27a) V1t)))))) \quad (15)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).((p\ (ap \\
& (c_{.2}Epred_set_2EFINITE\ A_{.27a})\ V0s)) \Rightarrow (\forall V1x \in A_{.27a}.((\\
& ap\ (c_{.2}Epred_set_2ECARD\ A_{.27a})\ (ap\ (ap\ (c_{.2}Epred_set_2EINSERT \\
& A_{.27a})\ V1x)\ V0s)) = (ap\ (ap\ (ap\ (c_{.2}Ebool_2ECOND\ ty_2Enum_2Enum) \\
& (ap\ (ap\ (c_{.2}Ebool_2EIN\ A_{.27a})\ V1x)\ V0s))\ (ap\ (c_{.2}Epred_set_2ECARD \\
& A_{.27a})\ V0s))\ (ap\ c_{.2}Enum_2ESUC\ (ap\ (c_{.2}Epred_set_2ECARD\ A_{.27a}) \\
& V0s))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).((p\ (ap \\
& (c_{.2}Epred_set_2EFINITE\ A_{.27a})\ V0s)) \Rightarrow (\forall V1t \in (2^{A_{.27a}}). \\
& ((p\ (ap\ (ap\ (c_{.2}Epred_set_2ESUBSET\ A_{.27a})\ V1t)\ V0s)) \Rightarrow (p\ (ap\ (ap\ (17) \\
& c_{.2}Earithmetic_2E_3C_3D\ (ap\ (c_{.2}Epred_set_2ECARD\ A_{.27a})\ V1t)) \\
& (ap\ (c_{.2}Epred_set_2ECARD\ A_{.27a})\ V0s))))))
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).((p\ (ap \\
& (c_{.2}Epred_set_2EFINITE\ A_{.27a})\ V0s)) \Rightarrow (\forall V1t \in (2^{A_{.27a}}). \\
& ((p\ (ap\ (ap\ (c_{.2}Epred_set_2EPSUBSET\ A_{.27a})\ V1t)\ V0s)) \Rightarrow (p\ (ap\ (\\
& ap\ c_{.2}Eprim_rec_2E_3C\ (ap\ (c_{.2}Epred_set_2ECARD\ A_{.27a})\ V1t)) \\
& (ap\ (c_{.2}Epred_set_2ECARD\ A_{.27a})\ V0s))))))
\end{aligned}$$