

# thm\_2Epred\_set\_2EINTER\_FINITE (TMXxqqDk4D2dQaPPzUWvEgycmXFtDiTzQmM)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 6** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Emin\_2E\_40 (2^{A\_27a}))$

**Definition 10** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 11** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Emin\_2E\_40 (2^{A\_27a}))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (3)$$

**Definition 12** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_7E\ V0t)\ (c\_2Ebool\_2E\_7E\ V1t))$

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E\ V0t))$

**Definition 14** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2E\_7E\ V0x)$ .

**Definition 15** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_7E\ V0x)\ (c\_2Ebool\_2E\_7E\ V1s))$

**Definition 16** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ V0s)\ (c\_2Ebool\_2E\_21\ V0s))$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ A\_27a. (p\ V0t) \Leftrightarrow (p\ V1x))) \Rightarrow (p\ V0t))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ A\_27a. (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF) \\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & ((\forall V0s \in (2^{A.27a}).((ap\ ( \\ & ap\ (c.2Epred\_set.2EINTER\ A.27a)\ (c.2Epred\_set.2EEMPTY\ A.27a)) \\ & V0s) = (c.2Epred\_set.2EEMPTY\ A.27a))) \wedge (\forall V1s \in (2^{A.27a}). \\ & ((ap\ (ap\ (c.2Epred\_set.2EINTER\ A.27a)\ V1s)\ (c.2Epred\_set.2EEMPTY \\ & A.27a)) = (c.2Epred\_set.2EEMPTY\ A.27a)))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0x \in A.27a.(\forall V1s \in \\ & (2^{A.27a}).(\forall V2t \in (2^{A.27a}).((ap\ (ap\ (c.2Epred\_set.2EINTER \\ & A.27a)\ (ap\ (ap\ (c.2Epred\_set.2EINSERT\ A.27a)\ V0x)\ V1s))\ V2t) = \\ & (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ (2^{A.27a}))\ (ap\ (ap\ (c.2Ebool.2EIN \\ & A.27a)\ V0x)\ V2t))\ (ap\ (ap\ (c.2Epred\_set.2EINSERT\ A.27a)\ V0x)\ ( \\ & ap\ (ap\ (c.2Epred\_set.2EINTER\ A.27a)\ V1s)\ V2t))))\ (ap\ (ap\ (c.2Epred\_set.2EINTER \\ & A.27a)\ V1s)\ V2t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (p\ (ap\ (c.2Epred\_set.2EFINITE\ A.27a)\ (c.2Epred\_set.2EEMPTY\ A.27a))) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0P \in (2^{(2^{A.27a})}).(( \\ & (p\ (ap\ V0P\ (c.2Epred\_set.2EEMPTY\ A.27a))) \wedge (\forall V1s \in (2^{A.27a}). \\ & (((p\ (ap\ (c.2Epred\_set.2EFINITE\ A.27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s))) \Rightarrow \\ & (\forall V2e \in A.27a.((\neg(p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2e)\ V1s))) \Rightarrow \\ & (p\ (ap\ V0P\ (ap\ (ap\ (c.2Epred\_set.2EINSERT\ A.27a)\ V2e)\ V1s)))))) \Rightarrow \\ & (\forall V3s \in (2^{A.27a}).((p\ (ap\ (c.2Epred\_set.2EFINITE\ A.27a)\ V3s)) \Rightarrow (p\ (ap\ V0P\ V3s)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0x \in A.27a.(\forall V1s \in \\ & (2^{A.27a}).((p\ (ap\ (c.2Epred\_set.2EFINITE\ A.27a)\ (ap\ (ap\ (c.2Epred\_set.2EINSERT \\ & A.27a)\ V0x)\ V1s))) \Leftrightarrow (p\ (ap\ (c.2Epred\_set.2EFINITE\ A.27a)\ V1s)))) \end{aligned} \quad (15)$$

### Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0s \in (2^{A.27a}).((p\ (ap \\ & (c.2Epred\_set.2EFINITE\ A.27a)\ V0s)) \Rightarrow (\forall V1t \in (2^{A.27a}). \\ & (p\ (ap\ (c.2Epred\_set.2EFINITE\ A.27a)\ (ap\ (ap\ (c.2Epred\_set.2EINTER \\ & A.27a)\ V0s)\ V1t)))))) \end{aligned}$$