

# thm\_2Epred\_set\_2EKoenigsLemma (TMJAN- PqovBJQcxE5HMsfNR5vwV1piuyEmyH)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota).$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ecombin_2ES` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. (\lambda V0 f \in ((A. 27c^{A. 27b})^{A. 27a}))$

**Definition 4** We define `c_2Ecombin_2EK` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\lambda V0 x \in A. 27a. (\lambda V1 y \in A. 27b. V0 x))$

**Definition 5** We define `c_2Ecombin_2EI` to be  $\lambda A. 27a : \iota. (\text{ap } (\text{ap } (\text{c\_2Ecombin\_2ES } A. 27a \ (A. 27a^{A. 27a})) \ A. 27a))$

**Definition 6** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) \ (\lambda V0 x \in 2. V0 x)) \ (\lambda V1 x \in 2. V1 x))$

**Definition 7** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0 P \in (2^{A. 27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A. 27a})) \ P))$

**Definition 8** We define `c_2Ecombin_2Eo` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. \lambda V0 f \in (A. 27b^{A. 27c}). \lambda V1 g \in (A. 27c^{A. 27b})$

**Definition 9** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow q)$  of type  $\iota$ .

**Definition 10** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0 t1 \in 2. (\lambda V1 t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) \ (\lambda V2 t \in 2. V2 t))))$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 \ A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c\_2Epair\_2EABS\_prod } A. 27a \ A. 27b \in ((\text{ty\_2Epair\_2Eprod } A. 27a \ A. 27b)^{(2^{A. 27b})^{A. 27a}}) \tag{2}$$

**Definition 11** We define `c_2Epair_2E_2C` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0 x \in A. 27a. \lambda V1 y \in A. 27b. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) \ (\lambda V2 z \in 2. V2 z))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (3)$$

**Definition 12** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ V2t))))$

**Definition 14** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ V2t)))$

**Definition 15** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ V2t)))$

**Definition 16** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ 2)\ V0P))))$

**Definition 17** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2EINSERT)\ V0P)$

**Definition 18** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2. V0t))$ .

**Definition 19** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 20** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ V0s)$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (6)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (7)$$

**Definition 21** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ V0m)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

**Definition 22** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 23** We define  $c\_2Erelation\_2ERTC$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1a \in A\_27a. \lambda V2b \in A\_27a. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (ap\ (c\_2Ebool\_2E\_21\ 2)\ (ap\ (c\_2Ebool\_2E\_21\ 2)\ V2b)))$

**Definition 24** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21\ 2)\ V0t))$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee \neg(p V0t))) \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge (p V1t2) \wedge (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow \neg(p V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (\neg(p V0t) \Rightarrow ((p V0t) \Rightarrow False))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))) \quad (19)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t))))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in 2.(((\forall V2x \in A\_27a.(p \ (ap \ V0P \ V2x))) \wedge (p \ V1Q)) \Leftrightarrow (\forall V3x \in A\_27a.((p \ (ap \ V0P \ V3x)) \wedge (p \ V1Q))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((p \ V0P) \wedge (\forall V2x \in A\_27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\forall V3x \in A\_27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V3x)))))) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((p \ V0P) \vee (\exists V2x \in A\_27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\exists V3x \in A\_27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V3x)))))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).((\exists V2x \in A\_27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \ V0P) \wedge (\exists V3x \in A\_27a.(p \ (ap \ V1Q \ V3x)))))) \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A-27a}). ((\forall V2x \in A.27a. ((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A.27a. (p (ap V1P V3x)) \vee (p V0Q)))))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A-27a}). ((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (36)$$

Assume the following.

$$\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (37)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1a \in A.27a. ((\exists V2x \in A.27a. ((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))) \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0P \in ((2^{A\_27b})^{A\_27a}).((\forall V1x \in A\_27a.(\exists V2y \in \\ A\_27b.(p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A\_27b^{A\_27a}).( \\ \forall V4x \in A\_27a.(p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((ap\ (c\_2Ecombin\_2EI\ A\_27a)\ V0x) = V0x)) \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in (A\_27b^{A\_27a}).(((ap\ (ap\ (c\_2Ecombin\_2Eo\ A\_27a\ A\_27b \\ A\_27b)\ (c\_2Ecombin\_2EI\ A\_27b))\ V0f) = V0f) \wedge ((ap\ (ap\ (c\_2Ecombin\_2Eo \\ A\_27a\ A\_27b\ A\_27a)\ V0f)\ (c\_2Ecombin\_2EI\ A\_27a)) = V0f))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\ (\forall V1n \in ty\_2Enum\_2Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\ V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p\ (ap\ V0P\ V2n)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a.(\forall V1y \in A\_27b.(\forall V2a \in A\_27a.(\forall V3b \in \\ A\_27b.(((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a.(\forall V1y \in A\_27b.(\forall V2a \in A\_27a.(\forall V3b \in \\ A\_27b.(((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A\_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A.27a\ 2)^{A.27b}). (\forall V1v \in \\ A.27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ A.27a\ A.27b)\ V0f))) \Leftrightarrow (\exists V2x \in A.27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ A.27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in \\ A.27a. (\forall V2s \in (2^{A.27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ V1y) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V0x)\ V2s)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0y \in A.27b. (\forall V1s \in (2^{A.27a}). (\forall V2f \in (A.27b^{A.27a}). \\ ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27b)\ V0y)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\ A.27a\ A.27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A.27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V3x)\ V1s)))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1s \in \\ (2^{A.27a}). ((p\ (ap\ (ap\ (c\_2Epred\_set\_2EFINITE\ A.27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT \\ A.27a)\ V0x)\ V1s))) \Leftrightarrow (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A.27a)\ V1s)))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0s \in (2^{A.27a}). ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A.27a)\ V0s)) \Rightarrow (\forall V1f \in (A.27b^{A.27a}). (p\ (ap\ (c\_2Epred\_set\_2EFINITE \\ A.27b)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A.27a\ A.27b)\ V1f)\ V0s)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1sos \in \\ (2^{(2^{A.27a})}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V0x)\ (ap\ (c\_2Epred\_set\_2EBIGUNION \\ A.27a)\ V1sos))) \Leftrightarrow (\exists V2s \in (2^{A.27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A.27a)\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A.27a})\ V2s)\ V1sos)))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(2^{A\_27a})})). (( \\ & p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (c\_2Epred\_set\_2EBIGUNION \\ & A\_27a)\ V0P))) \Leftrightarrow ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ (2^{A\_27a}))\ V0P)) \wedge \\ & (\forall V1s \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})) \\ & V1s)\ V0P)) \Rightarrow (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V1s)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0e \in A\_27a. (\forall V1f \in \\ & ((A\_27a^{A\_27a})^{ty\_2Enum\_2Enum}). (\exists V2fn \in (A\_27a^{ty\_2Enum\_2Enum}). \\ & (((ap\ V2fn\ c\_2Enum\_2E0) = V0e) \wedge (\forall V3n \in ty\_2Enum\_2Enum. ( \\ & (ap\ V2fn\ (ap\ c\_2Enum\_2ESUC\ V3n)) = (ap\ (ap\ V1f\ V3n)\ (ap\ V2fn\ V3n)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ (ap\ (c\_2ERelation\_2ERTC \\ & A\_27a)\ V0R)\ V1x)\ V2y)) \Leftrightarrow ((V1x = V2y) \vee (\exists V3u \in A\_27a. ((p\ (ap \\ & (ap\ V0R\ V1x)\ V3u)) \wedge (p\ (ap\ (ap\ (ap\ (c\_2ERelation\_2ERTC\ A\_27a)\ V0R) \\ & V3u)\ V2y)))))) \end{aligned} \quad (54)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow ((p\ V0A) \Rightarrow False))) \quad (59)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))) \end{aligned} \quad (60)$$



Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{64}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{65}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{66}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{67}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{68}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{69}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\
& ((\forall V1x \in A.27a.(p (ap (c.2Epred\_set.2EFINITE A.27a) (ap \\
& (c.2Epred\_set.2EGSPEC A.27a A.27a) (\lambda V2y \in A.27a.(ap (ap ( \\
& c.2Epair.2E.2C A.27a 2) V2y) (ap (ap V0R V1x) V2y)))))) \Rightarrow (\forall V3x \in \\
& A.27a.((\neg(p (ap (c.2Epred\_set.2EFINITE A.27a) (ap (c.2Epred\_set.2EGSPEC \\
& A.27a A.27a) (\lambda V4y \in A.27a.(ap (ap (c.2Epair.2E.2C A.27a 2) \\
& V4y) (ap (ap (ap (c.2ERelation.2ERTC A.27a) V0R) V3x) V4y)))))) \Rightarrow \\
& (\exists V5f \in (A.27a^{ty.2Enum.2Enum}).(((ap V5f c.2Enum.2E0) = \\
& V3x) \wedge (\forall V6n \in ty.2Enum.2Enum.(p (ap (ap V0R (ap V5f V6n)) ( \\
& ap V5f (ap c.2Enum.2ESUC V6n))))))))))
\end{aligned}$$