

thm_2Epred__set_2ELESS__CARD__DIFF
(TMFC8ZNDsS4cKuCcVbsXbkisEGQ4s2xVEYG)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow P \Rightarrow Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 8 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 10 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A)\lambda P$
of type $\iota \Rightarrow \iota$.

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 13 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 14 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 15 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \quad (7)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b}}) \quad (8)$$

Definition 17 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap\ (c_2$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Definition 18 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap\ (c_2$

Let $c_2Epred_set_2ECARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epred_set_2ECARD\ A_27a \in (ty_2Enum_2Enum^{(2^{A-27a})}) \quad (10)$$

Definition 19 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A-27a}).(ap\ (c_2$

Definition 20 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 21 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap\ (c_2Ebool_2E_21\ 2)$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg(p (ap (ap (c_2Eprim_rec_2E_3C V0m) V1n))) \Leftrightarrow (p (ap (ap (c_2Earithmetic_2E_3C_3D V1n) V0m)))))) \quad (11)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\forall V1m \in ty_2Enum_2Enum.(p (ap (ap (c_2Eprim_rec_2E_3C V1m) V0n))) \Leftrightarrow (p (ap (ap (c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap (ap (c_2Earithmetic_2E_2D V0n) V1m)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27a}).((ap (ap (c_2Epred_set_2EINTER A_27a) V0s) V1t) = (ap (ap (c_2Epred_set_2EINTER A_27a) V1t) V0s)))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).((p (ap (c_2Epred_set_2EFINITE A_27a) V0s)) \Rightarrow (\forall V1t \in (2^{A_27a}).(p (ap (ap (c_2Earithmetic_2E_3C_3D (ap (c_2Epred_set_2ECARD A_27a) (ap (ap (c_2Epred_set_2EINTER A_27a) V0s) V1t))) (ap (c_2Epred_set_2ECARD A_27a) V0s)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in (2^{A_27a}).((p (ap (c_2Epred_set_2EFINITE A_27a) V0t)) \Rightarrow (\forall V1s \in (2^{A_27a}).((p (ap (c_2Epred_set_2EFINITE A_27a) V1s)) \Rightarrow ((ap (c_2Epred_set_2ECARD A_27a) (ap (ap (c_2Epred_set_2EDIFF A_27a) V1s) V0t)) = (ap (ap (c_2Earithmetic_2E_2D (ap (c_2Epred_set_2ECARD A_27a) V1s)) (ap (c_2Epred_set_2ECARD A_27a) (ap (ap (c_2Epred_set_2EINTER A_27a) V1s) V0t)))))))) \quad (17)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V_0 t \in (2^{A_{27a}}). ((p (ap \\ & (c_2Epred_set_2EFINITE A_{27a}) V_0 t)) \Rightarrow (\forall V_1 s \in (2^{A_{27a}}). \\ & ((p (ap (c_2Epred_set_2EFINITE A_{27a}) V_1 s)) \Rightarrow ((p (ap (ap c_2Eprim_rec_2E_3C \\ & (ap (c_2Epred_set_2ECARD A_{27a}) V_0 t)) (ap (c_2Epred_set_2ECARD \\ & A_{27a}) V_1 s))) \Rightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap \\ & (c_2Epred_set_2ECARD A_{27a}) (ap (ap (c_2Epred_set_2EDIFF A_{27a}) \\ & V_1 s) V_0 t)))))))))) \end{aligned}$$