

thm\_2Epred\_\_set\_2EPAIR\_\_IN\_\_GSPEC\_\_1  
(TMXB-  
ChoFZ62HKnhYsRxp43zZCXDQtRtQui)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (3)$$

**Definition 11** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \wedge (p\ V1t2)) \Leftrightarrow ((p\ V1t2) \wedge \\ (p\ V0t1)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True) \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False) \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ p\ V0t)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in \\ A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ ( \\ ap\ V0P\ V1a)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\ A\_27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}). (\forall V1v \in \\ A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (10)$$

**Theorem 1**

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ & \quad \forall V0a \in A_{27a}.(\forall V1b \in A_{27b}.(\forall V2x \in A_{27b}.(\forall V3P \in \\ & \quad (2^{A_{27a}}).(p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A_{27a} \\ & A_{27b}))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A_{27a}\ A_{27b})\ V0a)\ V1b))\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ & \quad (ty\_2Epair\_2Eprod\ A_{27a}\ A_{27b})\ A_{27a})\ (\lambda V4y \in A_{27a}.(ap\ (ap \\ & (c\_2Epair\_2E\_2C\ (ty\_2Epair\_2Eprod\ A_{27a}\ A_{27b})\ 2)\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A_{27a}\ A_{27b})\ V4y)\ V2x))\ (ap\ V3P\ V4y)))))) \Leftrightarrow ((p\ (ap\ V3P\ V0a) \wedge (V1b = \\ & \quad V2x)))))) \end{aligned}$$