thm_2Epred__set_2ESUBSET__FINITE (TMZRRF4GBvDvkyRcikUrLFUqKirrftwtrp1)

October 26, 2020

Definition 1 *We define* c_2Emin_2E_3D_3D_3E *to be* $\lambda P \in 2.\lambda Q \in 2.inj\_\_o\ (p\ P \Rightarrow p\ Q)$ *of type* ι.

Definition 2 *We define* c_2Emin_2E_3D *to be* $\lambda A.\lambda x \in A.\lambda y \in A.inj\_\_o\ (x = y)$ *of type* $\iota \Rightarrow \iota$.

Definition 3 *We define* c_2Ebool_2ET *to be* $(ap\ (ap\ (\mathsf{c\_2Emin\_2E\_3D}\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1$

Definition 4 *We define* c_2Ebool_2E_21 *to be* $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (\mathsf{c\_2Emin\_2E\_3D}\ (2^{A\_27}$

Definition 5 *We define* c_2Ebool_2E_5C_2F *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V2t \in 2$

Definition 6 *We define* c_2Ebool_2EF *to be* $(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 *We define* c_2Ebool_2EIN *to be* $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

Definition 8 *We define* c_2Epred__set_2ESUBSET *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (\mathsf{c}$

Definition 9 *We define* c_2Epred__set_2EEMPTY *to be* $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.\mathsf{c\_2Ebool\_2EF})$.

Definition 10 *We define* c_2Ebool_2E_2F_5C *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V2t \in$

Let $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{1}$$

Let $c\_2Epair\_2EABS\_\_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})}) \tag{2}$$

Definition 11 *We define* c_2Epair_2E_2C *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let $c\_2Epred\_\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \tag{3}$$

Definition 12 *We define* c_2Epred__set_2EINSERT *to be* $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_$

Definition 13 *We define* c_2Ebool_2E_7E *to be* $(\lambda V0t \in 2.(ap\ (ap$ c_2Emin_2E_3D_3D_3E $V0t)$ c_2Ebool_2E

Definition 14 *We define* c_2Epred__set_2EDIFF *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2$

Definition 15 *We define* c_2Epred__set_2EDELETE *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1x \in A\_27a.(ap\ (a$

Definition 16 *We define* c_2Epred__set_2EFINITE *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap$ (c_2Ebool_2E_21 (2

Assume the following.

$$True \tag{4}$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg (p\ V0t)))) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg (p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p\ V0t))))))) \tag{6}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).((p\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ESUBSET}\ A\_27a)\ V0s)\ (\mathsf{c\_2Epred\_\_set\_2EEMPTY}\ A\_27a))) \Leftrightarrow (V0s = (\mathsf{c\_2Epred\_\_set\_2EEMPTY}\ A\_27a)))) \tag{7}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1s \in (2^{A\_27a}).((\neg (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ V1s))) \Rightarrow (\forall V2t \in (2^{A\_27a}).((p\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ESUBSET}\ A\_27a)\ V1s)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EINSERT}\ A\_27a)\ V0x)\ V2t))) \Leftrightarrow (p\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ESUBSET}\ A\_27a)\ V1s)\ V2t))))))) \tag{8}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1s \in (2^{A\_27a}).((\neg (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ V1s))) \Leftrightarrow ((ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EDELETE}\ A\_27a)\ V1s)\ V0x) = V1s)))) \tag{9}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1s \in (2^{A\_27a}).(\forall V2t \in (2^{A\_27a}).((p\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ESUBSET}\ A\_27a)\ V1s)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EINSERT}\ A\_27a)\ V0x)\ V2t))) \Leftrightarrow (p\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ESUBSET}\ A\_27a)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EDELETE}\ A\_27a)\ V1s)\ V0x))\ V2t)))))) \tag{10}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1s \in (2^{A\_27a}).((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ V1s)) \Rightarrow ((ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EINSERT}\ A\_27a)\ V0x)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EDELETE}\ A\_27a)\ V1s)\ V0x)) = V1s)))) \tag{11}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ A\_27a)\ (\mathsf{c\_2Epred\_\_set\_2EEMPTY}\ A\_27a))) \tag{12}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(2^{A\_27a})}).(((p\ (ap\ V0P\ (\mathsf{c\_2Epred\_\_set\_2EEMPTY}\ A\_27a))) \wedge (\forall V1s \in (2^{A\_27a}).(((p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ A\_27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s))) \Rightarrow (\forall V2e \in A\_27a.((\neg(p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V2e)\ V1s))) \Rightarrow (p\ (ap\ V0P\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EINSERT}\ A\_27a)\ V2e)\ V1s)))))))) \Rightarrow (\forall V3s \in (2^{A\_27a}).((p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ A\_27a)\ V3s)) \Rightarrow (p\ (ap\ V0P\ V3s)))))) \tag{13}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1s \in (2^{A\_27a}).((p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ A\_27a)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EINSERT}\ A\_27a)\ V0x)\ V1s))) \Leftrightarrow (p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ A\_27a)\ V1s))))) \tag{14}$$

Theorem 1

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).((p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ A\_27a)\ V0s)) \Rightarrow (\forall V1t \in (2^{A\_27a}).((p\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ESUBSET}\ A\_27a)\ V1t)\ V0s)) \Rightarrow (p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ A\_27a)\ V1t))))))$$