

thm\_2Epred\_\_set\_2ESUBSET\_\_SUBSET\_\_EQ  
(TMaUrH4Brf5MiSuCzKQayhrHmVve6yhVA2y)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V1P \in (2^{A-27a}).P)) (\lambda V2P \in (2^{A-27a}).P))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21))$

**Definition 7** We define  $c\_2Ebool\_2E\_IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V2t \in (2^{A-27a}).V2t))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Assume the following.

$$True \tag{1}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{2}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & (2^{A.27a}). (((p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V0s)\ V1t)) \wedge \\ & (p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V1t)\ V0s))) \Rightarrow (V0s = V1t)))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & (2^{A.27a}). ((V0s = V1t) \Rightarrow ((p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ \\ & V0s)\ V1t)) \wedge (p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V1t)\ V0s)))))) \end{aligned} \quad (5)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & (2^{A.27a}). (((p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V0s)\ V1t)) \wedge \\ & (p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V1t)\ V0s))) \Leftrightarrow (V0s = V1t)))) \end{aligned}$$