

thm_2Epred__set_2ESUM__IMAGE__MONO__LESS
 (TMbCNm-
 BXjp8cPtyXC2YB9vts9CXJmGYr4X8)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_7E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_7E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_3F)$.

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x))$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (5)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (6)$$

Definition 15 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \quad (7)$$

Definition 16 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2E$

Definition 17 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Definition 18 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap\ (ap$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Definition 19 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \quad (10)$$

Definition 20 We define $c_2Epred_set_2ESUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Enum_2Enum^{A_27a})$

Definition 21 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 22 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_21\ (2$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V0m)))) \quad (11)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V2p))\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V2p)))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)))))) \quad (12)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.(((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)) \wedge (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V1n)\ V2p))) \Rightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V2p)))))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.(((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0m)\ V1n)) \wedge (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V2p))) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V1n)\ V2p)))))) \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \quad (22) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \quad (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ & 2^{A_27a}).((\forall V2x \in A_27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p \\ & V0P) \vee (\forall V3x \in A_27a.(p\ (ap\ V1Q\ V3x)))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (27) \end{aligned}$$

Assume the following.

$$2.((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (28)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\neg(p (ap (c_{.2Ebool_{.2EIN}} A_{.27a}) V0x) (c_{.2Epred_{.set_{.2EEMPTY}} A_{.27a})))))) \quad (29)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27a}.(\forall V2s \in (2^{A_{.27a}}).((p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a}) V1y) V2s))) \Leftrightarrow ((V0x = V1y) \vee (p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a}) V0x) V2s)))))) \quad (30)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1s \in (2^{A_{.27a}}).((\neg(p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a}) V0x) V1s))) \Leftrightarrow ((ap (c_{.2Epred_{.set_{.2EDELETE}} A_{.27a}) V1s) V0x) = V1s)))) \quad (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{(2^{A_{.27a}})}).(((p (ap V0P (c_{.2Epred_{.set_{.2EEMPTY}} A_{.27a}))) \wedge (\forall V1s \in (2^{A_{.27a}}).(((p (ap (c_{.2Epred_{.set_{.2EFINITE}} A_{.27a}) V1s)) \wedge (p (ap V0P V1s)))) \Rightarrow (\forall V2e \in A_{.27a}.((\neg(p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a}) V2e) V1s))) \Rightarrow (p (ap V0P (ap (ap (c_{.2Epred_{.set_{.2EINSERT}} A_{.27a}) V2e) V1s)))))))) \Rightarrow (\forall V3s \in (2^{A_{.27a}}).((p (ap (c_{.2Epred_{.set_{.2EFINITE}} A_{.27a}) V3s)) \Rightarrow (p (ap V0P V3s)))))) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0f \in (ty_{.2Enum_{.2Enum}}^{A_{.27a}}).(((ap (ap (c_{.2Epred_{.set_{.2ESUM_{.IMAGE}} A_{.27a}) V0f}) (c_{.2Epred_{.set_{.2EEMPTY}} A_{.27a}) = c_{.2Enum_{.2E0}}) \wedge (\forall V1e \in A_{.27a}.(\forall V2s \in (2^{A_{.27a}}).((p (ap (c_{.2Epred_{.set_{.2EFINITE}} A_{.27a}) V2s)) \Rightarrow ((ap (ap (c_{.2Epred_{.set_{.2ESUM_{.IMAGE}} A_{.27a}) V0f}) (ap (ap (c_{.2Epred_{.set_{.2EINSERT}} A_{.27a}) V1e) V2s)) = (ap (ap c_{.2Earithmetic_{.2E_{.2B}} (ap V0f V1e)) (ap (ap (c_{.2Epred_{.set_{.2ESUM_{.IMAGE}} A_{.27a}) V0f}) (ap (ap (c_{.2Epred_{.set_{.2EDELETE}} A_{.27a}) V2s) V1e)))))))))) \quad (33)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A_27a}). \\
& \quad (\forall V1g \in (ty_2Enum_2Enum^{A_27a}). (\forall V2s \in (2^{A_27a}). \\
& \quad \quad ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V2s)) \Rightarrow ((\forall V3x \in A_27a. \\
& \quad \quad \quad ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V2s)) \Rightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& \quad \quad \quad \quad (ap\ V0f\ V3x))\ (ap\ V1g\ V3x)))))) \Rightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& \quad \quad \quad \quad \quad (ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE\ A_27a)\ V0f)\ V2s))\ (ap\ (ap\ (\\
& \quad \quad \quad \quad \quad \quad c_2Epred_set_2ESUM_IMAGE\ A_27a)\ V1g)\ V2s)))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{35}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{38}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow ((p\ V0A) \Rightarrow False) \Rightarrow False)) \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& \quad \quad (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r)))) \wedge \\
& \quad \quad ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q)) \vee ((p V2r) \vee \neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q)) \vee \neg(p V0p)))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q))) \quad (46)$$

Theorem 1

$$\begin{aligned} & \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A_27a}). \\ & \quad (\forall V1g \in (ty_2Enum_2Enum^{A_27a}). (\forall V2s \in (2^{A_27a}). \\ & \quad \quad ((p (ap (c_2Epred_set_2EFINITE A_27a) V2s)) \Rightarrow (((\exists V3x \in \\ & \quad \quad A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) V3x) V2s)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C \\ & \quad \quad (ap V0f V3x)) (ap V1g V3x)))))) \wedge (\forall V4x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN \\ & \quad \quad A_27a) V4x) V2s)) \Rightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D (ap V0f V4x)) \\ & \quad \quad (ap V1g V4x)))))) \Rightarrow (p (ap (ap c_2Eprim_rec_2E_3C (ap (ap (c_2Epred_set_2ESUM_IMAGE \\ & \quad \quad A_27a) V0f) V2s)) (ap (ap (c_2Epred_set_2ESUM_IMAGE A_27a) V1g) \\ & \quad \quad V2s)))))))))) \end{aligned}$$