

# thm\_2Epred\_set\_2ESUM\_SET\_UNION (TMUMd1NfAtZvPPey5vt89JCzLMjHrA8S67V)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_7E$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_7E$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E$

**Definition 7** We define  $c\_2Ebool\_2E\_IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \tag{3}$$

**Definition 10** We define  $c\_Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c\_ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 11** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in$

**Definition 12** We define  $c\_Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c\_$

**Definition 13** We define  $c\_Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A-27a}). (ap (c\_$

**Definition 14** We define  $c\_Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 15** We define  $c\_Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A-27a}). (ap (c\_2Ebool\_2E\_21\ 2)$

**Definition 16** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0x \in A\_27a. (\lambda V1y \in A\_27b. V0x$

**Definition 17** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. (\lambda V0f \in ((A\_27c^{A-27b})^{A-27a})$

**Definition 18** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota. (ap (ap (c\_2Ecombin\_2ES\ A\_27a\ (A\_27a^{A-27a})\ A$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 19** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Epred\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EITSET\ A\_27a\ A\_27b \in (((A\_27b^{A-27b})^{(2^{A-27a})})^{((A\_27b^{A-27b})^{A-27a})}) \quad (9)$$

**Definition 20** We define  $c\_Epred\_set\_2ESUM\_IMAGE$  to be  $\lambda A\_27a : \iota. \lambda V0f \in (ty\_2Enum\_2Enum^{A-27a})$

**Definition 21** We define  $c\_Epred\_set\_2ESUM\_SET$  to be  $(ap (c\_2Epred\_set\_2ESUM\_IMAGE\ ty\_2Enum\_2E0$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg (p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg ( \\ & p \ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\ & (p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in \\ & 2.(((p \ V0x) \Leftrightarrow (p \ V1x.27)) \wedge ((p \ V1x.27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y.27)))) \Rightarrow \\ & (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x.27) \Rightarrow (p \ V3y.27)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0f \in (ty\_2Enum\_2Enum^{A.27a}). \\ & (\forall V1s \in (2^{A.27a}).(\forall V2t \in (2^{A.27a}).(((p \ (ap \ (c.2Epred\_set\_2EFINITE \\ & A.27a) \ V1s)) \wedge (p \ (ap \ (c.2Epred\_set\_2EFINITE \ A.27a) \ V2t))) \Rightarrow (( \\ & ap \ (ap \ (c.2Epred\_set\_2ESUM\_IMAGE \ A.27a) \ V0f) \ (ap \ (ap \ (c.2Epred\_set\_2EUNION \\ & A.27a) \ V1s) \ V2t)) = (ap \ (ap \ c.2Earithmetic\_2E\_2D \ (ap \ (ap \ c.2Earithmetic\_2E\_2B \\ & (ap \ (ap \ (c.2Epred\_set\_2ESUM\_IMAGE \ A.27a) \ V0f) \ V1s)) \ (ap \ (ap \ ( \\ & c.2Epred\_set\_2ESUM\_IMAGE \ A.27a) \ V0f) \ V2t))) \ (ap \ (ap \ (c.2Epred\_set\_2ESUM\_IMAGE \\ & A.27a) \ V0f) \ (ap \ (ap \ (c.2Epred\_set\_2EINTER \ A.27a) \ V1s) \ V2t)))))) \end{aligned} \quad (18)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0s \in (2^{ty\_2Enum\_2Enum}).(\forall V1t \in (2^{ty\_2Enum\_2Enum}). \\ & ((p (ap (c\_2Epred\_set\_2EFINITE ty\_2Enum\_2Enum) V0s)) \wedge (p (ap \\ & (c\_2Epred\_set\_2EFINITE ty\_2Enum\_2Enum) V1t))) \Rightarrow ((ap c\_2Epred\_set\_2ESUM\_SET \\ & (ap (ap (c\_2Epred\_set\_2EUNION ty\_2Enum\_2Enum) V0s) V1t)) = (ap \\ & (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2E\_2B (ap c\_2Epred\_set\_2ESUM\_SET \\ & V0s)) (ap c\_2Epred\_set\_2ESUM\_SET V1t))) (ap c\_2Epred\_set\_2ESUM\_SET \\ & (ap (ap (c\_2Epred\_set\_2EINTER ty\_2Enum\_2Enum) V0s) V1t)))))) \end{aligned}$$