

# thm\_2Epred\_set\_2ESURJ\_IMP\_INJ (TMNujg- WaX6AMo2JXgstCRzEwJbYE8UjxpnS)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$   
of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2ET` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ecombin_2EK` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

**Definition 5** We define `c_2Ecombin_2ES` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

**Definition 6** We define `c_2Ecombin_2EI` to be  $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

**Definition 7** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$   
of type  $\iota$ .

**Definition 8** We define `c_2Ebool_2EIN` to be  $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

**Definition 9** We define `c_2Ebool_2E_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) P)))$

**Definition 10** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 11** We define `c_2Epred_set_2EINJ` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).$

**Definition 12** We define `c_2Ebool_2E_3F` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 P))))$

**Definition 13** We define `c_2Epred_set_2ESURJ` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).$

**Definition 14** We define `c_2Ebool_2EF` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 16** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21))$

Assume the following.

$$True \quad (1)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (2)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (3)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee \neg(p V0t))) \quad (4)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (5)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge (p V1t2) \wedge (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow \neg(p V0t))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2. (\neg(p V0t) \Rightarrow ((p V0t) \Rightarrow False))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))) \quad (11)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\forall V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg(p (ap V0P V2x))))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x))))) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in (2^{A\_27a}).((\exists V2x \in A\_27a.((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A\_27a.(p (ap V0P V3x))) \vee (\exists V4x \in A\_27a.(p (ap V1Q V4x))))))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((p V0P) \vee (\exists V2x \in A\_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A\_27a.((p V0P) \vee (p (ap V1Q V3x))))))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in 2.((\exists V2x \in A\_27a.((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A\_27a.(p (ap V0P V3x)) \wedge (p V1Q))))) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((\exists V2x \in A.27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \wedge (\exists V3x \in A.27a. (p\ (ap\ V1Q\ V3x))))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge (\neg(p\ V1B)))))))) \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x.27)) \wedge ((p\ V1x.27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y.27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x.27) \Rightarrow (p\ V3y.27)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0P \in ((2^{A.27b})^{A.27a}). ((\forall V1x \in A.27a. (\exists V2y \in A.27b. (p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A.27a}). (\forall V4x \in A.27a. (p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x))))))) \quad (27)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. ((ap\ (c.2Ecombin.2EI\ A.27a)\ V0x) = V0x)) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (38)$$

### Theorem 1

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in (2^{A\_27b}). ((\exists V2f \in (A\_27b^{A\_27a}). (p (ap (ap (ap (c\_2Epred\_set\_2ESURJ A\_27a A\_27b) V2f) V0s) V1t))) \Rightarrow (\exists V3g \in (A\_27a^{A\_27b}). (p (ap (ap (ap (c\_2Epred\_set\_2EINJ A\_27b A\_27a) V3g) V1t) V0s))))))$$