

thm\_2Epred\_\_set\_2Ecross\_\_countable  
(TMHYfWz1gSFxmiwzHoipjfHj5v84L5miU4P)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ecombin_2EC` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. (\lambda V0 f \in ((A. 27c^{A. 27b})^{A. 27a})$

**Definition 4** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0 x \in 2. V0 x)) (\lambda V1 x \in 2. V1 x))$

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0 P \in (2^{A. 27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A. 27a}))))$

**Definition 6** We define `c_2Ecombin_2Eo` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. \lambda V0 f \in (A. 27b^{A. 27c}). \lambda V1 g$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 \ A1) \tag{1}$$

Let `c_2Epair_2ESND` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c\_2Epair\_2ESND } A. 27a \ A. 27b \in (A. 27b)^{(\text{ty\_2Epair\_2Eprod } A. 27a \ A. 27b)} \tag{2}$$

Let `c_2Epair_2EFST` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c\_2Epair\_2EFST } A. 27a \ A. 27b \in (A. 27a)^{(\text{ty\_2Epair\_2Eprod } A. 27a \ A. 27b)} \tag{3}$$

**Definition 7** We define `c_2Epair_2EUNCURRY` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. \lambda V0 f \in ((A. 27c^{A. 27b})^{A. 27a})$

**Definition 8** We define `c_2Ebool_2EIN` to be  $\lambda A. 27a : \iota. (\lambda V0 x \in A. 27a. (\lambda V1 f \in (2^{A. 27a}). (\text{ap } V1 f \ V0 x)))$

**Definition 9** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \ P \Rightarrow \ p \ Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b}})^{A\_27a}) \quad (4)$$

**Definition 11** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \quad (5)$$

**Definition 12** We define  $c\_2Epred\_set\_2ECROSS$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1Q \in (2^{A\_27b})$

**Definition 13** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 14** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 15** We define  $c\_2Epred\_set\_2ESURJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 16** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 17** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 18** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (6)$$

**Definition 19** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 20** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_3F$

**Definition 21** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 22** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2$

**Definition 23** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_21 2)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (8)$$

**Definition 24** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Enumpair\_2Einvtri0 : \iota$  be given. Assume the following.

$$c\_2Enumpair\_2Einvtri0 \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (9)$$

**Definition 25** We define  $c\_2Enumpair\_2Einvtri$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (c\_2Epair\_2ESND\ t))$

Let  $c\_2Enumpair\_2Etri : \iota$  be given. Assume the following.

$$c\_2Enumpair\_2Etri \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (10)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (11)$$

**Definition 26** We define  $c\_2Enumpair\_2Ensnd$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2D))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (12)$$

**Definition 27** We define  $c\_2Enumpair\_2Enfst$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B))$

**Definition 28** We define  $c\_2Epred\_set\_2Enum\_to\_pair$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ (c\_2Epair\_2ESND\ t)))$

Let  $c\_2Epred\_set\_2Epair\_to\_num : \iota$  be given. Assume the following.

$$c\_2Epred\_set\_2Epair\_to\_num \in (ty\_2Enum\_2Enum^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Enum\_2Enum} \quad (13)$$

**Definition 29** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p \ (ap \ V0P \ V2x)) \wedge (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((\forall V3x \in A\_27a.(p \ (ap \ V0P \ V3x))) \wedge (\forall V4x \in A\_27a.(p \ (ap \ V1Q \ V4x))))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).((p \ V0P) \wedge (\forall V2x \in A\_27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\forall V3x \in A\_27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V3x)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (28)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in A_{.27b}.(((ap (ap (c_{.2Epair}_{.2E_{.2C}} A_{.27a} A_{.27b}) V0x) V1y) = (ap (ap (c_{.2Epair}_{.2E_{.2C}} A_{.27a} A_{.27b}) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \quad (29)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in (ty_{.2Epair}_{.2Eprod} A_{.27a} A_{.27b}).(\exists V1q \in A_{.27a}.(\exists V2r \in A_{.27b}.(V0x = (ap (ap (c_{.2Epair}_{.2E_{.2C}} A_{.27a} A_{.27b}) V1q) V2r)))))) \quad (30)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in (ty_{.2Epair}_{.2Eprod} A_{.27a} A_{.27b}).((ap (ap (c_{.2Epair}_{.2E_{.2C}} A_{.27a} A_{.27b}) (ap (c_{.2Epair}_{.2EFST} A_{.27a} A_{.27b}) V0x)) (ap (c_{.2Epair}_{.2ESND} A_{.27a} A_{.27b}) V0x)) = V0x)) \quad (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.((ap (c_{.2Epair}_{.2EFST} A_{.27a} A_{.27b}) (ap (ap (c_{.2Epair}_{.2E_{.2C}} A_{.27a} A_{.27b}) V0x) V1y)) = V0x))) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.((ap (c_{.2Epair}_{.2ESND} A_{.27a} A_{.27b}) (ap (ap (c_{.2Epair}_{.2E_{.2C}} A_{.27a} A_{.27b}) V0x) V1y)) = V1y))) \quad (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \forall A_{.27c}.nonempty A_{.27c} \Rightarrow (\forall V0f \in ((A_{.27c}^{A_{.27b}})^{A_{.27a}}).(\forall V1x \in A_{.27a}.(\forall V2y \in A_{.27b}.((ap (ap (c_{.2Epair}_{.2EUNCURRY} A_{.27a} A_{.27b} A_{.27c}) V0f) (ap (ap (c_{.2Epair}_{.2E_{.2C}} A_{.27a} A_{.27b}) V1x) V2y)) = (ap (ap V0f V1x) V2y)))))) \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN \\ A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) V2x) V1t))))))) \end{aligned} \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (p (ap (ap (c\_2Ebool\_2EIN \\ A\_27a) V0x) (c\_2Epred\_set\_2EUNIV\ A\_27a)))) \quad (36)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\neg((c\_2Epred\_set\_2EUNIV\ A\_27a) = \\ (c\_2Epred\_set\_2EEMPTY\ A\_27a))) \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0y \in A\_27b. (\forall V1s \in (2^{A\_27a}). (\forall V2f \in (A\_27b^{A\_27a}). \\ ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27b) V0y) (ap (ap (c\_2Epred\_set\_2EIMAGE \\ A\_27a\ A\_27b) V2f) V1s))) \Leftrightarrow (\exists V3x \in A\_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ (p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) V3x) V1s))))))) \end{aligned} \quad (38)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (p (ap (c\_2Epred\_set\_2EFINITE \\ A\_27a) (c\_2Epred\_set\_2EEMPTY\ A\_27a))) \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0P \in (2^{A\_27a}). (\forall V1Q \in (2^{A\_27b}). (\forall V2x \in \\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b). ((p (ap (ap (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\ A\_27a\ A\_27b)) V2x) (ap (ap (c\_2Epred\_set\_2ECROSS\ A\_27a\ A\_27b) \\ V0P) V1Q))) \Leftrightarrow ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) (ap (c\_2Epair\_2EFST \\ A\_27a\ A\_27b) V2x)) V0P)) \wedge (p (ap (ap (c\_2Ebool\_2EIN\ A\_27b) (ap (c\_2Epair\_2ESND \\ A\_27a\ A\_27b) V2x)) V1Q)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0P \in (2^{A\_27a}). (\forall V1Q \in (2^{A\_27b}). ((p (ap (c\_2Epred\_set\_2EFINITE \\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)) (ap (ap (c\_2Epred\_set\_2ECROSS \\ A\_27a\ A\_27b) V0P) V1Q))) \Leftrightarrow ((V0P = (c\_2Epred\_set\_2EEMPTY\ A\_27a)) \vee \\ ((V1Q = (c\_2Epred\_set\_2EEMPTY\ A\_27b)) \vee ((p (ap (c\_2Epred\_set\_2EFINITE \\ A\_27a) V0P)) \wedge (p (ap (c\_2Epred\_set\_2EFINITE\ A\_27b) V1Q)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow ((ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ (\lambda V0x \in A\_27a.(ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ 2)\ V0x)\ c\_2Ebool\_2ET))) = (c\_2Epred\_set\_2EUNIV\ A\_27a)) \quad (42)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).((p\ (ap\ (c\_2Epred\_set\_2Ecountable\ A\_27a)\ V0s)) \Leftrightarrow ((V0s = (c\_2Epred\_set\_2EEMPTY\ A\_27a)) \vee (\exists V1f \in (A\_27a^{ty\_2Enum\_2Enum}).(p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2ESURJ\ ty\_2Enum\_2Enum\ A\_27a)\ V1f)\ (c\_2Epred\_set\_2EUNIV\ ty\_2Enum\_2Enum))\ V0s)))))) \quad (43)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1s \in (2^{A\_27a}).((p\ (ap\ (c\_2Epred\_set\_2Ecountable\ A\_27a)\ V1s)) \Rightarrow (p\ (ap\ (c\_2Epred\_set\_2Ecountable\ A\_27b)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V0f)\ V1s)))))) \quad (44)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V0s)) \Rightarrow (p\ (ap\ (c\_2Epred\_set\_2Ecountable\ A\_27a)\ V0s)))) \quad (45)$$

Assume the following.

$$((\forall V0x \in ty\_2Enum\_2Enum.((ap\ c\_2Epred\_set\_2Epair\_to\_num\ (ap\ c\_2Epred\_set\_2Enum\_to\_pair\ V0x)) = V0x)) \wedge (\forall V1x \in ty\_2Enum\_2Enum.(\forall V2y \in ty\_2Enum\_2Enum.((ap\ c\_2Epred\_set\_2Enum\_to\_pair\ (ap\ c\_2Epred\_set\_2Epair\_to\_num\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)\ V1x)\ V2y))) = (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)\ V1x)\ V2y)))))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (47)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2.(((\neg(\neg(p V0p))) \Rightarrow (p V0p)))) \quad (60)$$



**Theorem 1**

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow ( \\ & \forall V0s \in (2^{A_{27a}}). (\forall V1t \in (2^{A_{27b}}). (((p (ap (c\_2Epred\_set\_2Ecountable \\ & A_{27a}) V0s)) \wedge (p (ap (c\_2Epred\_set\_2Ecountable A_{27b}) V1t)))) \Rightarrow \\ & (p (ap (c\_2Epred\_set\_2Ecountable (ty\_2Epair\_2Eprod A_{27a} A_{27b})) \\ & (ap (ap (c\_2Epred\_set\_2ECROSS A_{27a} A_{27b}) V0s) V1t)))))) \end{aligned}$$