

thm_2Epred_set_2Epair_to_num_formula
(TMNLVjgkhtbHxC8tLgr3jhktrSsjwutL1YH)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_Ebool_2ET to be $(ap \ (ap \ (c_Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2ZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

nonempty *ty_2Enum_2Enum* (2)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (3)$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega) \quad (5)$$

Definition 4 We define $c_2.Ebool_2E_21$ to be $\lambda A._27a : \iota.(\lambda V0P \in (2^A_{27}a).(\text{ap } (\text{ap } (c_2.Emin_2E_3D (2^A_{27}a) V0) P) V0))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 6 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT2\ n)\ V)$

Definition 7 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 8 We define $c_2Earthmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap (ap c_2Earthmetic_2EBIT1$

Definition 9 We define $c_2\text{Earithmetic_ENUMERAL}$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let c_2 be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum}^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (8)$$

Let $c_2Enumpair_2Etri : \iota$ be given. Assume the following.

$$c_2Enumpair_2Etri \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (9)$$

Definition 10 We define $c_2EnumPair_2EnumPair$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 11 We define $c_{\text{2Emin_2E_3D_3D_3E}}$ to be $\lambda P \in 2.\lambda Q \in 2.\text{inj_o } (p \Rightarrow p \ Q)$ of type ι .

Definition 12 We define $c_{\text{CBool}} : \text{CBool} \rightarrow \text{Type}$ to be $(\lambda V0:t_1 \in 2. (\lambda V1:t_2 \in 2. (ap (c_{\text{CBool}}_2)_{-21} 2)) (\lambda V2:t_3 \in 2. (ap (c_{\text{CBool}}_2)_{-22} 2)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty}(\text{ty_2Epair_2Eprod } A0\ A1) \quad (10)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Epair_2EABS_prod\ A_{27a}\ A_{27b} \in ((ty_2Epair_2Eprod\ A_{27a}\ A_{27b})^{((2^{A_{27b}})^{A_{27a}})}) \quad (11)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Epred_set_2Epair_to_num : \iota$ be given. Assume the following.

$$c_2Epred_set_2Epair_to_num \in (ty_2Enum_2Enum^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \\ (12)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2A V0m) V1n) = (ap (ap c_2Earithmetic_2E_2A V1n) V0m)))) \quad (13)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & \forall V2p \in ty_2Enum_2Enum. (((ap (ap c_2Earithmetic_2E_2B V0m) \\
 & V2p) = (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))) \\
 & \tag{14}
 \end{aligned}$$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{16}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enumpair_2Etri V0n) = (ap \\
 & (ap c_2Earithmetic_2EDIV (ap (ap c_2Earithmetic_2E_2A V0n) (ap \\
 & (ap c_2Earithmetic_2E_2B V0n) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))) \\
 & \tag{17}
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & (ap c_2Epred_set_2Epair_to_num (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
 & ty_2Enum_2Enum) V0m) V1n)) = (ap (ap c_2Enumpair_2Enpair V0m) V1n)))) \\
 & \tag{18}
 \end{aligned}$$

Theorem 1

$$\begin{aligned}
 & (\forall V0x \in ty_2Enum_2Enum. (\forall V1y \in ty_2Enum_2Enum. \\
 & (ap c_2Epred_set_2Epair_to_num (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
 & ty_2Enum_2Enum) V0x) V1y)) = (ap (ap c_2Earithmetic_2E_2B (ap \\
 & ap c_2Earithmetic_2EDIV (ap (ap c_2Earithmetic_2E_2A (ap (ap c_2Earithmetic_2E_2B \\
 & (ap (ap c_2Earithmetic_2E_2B V0x) V1y)) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) (ap (ap \\
 & c_2Earithmetic_2E_2B V0x) V1y))) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))) V1y)))
 \end{aligned}$$