

thm\_2Eprim\_\_rec\_2EPRIM\_\_REC\_\_EQN  
(TMUBbD7nvSh123585wysQTUNadyEydPBKxh)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num ($

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{5}$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.$

**Definition 8** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

**Definition 9** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t)).$

**Definition 10** We define `c_2Ebool_2ECOND` to be  $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. ($

**Definition 11** We define `c_2Eprim_rec_2EPRE` to be  $\lambda V0m \in \text{ty\_2Enum\_2Enum}. (\text{ap } (\text{ap } (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t)) (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. ($

Let `c_2Eprim_rec_2ESIMP_REC` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Eprim\_rec\_2ESIMP\_REC } A. 27a \in ((A. 27a^{\text{ty\_2Enum\_2Enum}})^{A. 27a})^{A. 27a} \quad (6)$$

**Definition 12** We define `c_2Eprim_rec_2EPRIM_REC_FUN` to be  $\lambda A. 27a : \iota. \lambda V0x \in A. 27a. \lambda V1f \in ((A. 27a^{\text{ty\_2Enum\_2Enum}})^{A. 27a})^{A. 27a}.$

Assume the following.

$$\text{True} \quad (7)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow (\forall V0t1 \in A. 27a. (\forall V1t2 \in A. 27b. ((\text{ap } (\lambda V2x \in A. 27b. V0t1) V1t2) = V0t1))) \quad (8)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0x \in A. 27a. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (9)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0x \in A. 27a. (\forall V1f \in (A. 27a^{\text{ty\_2Enum\_2Enum}})^{A. 27a}. (((\text{ap } (\text{ap } (\text{ap } (\text{c_2Eprim\_rec\_2ESIMP\_REC } A. 27a) V0x) V1f) \text{c_2Enum\_2E0}) = V0x) \wedge (\forall V2m \in \text{ty\_2Enum\_2Enum}. ((\text{ap } (\text{ap } (\text{ap } (\text{c_2Eprim\_rec\_2ESIMP\_REC } A. 27a) V0x) V1f) (\text{ap } \text{c_2Enum\_2ESUC } V2m)) = (\text{ap } V1f (\text{ap } (\text{ap } (\text{ap } (\text{c_2Eprim\_rec\_2ESIMP\_REC } A. 27a) V0x) V1f) V2m)))))))))) \quad (10)$$

**Theorem 1**

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0x \in A. 27a. (\forall V1f \in ((A. 27a^{\text{ty\_2Enum\_2Enum}})^{A. 27a}). ((\forall V2n \in \text{ty\_2Enum\_2Enum}. ((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c_2Eprim\_rec\_2EPRIM\_REC\_FUN } A. 27a) V0x) V1f) \text{c_2Enum\_2E0}) V2n) = V0x)) \wedge (\forall V3m \in \text{ty\_2Enum\_2Enum}. (\forall V4n \in \text{ty\_2Enum\_2Enum}. ((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c_2Eprim\_rec\_2EPRIM\_REC\_FUN } A. 27a) V0x) V1f) (\text{ap } \text{c_2Enum\_2ESUC } V3m)) V4n) = (\text{ap } (\text{ap } V1f (\text{ap } (\text{ap } (\text{ap } (\text{c_2Eprim\_rec\_2EPRIM\_REC\_FUN } A. 27a) V0x) V1f) V3m) (\text{ap } \text{c_2Eprim\_rec\_2EPRE } V4n)))))))))) \quad (11)$$