

# thm\_2Eprobability\_2EEVENTS\_COUNTABLE\_UNION (TMGeV5fCEFiGAdYWhAuhcog8tanqU6J4nNq)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$



Let  $c\_2Emeasure\_2Espace : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Espace\ A\_27a \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))}) \quad (9)$$

**Definition 21** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 22** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 23** We define  $c\_2Emeasure\_2Esubset\_class$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1sts \in (2^{(2^{A\_27a})})$

**Definition 24** We define  $c\_2Emeasure\_2Ealgebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 25** We define  $c\_2Emeasure\_2Esigma\_algebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 26** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 27** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (13)$$

**Definition 28** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 29** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$

**Definition 30** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (15)$$

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasure\ A\_27a \in ((ty\_2Erealax\_2Ereal^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})}))})^{(ty\_2Erealax\_2Ereal^{(2^{A\_27a})})}) \quad (16)$$

**Definition 31** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 32** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g \in$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum})})^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum)}) \quad (17)$$

**Definition 33** We define  $c\_2Eprim\_rec\_2E3C$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 34** We define  $c\_2Earithmetic\_2E3E$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 35** We define  $c\_2Earithmetic\_2E3E\_3D$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (18)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (19)$$

**Definition 36** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ ($

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (20)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (21)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})}) \quad (22)$$

**Definition 37** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 38** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (23)$$

**Definition 39** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

**Definition 40** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealt\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealt\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})$$
(24)

**Definition 41** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 42** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 43** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.))$

**Definition 44** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}$$
(25)

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}$$
(26)

**Definition 45** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0)$$
(27)

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric\ A\_27a)^{(ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}})$$
(28)

**Definition 46** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c\_2Emetric\_2Emetric$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$$
(29)

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0)$$
(30)

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})})$$
(31)

**Definition 47** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric A\_27a).(ap$   
 Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Enets\_2Etends \\ & A\_27a A\_27b \in (((2^{(ty\_2Epair\_2Eprod (ty\_2Etopology\_2Etopology A\_27a) ((2^{A\_27b})^{A\_27b}))})^{A\_27a})^{(A\_27a)^{A\_27b}})) \end{aligned} \quad (32)$$

**Definition 48** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 49** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2$

**Definition 50** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2$

**Definition 51** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap$

**Definition 52** We define  $c\_2Epred\_set\_2EFUNSET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1Q \in (2^{A\_27b}).$

**Definition 53** We define  $c\_2Emeasure\_2Ecountably\_additive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod$

**Definition 54** We define  $c\_2Emeasure\_2Epositive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (ty\_2$

**Definition 55** We define  $c\_2Emeasure\_2Emeasure\_space$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod (2^{A\_27a})$

**Definition 56** We define  $c\_2Eprobability\_2Eprob\_space$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (ty\_2Epair\_2Eprod (2^{A\_27a})$

Assume the following.

$$True \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p V0t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in (2^{A\_27a}).(\forall V1y \in \\ & (2^{(2^{A\_27a})}).((ap (c\_2Emeasure\_2Esubsets A\_27a) (ap (ap (c\_2Epair\_2E\_2C \\ & (2^{A\_27a}) (2^{(2^{A\_27a})})) V0x) V1y)) = V1y))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0a \in (ty\_2Epair\_2Eprod \\ & (2^{A\_27a}) (2^{(2^{A\_27a})})).(\forall V1c \in (2^{(2^{A\_27a})}).(((p ( \\ & ap (c\_2Emeasure\_2Esigma\_algebra A\_27a) V0a)) \wedge ((p (ap (c\_2Epred\_set\_2Ecountable \\ & (2^{A\_27a}) V1c)) \wedge (p (ap (ap (c\_2Epred\_set\_2ESUBSET (2^{A\_27a}) \\ & V1c) (ap (c\_2Emeasure\_2Esubsets A\_27a) V0a)))))) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN \\ & (2^{A\_27a}) (ap (c\_2Epred\_set\_2EBIGUNION A\_27a) V1c) (ap (c\_2Emeasure\_2Esubsets \\ & A\_27a) V0a)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0p \in (ty\_2Epair\_2Eprod \\
& \quad (2^{A_{.27a}}) (ty\_2Epair\_2Eprod\ (2^{(2^{A_{.27a}})}) (ty\_2Erealax\_2Ereal^{(2^{A_{.27a}})}))) \\
& ((p\ (ap\ (c\_2Eprobability\_2Eprob\_space\ A_{.27a})\ V0p)) \Rightarrow (p\ (ap\ (c\_2Emeasure\_2Esigma\_algebra \\
& \quad A_{.27a})\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{A_{.27a}})\ (2^{(2^{A_{.27a}})}))\ (ap\ (c\_2Eprobability\_2Ep\_space \\
& \quad A_{.27a})\ V0p))\ (ap\ (c\_2Eprobability\_2Eevents\ A_{.27a})\ V0p)))))) \\
& \hspace{15em} (37)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0p \in (ty\_2Epair\_2Eprod \\
& \quad (2^{A_{.27a}}) (ty\_2Epair\_2Eprod\ (2^{(2^{A_{.27a}})}) (ty\_2Erealax\_2Ereal^{(2^{A_{.27a}})}))) \\
& \quad (\forall V1c \in (2^{(2^{A_{.27a}})})).(((p\ (ap\ (c\_2Eprobability\_2Eprob\_space \\
& \quad A_{.27a})\ V0p)) \wedge ((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ (2^{A_{.27a}}))\ V1c) \\
& \quad (ap\ (c\_2Eprobability\_2Eevents\ A_{.27a})\ V0p))) \wedge (p\ (ap\ (c\_2Epred\_set\_2Ecountable \\
& \quad (2^{A_{.27a}}))\ V1c)))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A_{.27a}}))\ (ap\ (c\_2Epred\_set\_2EBIGUNION \\
& \quad A_{.27a})\ V1c))\ (ap\ (c\_2Eprobability\_2Eevents\ A_{.27a})\ V0p))))))
\end{aligned}$$