

thm_2Eprobability_2EINCREASING__PROB
 (TMZiiYLM-
 rZtTV6TNetGxJdNNeDoNBbPFW8M)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$.
 Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{ty_2Erealax}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal)}) \tag{5}$$

Definition 6 We define $c_Erealax_Ereal_lt$ to be $\lambda V0t1 \in ty_Erealax_Ereal.\lambda V1t2 \in ty_Erealax_Ereal$

Definition 7 We define c_Ebool_EF to be $(ap (c_Ebool_E21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_Emin_E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 9 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap (ap\ c_Emin_E3D_3D_3E\ V0t)\ c_Ebool_EF))$

Definition 10 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Definition 11 We define c_Ebool_EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 12 We define $c_Epred_set_ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap ($

Definition 13 We define $c_Ebool_E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21\ 2) (\lambda V2t \in$

Let $c_Emeasure_Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Emeasure_Emeasure\ A_27a \in ((ty_Erealax_Ereal^{(2^{A_27a})})(ty_Epair_Eprod\ (2^{A_27a})\ (ty_Epair_Eprod\ (2^{(2^{A_27a})})\ (ty_Erealax_Ereal^{(2^{A_27a})}))) \quad (6)$$

Let $c_Emeasure_Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Emeasure_Emeasurable_sets\ A_27a \in ((2^{(2^{A_27a})})(ty_Epair_Eprod\ (2^{A_27a})\ (ty_Epair_Eprod\ (2^{(2^{A_27a})})\ (ty_Erealax_Ereal^{(2^{A_27a})})))) \quad (7)$$

Definition 14 We define $c_Emeasure_Eincreasing$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_Eprod\ (2^{A_27a}))$

Definition 15 We define $c_Eprobability_Eevents$ to be $\lambda A_27a : \iota.(c_Emeasure_Emeasurable_sets\ A_27a)$

Definition 16 We define $c_Eprobability_Eprob$ to be $\lambda A_27a : \iota.(c_Emeasure_Emeasure\ A_27a)$.

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (10)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (11)$$

Assume the following.

$$2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))) \quad (12)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\ & (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal(2^{A_27a}))))). \\ & ((p (ap (c_2Emeasure_2Eincreasing\ A_27a)\ V0p)) \Leftrightarrow (\forall V1s \in \\ & (2^{A_27a}). (\forall V2t \in (2^{A_27a}). (((p (ap (ap (c_2Ebool_2EIN \\ & (2^{A_27a})\ V1s) (ap (c_2Eprobability_2Eevents\ A_27a)\ V0p))) \wedge \\ & ((p (ap (ap (c_2Ebool_2EIN (2^{A_27a})\ V2t) (ap (c_2Eprobability_2Eevents \\ & A_27a)\ V0p))) \wedge (p (ap (ap (c_2Epred_set_2ESUBSET\ A_27a)\ V1s)\ V2t)))))) \Rightarrow \\ & (p (ap (ap\ c_2Ereal_2Ereal_lte (ap (ap (c_2Eprobability_2Eprob \\ & A_27a)\ V0p)\ V1s)) (ap (ap (c_2Eprobability_2Eprob\ A_27a)\ V0p)\ V2t)))))) \end{aligned}$$