

# thm\_2Eprobability\_2EPOSITIVE\_\_PROB (TMF1ceMWUev6uzX21ChgLQYLLtqv447GJPn)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})\ ty\_2Erealax\_2Ereal) \tag{4}$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.^{27a} : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \tag{5}$$

**Definition 6** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 7** We define  $c\_Ebool\_2EF$  to be  $(ap (c\_Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 8** We define  $c\_Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_2E\_3D\_3D\_3E V0t) c\_Ebool\_2EF))$ .

**Definition 10** We define  $c\_Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

**Definition 11** We define  $c\_Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{6}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{7}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{8}$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \tag{9}$$

**Definition 13** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_Ebool\_2EF)$ .

**Definition 14** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_2E\_21\ 2) (\lambda V2t \in 2.V2t))))$ .

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasure\ A\_27a \in (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))) \tag{10}$$

Let  $c\_2Emeasure\_2Emeasurable\_sets : \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27a \in ((2^{(2^{A\_27a})})(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))) \tag{11}$$

**Definition 15** We define  $c\_2Emeasure\_2Epositive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))$ .

**Definition 16** We define  $c\_2Eprobability\_2Eevents$  to be  $\lambda A\_27a : \iota.(c\_2Emeasure\_2Emeasurable\_sets\ A\_27a)$ .

**Definition 17** We define  $c\_2Eprobability\_2Eprob$  to be  $\lambda A\_27a : \iota.(c\_2Emeasure\_2Emeasure\ A\_27a)$ .

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \end{aligned} \quad (16)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0p \in (ty\_2Epair\_2Eprod \\ & (2^{A\_27a}) (ty\_2Epair\_2Eprod (2^{(2^{A\_27a})}) (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))). \\ & ((p (ap (c\_2Emeasure\_2Epositive\ A\_27a)\ V0p)) \Leftrightarrow (((ap (ap (c\_2Eprobability\_2Eprob \\ & A\_27a)\ V0p) (c\_2Epred\_set\_2EEMPTY\ A\_27a)) = (ap\ c\_2Ereal\_2Ereal\_of\_num \\ & c\_2Enum\_2E0)) \wedge (\forall V1s \in (2^{A\_27a}). ((p (ap (ap (c\_2Ebool\_2EIN \\ & (2^{A\_27a})\ V1s) (ap (c\_2Eprobability\_2Eevents\ A\_27a)\ V0p))) \Rightarrow \\ & (p (ap (ap\ c\_2Ereal\_2Ereal\_lte (ap\ c\_2Ereal\_2Ereal\_of\_num \\ & c\_2Enum\_2E0)) (ap (ap (c\_2Eprobability\_2Eprob\ A\_27a)\ V0p)\ V1s)))))))))) \end{aligned}$$