

thm_2Eprobability_2EPROB__INCREASING (TMFtXfhMCNaixFEQXyaaSY3Kvqa958oA6eC)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p (ap P x))$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasure\ A_27a \in (ty_2Erealx_2Ereal^{(2^{A_27a})})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})}))\ (ty_2Erealx_2Ereal^{(2^{A_27a})})) \tag{3}$$

Definition 5 We define $c_2Eprobability_2Eprob$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Emeasure\ A_27a)$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{4}$$

Let $c_2Erealx_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Erealx_2Ereal) \tag{5}$$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})$

Definition 7 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (6)$$

Definition 8 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 9 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21\ 2)) (\lambda V0t \in 2.V0t)$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap\ c_2Emin_2E_3D_3D_3E\ V0t))\ c_2Ebool_2E_2F)$

Definition 12 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x)))$

Definition 14 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap ($

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets\ A_27a \in ((2^{(2^{A-27a})}) (ty_2Epair_2Eprod\ (2^{A-27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A-27a})})\ (ty_2Erealax_2Ereal^{(2^{A-27a})})))) \quad (7)$$

Definition 15 We define $c_2Eprobability_2Eevents$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Emeasurable_sets\ A_27a)$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2)) (\lambda V2t \in$

Definition 17 We define $c_2Emeasure_2Eincreasing$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A-27a}))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (10)$$

Definition 18 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 19 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (12)$$

Definition 20 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 21 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 22 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in \\ & ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))}) \end{aligned} \quad (15)$$

Definition 23 We define $c_2Eprobability_2Ep_space$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Em_space\ A_27a)$.

Definition 24 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (16)$$

Definition 25 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (17)$$

Definition 26 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 27 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set_2EGSPEC$

Definition 28 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$.

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})})^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)}) \quad (18)$$

Definition 29 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$.

Definition 30 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$.

Definition 31 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Definition 32 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$.

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (19)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (20)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})}) \quad (21)$$

Definition 33 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$.

Definition 34 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$.

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (22)$$

Definition 35 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 36 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 37 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 38 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Definition 44 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 45 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2EF) (c_2Ebool_2EAND))$.

Definition 46 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2EOR) (c_2Ebool_2EAND))$.

Definition 47 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b}).(ap (c_2Ebool_2EAND) (c_2Ebool_2EOR))$.

Definition 48 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$.

Definition 49 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$.

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Esubsets A_27a \in (2^{(2^{A_27a})})^{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))}) \quad (31)$$

Definition 50 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2EAND) (c_2Ebool_2EOR))$.

Definition 51 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2EAND) (c_2Ebool_2EOR))$.

Definition 52 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2EOR) (c_2Ebool_2EAND))$.

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Espace A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))}) \quad (32)$$

Definition 53 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2EAND) (c_2Ebool_2EOR))$.

Definition 54 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})})$.

Definition 55 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$.

Definition 56 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$.

Definition 57 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$.

Definition 58 We define $c_2Eprobability_2Eprob_space$ to be $\lambda A_27a : \iota.\lambda V0p \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})}))$.

Assume the following.

$$True \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \wedge (p \ V1t2) \wedge (p \ V2t3)) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \wedge (p \ V2t3)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t)))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (38)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (42)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p \ V0P) \wedge (\forall V2x \in A_27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V3x)))))) \quad (43)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p \ V0P) \vee (\exists V2x \in A_27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\exists V3x \in A_27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V3x)))))) \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in \\ 2.((\exists V2x \in A.27a.((p\ (ap\ V0P\ V2x)) \wedge (p\ V1Q)))) \Leftrightarrow ((\exists V3x \in \\ A.27a.(p\ (ap\ V0P\ V3x))) \wedge (p\ V1Q)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A-27a}).((\forall V2x \in A.27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p \\ V0P) \vee (\forall V3x \in A.27a.(p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (\\ (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee \\ (p\ V0A)))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(\\ p\ V0A) \vee \neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0P \in ((2^{A-27b})^{A-27a}).(\forall V1x \in A.27a.(\exists V2y \in \\ A.27b.(p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A-27a}).(\\ \forall V4x \in A.27a.(p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\ (2^{A-27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A-27a})})\ (ty_2Erealax_2Ereal^{(2^{A-27a})}))). \\ ((p\ (ap\ (c_2Emeasure_2Eincreasing\ A.27a)\ V0p)) \Leftrightarrow (\forall V1s \in \\ (2^{A-27a}).(\forall V2t \in (2^{A-27a}).(((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ (2^{A-27a})\ V1s)\ (ap\ (c_2Eprobability_2Eevents\ A.27a)\ V0p))) \wedge \\ ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A-27a})\ V2t)\ (ap\ (c_2Eprobability_2Eevents \\ A.27a)\ V0p))) \wedge (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A.27a)\ V1s)\ V2t)))) \Rightarrow \\ (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ (ap\ (c_2Eprobability_2Eprob \\ A.27a)\ V0p)\ V1s))\ (ap\ (ap\ (c_2Eprobability_2Eprob\ A.27a)\ V0p)\ V2t)))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\ (2^{A-27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A-27a})})\ (ty_2Erealax_2Ereal^{(2^{A-27a})}))). \\ ((p\ (ap\ (c_2Eprobability_2Eprob_space\ A.27a)\ V0p)) \Rightarrow (p\ (ap\ (c_2Emeasure_2Eincreasing \\ A.27a)\ V0p))) \end{aligned} \quad (52)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (62)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0p \in (\text{ty_2Epair_2Eprod} \\ & (2^{A_{27a}}) (\text{ty_2Epair_2Eprod } (2^{(2^{A_{27a}})}) (\text{ty_2Erealax_2Ereal}(2^{A_{27a}}))))). \\ & (\forall V1s \in (2^{A_{27a}}). (\forall V2t \in (2^{A_{27a}}). (((p (\text{ap } (\text{c_2Eprobability_2Eprob_space} \\ & A_{27a}) V0p)) \wedge ((p (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } (2^{A_{27a}})) V1s) (\text{ap } (\text{c_2Eprobability_2Eevents} \\ & A_{27a}) V0p)))) \wedge ((p (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } (2^{A_{27a}})) V2t) (\text{ap } (\text{c_2Eprobability_2Eevents} \\ & A_{27a}) V0p)))) \wedge (p (\text{ap } (\text{ap } (\text{c_2Epred_set_2ESUBSET } A_{27a}) V1s) V2t)))))) \Rightarrow \\ & (p (\text{ap } (\text{ap } (\text{c_2Ereal_2Ereal_lte } (\text{ap } (\text{ap } (\text{c_2Eprobability_2Eprob} \\ & A_{27a}) V0p) V1s)) (\text{ap } (\text{ap } (\text{c_2Eprobability_2Eprob } A_{27a}) V0p) V2t)))))) \end{aligned}$$