

thm_2Eprobability_2Econditional_distribution_le_1
 (TM-
 bZNKkwvT8cLGux5mbfJ7PL33tATEQRn3C)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in ((2^{A_27a})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealx_2Ereal^{(2^{A_27a})})))) \tag{3}$$

Definition 3 We define $c_2Eprobability_2Ep_space$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Em_space\ A_27a)$.

Definition 4 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2)) (\lambda V2t \in 2$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}})$$
(4)

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}})$$
(5)

Definition 9 We define $c_2Epred_set_2EPREIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1$

Definition 10 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2$

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasure\ A_27a \in ((ty_2Erealax_2Ereal^{(2^{A_27a})})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})}))})$$
(6)

Definition 11 We define $c_2Eprobability_2Eprob$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Emeasure\ A_27a)$.

Definition 12 We define $c_2Eprobability_2Edistribution$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epair_2E$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$$
(7)

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$$
(8)

Definition 13 We define $c_2Epred_set_2ECROSS$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b})$

Definition 14 We define $c_2Eprobability_2Ejoint_distribution$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0p \in$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal$$
(9)

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal})$$
(10)

Definition 15 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 16 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal_inv)))$

Let $c_2Erealax_2Ereal_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_inv \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (11)$$

Let $c_2Erealax_2Ereal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (12)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})) \quad (13)$$

Definition 17 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$

Definition 18 We define $c_2Erealax_2Ereal_inv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal_ABS_CLASS)$

Let $c_2Erealax_2Ereal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_mul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (14)$$

Definition 19 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 20 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 21 We define $c_2Eprobability_2Econditional_distribution$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda$

Definition 22 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Erealax_2Ereal_inv))$

Definition 23 We define $c_2Epred_set_2EPOW$ to be $\lambda A_27a : \iota.\lambda V0set \in (2^{A_27a}).(ap (c_2Epred_set_2ESUBSET))$

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets A_27a \in ((2^{(2^{A_27a})})(ty_2Epair_2Eprod (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal(2^{A_27a})))))) \quad (15)$$

Definition 24 We define $c_2Eprobability_2Eevents$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Emeasurable_sets A_27a)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{16}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{17}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{18}$$

Definition 25 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 26 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{19}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{20}$$

Definition 27 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{21}$$

Definition 28 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 29 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{22}$$

Definition 30 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 31 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 32 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 33 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_s$

Definition 34 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \tag{23}$$

Definition 35 We define c_Ebool_2EF to be $(ap (c_Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 36 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E))$

Definition 37 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 38 We define $c_Earithmic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 39 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t))))$

Definition 40 We define $c_Earithmic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Erealax_2Etreax_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (24)$$

Definition 41 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg)$

Let $c_2Erealax_2Etreax_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (25)$$

Definition 42 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 43 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreax_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (26)$$

Definition 44 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 45 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 46 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(A_27a))))$

Definition 47 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_Ebool_2ECOND))))$

Definition 48 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (27)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})) \quad (28)$$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Espace\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))}) \quad (34)$$

Definition 61 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Definition 62 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})})$

Definition 63 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Definition 64 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Definition 65 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Definition 66 We define $c_2Eprobability_2Eprob_space$ to be $\lambda A_27a : \iota.\lambda V0p \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Assume the following.

$$True \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ & A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (43)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (44)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow \forall A_{27c}. \\ & \text{nonempty } A_{27c} \Rightarrow (\forall V0p \in (\text{ty_2Epair_2Eprod } (2^{A_{27a}}) (\text{ty_2Epair_2Eprod } \\ & (2^{(2^{A_{27a}})}) (\text{ty_2Erealax_2Ereal } (2^{A_{27a}}))))). (\forall V1X \in \\ & (A_{27b}^{A_{27a}}). (\forall V2Y \in (A_{27c}^{A_{27a}}). (\forall V3s \in (2^{A_{27b}}). \\ & (\forall V4t \in (2^{A_{27c}}). (((p (ap (c_2Eprobability_2Eprob_space \\ & A_{27a}) V0p)) \wedge ((ap (c_2Eprobability_2Eevents } A_{27a}) V0p) = (ap \\ & (c_2Epred_set_2EPOW } A_{27a}) (ap (c_2Eprobability_2Eprob_space \\ & A_{27a}) V0p)))) \wedge (((ap (ap (ap (c_2Eprobability_2Edistribution \\ & A_{27b} } A_{27a}) V0p) V1X) V3s) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \vee \\ & ((ap (ap (ap (c_2Eprobability_2Edistribution } A_{27c} } A_{27a}) V0p) \\ & V2Y) V4t) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))))) \Rightarrow ((\\ & ap (ap (ap (ap (c_2Eprobability_2Ejoint_distribution } A_{27b} } A_{27c} \\ & A_{27a}) V0p) V1X) V2Y) (ap (ap (c_2Epred_set_2ECROSS } A_{27b} } A_{27c} \\ & V3s) V4t)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))))) \quad (46) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod\ (2^{A.27a})\ (ty_2Epair_2Eprod \\
& \quad (2^{(2^{A.27a})})\ (ty_2Erealax_2Ereal^{(2^{A.27a})}))). (\forall V1X \in \\
& \quad (A.27b^{A.27a}). (\forall V2Y \in (A.27c^{A.27a}). (\forall V3a \in (2^{A.27b}). \\
& \quad (\forall V4b \in (2^{A.27c}). (((p\ (ap\ (c_2Eprobability_2Eprob_space \\
& \quad A.27a)\ V0p)) \wedge ((ap\ (c_2Eprobability_2Eevents\ A.27a)\ V0p) = (ap \\
& \quad (c_2Epred_set_2EPOW\ A.27a)\ (ap\ (c_2Eprobability_2Eprob_space \\
& \quad A.27a)\ V0p)))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ (ap\ (ap\ (\\
& \quad c_2Eprobability_2Ejoint_distribution\ A.27b\ A.27c\ A.27a)\ V0p) \\
& \quad V1X)\ V2Y)\ (ap\ (ap\ (c_2Epred_set_2ECROSS\ A.27b\ A.27c)\ V3a)\ V4b))) \\
& \quad (ap\ (ap\ (ap\ (c_2Eprobability_2Edistribution\ A.27c\ A.27a)\ V0p) \\
& \quad \quad V2Y)\ V4b)))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0p \in (ty_2Epair_2Eprod\ (2^{A.27a})\ (ty_2Epair_2Eprod\ (\\
& \quad 2^{(2^{A.27a})})\ (ty_2Erealax_2Ereal^{(2^{A.27a})}))). (\forall V1X \in \\
& \quad (A.27b^{A.27a}). (\forall V2a \in (2^{A.27b}). (((p\ (ap\ (c_2Eprobability_2Eprob_space \\
& \quad A.27a)\ V0p)) \wedge ((ap\ (c_2Eprobability_2Eevents\ A.27a)\ V0p) = (ap \\
& \quad (c_2Epred_set_2EPOW\ A.27a)\ (ap\ (c_2Eprobability_2Eprob_space \\
& \quad A.27a)\ V0p)))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))\ (ap\ (ap\ (ap\ (c_2Eprobability_2Edistribution\ A.27b \\
& \quad \quad A.27a)\ V0p)\ V1X)\ V2a))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\
& \quad (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (\\
& \quad \quad ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))\ V0x) = V0x))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\
& \quad (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x) = (ap\ c_2Ereal_2Ereal_of_num \\
& \quad \quad c_2Enum_2E0)))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ V0x)\ V1y)) \Leftrightarrow ((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& \quad \quad V0x)\ V1y)) \wedge (\neg(V0x = V1y))))))
\end{aligned} \tag{51}$$

Assume the following.

$$(p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \quad (52)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V2z)) \Rightarrow ((p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Ereal_2E_2F V0x) V2z)) V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte V0x) (ap (ap c_2Erealax_2Ereal_mul V1y) V2z)))))))))) \quad (53)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (60)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge (\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{63}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{64}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{65}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V0p))) \tag{66}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{67}$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p)) \tag{68}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow \forall A_27c. \\
& nonempty \ A_27c \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \ (2^{A_27a}) \ (ty_2Epair_2Eprod \\
& \ (2^{(2^{A_27a})}) \ (ty_2Erealax_2Ereal^{(2^{A_27a})}))). (\forall V1X \in \\
& (A_27b^{A_27a}). (\forall V2Y \in (A_27c^{A_27a}). (\forall V3a \in (2^{A_27b}). \\
& (\forall V4b \in (2^{A_27c}). (((p \ (ap \ (c_2Eprobability_2Eprob_space \\
& A_27a) \ V0p)) \wedge ((ap \ (c_2Eprobability_2Eevents \ A_27a) \ V0p) = (ap \\
& (c_2Epred_set_2EPOW \ A_27a) \ (ap \ (c_2Eprobability_2Eprob_space \\
& A_27a) \ V0p)))) \Rightarrow (p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ (ap \ (ap \ (ap \ (\\
& ap \ (c_2Eprobability_2Econditional_distribution \ A_27a \ A_27b \\
& A_27c) \ V0p) \ V1X) \ V2Y) \ V3a) \ V4b)) \ (ap \ c_2Ereal_2Ereal_of_num \ (\\
& ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))))))))))
\end{aligned}$$