

thm_2Eprobability_2Edistribution_lebesgue_thm1
(TMGJeZkkLcVDeGB-
vRYCGSXDld2cwaZ3XnAH)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A \cdot 27a}).(ap (ap (c_2Emin_2E_3D (2^{A \cdot 27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \tag{1}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{2}$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \tag{3}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{4}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (7)$$

Definition 8 We define $c_2Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ c_2Eextreal_2Eextreal_of_num\ n)$.

Definition 9 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Definition 10 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (10)$$

Definition 11 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$.

Definition 12 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$.

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.(\lambda V3t3 \in 2.(ap\ V3t3\ t2))))))$.

Definition 15 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A)\ P)$ of type $\iota \Rightarrow \iota$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\lambda V3t3 \in 2.(\lambda V4t4 \in 2.(ap\ V4t4\ t2))))))$.

Definition 17 We define $c_2Emeasure_2Eindicator_fn$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(\lambda V1x \in A_27a.(ap\ V1x\ s))$.

Let $c_2Eextreal_2Eextreal_ainv : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_ainv \in (ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal}) \quad (11)$$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (12)$$

Definition 18 We define $c_2Eextreal_2Eextreal_lt$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal_2Eextreal.(c_2Eextreal_2Eextreal_le\ x\ y)$.

Definition 19 We define $c_2Emeasure_2Efn_minus$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Eextreal_2Eextreal^{A_27a}).(\lambda V1x \in A_27a.(ap\ V1x\ f))$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (13)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})}))})) \quad (14)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (15)$$

Definition 20 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ V0x\ V1y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}} \quad (16)$$

Definition 21 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in A_27b. (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27b)\ V0f\ V1s)$

Definition 22 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ V0P)))$

Definition 23 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V0P)$

Definition 24 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E_3F\ A_27a)$

Definition 25 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Emin_2E_40\ A_27a)\ V0s\ V1t)$

Definition 26 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Emin_2E_40\ A_27a)\ V0s\ V1t)$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (17)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal_REP_CLASS}) \quad (18)$$

Definition 27 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap\ (c_2Emin_2E_40\ A_27a)\ V0a)$

Let $c_2Erealax_2Etreal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (19)$$

Definition 28 We define $c_Erealax_Ereal_lt$ to be $\lambda V0t1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal$.

Definition 29 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$.

Definition 30 We define $c_Ebool_E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E_21) 2) (\lambda V2t \in 2)))$.

Definition 31 We define $c_Epred_set_EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_Ebool_E_21) 2)$.

Definition 32 We define $c_Epred_set_EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_Ebool_E_21) 2)$.

Let $c_Emeasure_Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_Emeasure_Emeasurable_sets \\ & A_27a \in (((2^{(2^{A_27a})})(ty_Epair_Eprod (2^{A_27a}) (ty_Epair_Eprod (2^{(2^{A_27a})}) (ty_Erealax_Ereal^{(2^{A_27a})})))))) \end{aligned} \quad (20)$$

Let $c_Eextreal_Eextreal_mul : \iota$ be given. Assume the following.

$$c_Eextreal_Eextreal_mul \in ((ty_Eextreal_Eextreal^{ty_Eextreal_Eextreal})^{ty_Eextreal_Eextreal}) \quad (21)$$

Let $c_Eextreal_Eextreal_add : \iota$ be given. Assume the following.

$$c_Eextreal_Eextreal_add \in ((ty_Eextreal_Eextreal^{ty_Eextreal_Eextreal})^{ty_Eextreal_Eextreal}) \quad (22)$$

Let $c_Epred_set_EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epred_set_EITSET \\ & A_27a A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (23)$$

Definition 33 We define $c_Eextreal_EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_Eextreal_Eextreal)$.

Definition 34 We define $c_Emeasure_Epos_simple_fn$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_Eprod (2^{A_27a}) 2)$.

Let $c_Epair_EESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_EESND \\ & A_27a A_27b \in (A_27b^{(ty_Epair_Eprod A_27a A_27b)}) \end{aligned} \quad (24)$$

Let $c_Epair_EFAST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_EFAST \\ & A_27a A_27b \in (A_27a^{(ty_Epair_Eprod A_27a A_27b)}) \end{aligned} \quad (25)$$

Definition 35 We define $c_Epair_EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})^{A_27b})$.

Definition 36 We define $c_ELebesgue_Epsfs$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_Eprod (2^{A_27a}) (ty_21))$.

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasure\ A_27a \in ((ty_2Erealax_2Ereal^{(2^{A_27a})})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{A_27a}))\ (ty_2Erealax_2Ereal^{(2^{A_27a})})) (26)$$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal) (27)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal) (28)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} (29)$$

Definition 37 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 38 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Erealadd : \iota$ be given. Assume the following.

$$c_2Erealax_2Erealadd \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal) (30)$$

Definition 39 We define $c_2Erealax_2Erealadd$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 40 We define $c_2Ereal_sigma_2EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal$

Definition 41 We define $c_2ELebesgue_2Epos_simple_fn_integral$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Definition 42 We define $c_2ELebesgue_2Epsfis$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Erealax_2Ereal$

Definition 43 We define c_2Ereal_2Esup to be $\lambda V0P \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Emin_2E.40\ ty_2Erealax_2Ereal$

Let $c_2Eextreal_2ENegInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENegInf \in ty_2Eextreal_2Eextreal (31)$$

Let $c_2Eextreal_2EPosInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2EPosInf \in ty_2Eextreal_2Eextreal (32)$$

Definition 44 We define $c_2Eextreal_2Eextreal_sup$ to be $\lambda V0p \in (2^{ty_2Eextreal_2Eextreal}).(ap\ (ap\ (ap\ (c_2Emin_2E.40$

Definition 45 We define $c_2E\text{lebesgue_2Epos_fn_integral}$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2E\text{pair_2Eprod } (2^{A-27a}))$

Definition 46 We define $c_2E\text{measure_2Efn_plus}$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2E\text{extreal_2Eextreal}^{A-27a})$.

Let $c_2E\text{extreal_2Eextreal_sub} : \iota$ be given. Assume the following.

$$c_2E\text{extreal_2Eextreal_sub} \in ((ty_2E\text{extreal_2Eextreal}^{ty_2E\text{extreal_2Eextreal}})^{ty_2E\text{extreal_2Eextreal}}) \quad (33)$$

Definition 47 We define $c_2E\text{lebesgue_2Eintegral}$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2E\text{pair_2Eprod } (2^{A-27a}))$

Let $c_2E\text{measure_2Esubsets} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{measure_2Esubsets } A_27a \in ((2^{(2^{A-27a})})^{(ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))}) \quad (34)$$

Let $c_2E\text{measure_2Espace} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{measure_2Espace } A_27a \in ((2^{A-27a})^{(ty_2E\text{pair_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))}) \quad (35)$$

Definition 48 We define $c_2E\text{pred_set_2EFUNSET}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A-27a}).\lambda V1Q \in (2^{A-27a})$

Definition 49 We define $c_2E\text{pred_set_2ESUBSET}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2E\text{bool_2E3F}$

Definition 50 We define $c_2E\text{pred_set_2EUNIV}$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2E\text{bool_2E2ET})$.

Definition 51 We define $c_2E\text{pred_set_2EINJ}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$

Definition 52 We define $c_2E\text{pred_set_2Ecountable}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c_2E\text{bool_2E3F}$

Definition 53 We define $c_2E\text{pred_set_2EUNION}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2E\text{bool_2E3F}$

Definition 54 We define $c_2E\text{pred_set_2EDIFF}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2E\text{bool_2E3F}$

Definition 55 We define $c_2E\text{measure_2Esubset_class}$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1sts \in (2^{(2^{A-27a})})$

Definition 56 We define $c_2E\text{measure_2Ealgebra}$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2E\text{pair_2Eprod } (2^{A-27a}))$

Definition 57 We define $c_2E\text{measure_2Esigma_algebra}$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2E\text{pair_2Eprod } (2^{A-27a}))$

Definition 58 We define $c_2E\text{combin_2Eo}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A-27c}).\lambda V1g \in (2^{A-27c})$

Let $c_2E\text{real_2Esum} : \iota$ be given. Assume the following.

$$c_2E\text{real_2Esum} \in ((ty_2E\text{realax_2Ereal}^{(ty_2E\text{realax_2Ereal}^{ty_2E\text{enum_2Eenum}})})^{(ty_2E\text{pair_2Eprod } ty_2E\text{enum_2Eenum})}) \quad (36)$$

Definition 59 We define $c_2E\text{prim_rec_2E_3C}$ to be $\lambda V0m \in ty_2E\text{enum_2Eenum}.\lambda V1n \in ty_2E\text{enum_2Eenum}$

Definition 60 We define $c_2Earithmic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 61 We define $c_2Earithmic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Erealax_2Etreax_neg : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Erealax_2Etreax_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \end{aligned} \quad (37)$$

Definition 62 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Definition 63 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 64 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECON$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (38)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric \\ A_27a)^{(ty_2Erealax_2Ereal\ (ty_2Epair_2Eprod\ A_27a\ A_27a)}) \end{aligned} \quad (39)$$

Definition 65 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal\ (ty_2Epair_2Eprod\ A_27a\ A_27a)) \quad (40)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (41)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in \\ ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^{A_27a})})}) \end{aligned} \quad (42)$$

Definition 66 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$

Let $c_2Enets_2Eetends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Eetends \\ A_27a\ A_27b \in (((ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ ((2^{A_27b})^{A_27b})))_{A_27a}\ (A_27a^{A_27b})) \end{aligned} \quad (43)$$

Definition 67 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 68 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 69 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Definition 70 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2$

Definition 71 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a})$

Definition 72 We define $c_2Eprobability_2Eevents$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Emeasurable_sets A_27a$

Definition 73 We define $c_2Epred_set_2EPREIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V$

Definition 74 We define $c_2Emeasure_2Emeasurable$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0a \in (ty_2Epair_2Eprod$

Definition 75 We define $c_2Eprobability_2Espace$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Em_space A_27a)$.

Definition 76 We define $c_2Eprobability_2Eprob_space$ to be $\lambda A_27a : \iota.\lambda V0p \in (ty_2Epair_2Eprod (2^{A_27a}$

Definition 77 We define $c_2Eprobability_2Erandom_variable$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0X \in (A_27b^{A_27a}$

Definition 78 We define $c_2Eprobability_2Eprob$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Emeasure A_27a)$.

Definition 79 We define $c_2Eprobability_2Edistribution$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epair_2Eprod$

Assume the following.

$$True \tag{44}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{46}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{47}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{27a}})}) (ty_2Erealx_2Ereal^{(2^{A_{27a}})})))). \\
& (\forall V1s \in (2^{A_{27a}}).(((p (ap (c_2Emeasure_2Emeasure_space \\
A_{27a} V0m)) \wedge (p (ap (ap (c_2Ebool_2EIN (2^{A_{27a}}) V1s) (ap (c_2Emeasure_2Emeasurable_sets \\
A_{27a} V0m)))))) \Rightarrow ((ap (ap (c_2Elebesgue_2Eintegral A_{27a} V0m) \\
(ap (c_2Emeasure_2Eindicator_fn A_{27a} V1s)) = (ap c_2Extreal_2ENormal \\
(ap (ap (c_2Emeasure_2Emeasure A_{27a} V0m) V1s))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in (2^{A_{27a}}).(\forall V1y \in \\
& (2^{(2^{A_{27a}})}).((ap (c_2Emeasure_2Espace A_{27a}) (ap (ap (c_2Epair_2E_2C \\
& (2^{A_{27a}}) (2^{(2^{A_{27a}})})) V0x) V1y)) = V0x)))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in (2^{A_{27a}}).(\forall V1y \in \\
& (2^{(2^{A_{27a}})}).((ap (c_2Emeasure_2Esubsets A_{27a}) (ap (ap (c_2Epair_2E_2C \\
& (2^{A_{27a}}) (2^{(2^{A_{27a}})})) V0x) V1y)) = V1y)))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \quad \forall V0a \in (ty_2Epair_2Eprod\ (2^{A_{.27a}})\ (2^{(2^{A_{.27a}})})) . (\forall V1b \in \\
& \quad (ty_2Epair_2Eprod\ (2^{A_{.27b}})\ (2^{(2^{A_{.27b}})})) . (\forall V2f \in (A_{.27b}^{A_{.27a}}) . \\
& \quad ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (A_{.27b}^{A_{.27a}}))\ V2f)\ (ap\ (ap\ (c_2Emeasure_2Emeasurable \\
& \quad A_{.27a}\ A_{.27b})\ V0a)\ V1b))) \Leftrightarrow ((p\ (ap\ (c_2Emeasure_2Esigma_algebra \\
& \quad A_{.27a})\ V0a)) \wedge ((p\ (ap\ (c_2Emeasure_2Esigma_algebra\ A_{.27b})\ V1b))) \wedge \\
& \quad ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (A_{.27b}^{A_{.27a}}))\ V2f)\ (ap\ (ap\ (c_2Epred_set_2EFUNSET \\
& \quad A_{.27a}\ A_{.27b})\ (ap\ (c_2Emeasure_2Espace\ A_{.27a})\ V0a))\ (ap\ (c_2Emeasure_2Espace \\
& \quad A_{.27b})\ V1b)))) \wedge (\forall V3s \in (2^{A_{.27b}}) . ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad (2^{A_{.27b}}))\ V3s)\ (ap\ (c_2Emeasure_2Esubsets\ A_{.27b})\ V1b)))) \Rightarrow (p\ (\\
& \quad ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_{.27a}}))\ (ap\ (ap\ (c_2Epred_set_2EINTER \\
& \quad A_{.27a})\ (ap\ (ap\ (c_2Epred_set_2EPREIMAGE\ A_{.27a}\ A_{.27b})\ V2f)\ V3s)) \\
& \quad (ap\ (c_2Emeasure_2Espace\ A_{.27a})\ V0a)))\ (ap\ (c_2Emeasure_2Esubsets \\
& \quad A_{.27a})\ V0a))))))))) \\
& \hspace{15em} (55)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \quad \forall V0X \in (A_{.27b}^{A_{.27a}}) . (\forall V1p \in (ty_2Epair_2Eprod\ (2^{A_{.27a}})\ \\
& \quad (ty_2Epair_2Eprod\ (2^{(2^{A_{.27a}})})\ (ty_2Erealax_2Ereal^{(2^{A_{.27a}})}))) . \\
& \quad (\forall V2s \in (ty_2Epair_2Eprod\ (2^{A_{.27b}})\ (2^{(2^{A_{.27b}})})) . (\forall V3A \in \\
& \quad (2^{A_{.27b}}) . (((p\ (ap\ (ap\ (ap\ (c_2Eprobability_2ERandom_variable \\
& \quad A_{.27a}\ A_{.27b})\ V0X)\ V1p)\ V2s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_{.27b}})) \\
& \quad V3A)\ (ap\ (c_2Emeasure_2Esubsets\ A_{.27b})\ V2s)))) \Rightarrow ((ap\ c_2Eextreal_2ENormal \\
& \quad (ap\ (ap\ (ap\ (c_2Eprobability_2Edistribution\ A_{.27b}\ A_{.27a})\ V1p) \\
& \quad V0X)\ V3A)) = (ap\ (ap\ (c_2Elebesgue_2Eintegral\ A_{.27a})\ V1p)\ (ap\ (c_2Emeasure_2Eindicator_fn \\
& \quad A_{.27a})\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_{.27a})\ (ap\ (ap\ (c_2Epred_set_2EPREIMAGE \\
& \quad A_{.27a}\ A_{.27b})\ V0X)\ V3A))\ (ap\ (c_2Eprobability_2Ep_space\ A_{.27a}) \\
& \quad V1p))))))))) \\
\end{aligned}$$