

thm\_2Eprobability\_2Edistribution\_lebesgue\_thm2  
 (TMFTpSF-  
 SAvB2G3P5CUkycoG38jMnaEmRoMQ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.^{27a} : \iota.(\lambda V0P \in (2^{A.^{27a}}).(ap (ap (c\_2Emin\_2E\_3D (2^{A.^{27a}}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \tag{1}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{2}$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealax\_2Ereal}) \tag{3}$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{4}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{5}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{6}$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be (ap  $c\_2Enum\_2EABS\_num$   $c\_2Enum\_2EZERO\_REP$ ).

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (7)$$

**Definition 8** We define  $c\_2Eextreal\_2Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Eextreal\_2Eextreal\_of\_num\ n)$ .

**Definition 9** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \quad (9)$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 11** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$ .

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 13** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$ .

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.(\lambda V3t3 \in 2.(ap\ V3t3\ t2))))))$ .

**Definition 15** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A)\ P)$  of type  $\iota \Rightarrow \iota$ .

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(\lambda V3t3 \in 2.(\lambda V4t4 \in 2.(ap\ V4t4\ t2))))))$ .

**Definition 17** We define  $c\_2Emeasure\_2Eindicator\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(\lambda V1x \in A\_27a.(ap\ V1x\ s))$ .

Let  $c\_2Eextreal\_2Eextreal\_ainv : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_ainv \in (ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal}) \quad (11)$$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (12)$$

**Definition 18** We define  $c\_2Eextreal\_2Eextreal\_lt$  to be  $\lambda V0x \in ty\_2Eextreal\_2Eextreal.\lambda V1y \in ty\_2Eextreal\_2Eextreal.(ap\ c\_2Eextreal\_2Eextreal\_le\ x\ y)$ .

**Definition 19** We define  $c\_2Emeasure\_2Efn\_minus$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Eextreal\_2Eextreal^{A\_27a}).(\lambda V1x \in A\_27a.(ap\ V1x\ f))$ .

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (13)$$

Let  $c\_2Emeasure\_2Em\_space : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Em\_space\ A\_27a \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))})) \quad (14)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (15)$$

**Definition 20** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}} \quad (16)$$

**Definition 21** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in A\_27b. (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b)\ V0f\ V1s)$

**Definition 22** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0P)))$

**Definition 23** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0P)$

**Definition 24** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2E\_3F\ A\_27a)$

**Definition 25** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0s\ V1t)$

**Definition 26** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0s\ V1t)$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (17)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal\_REP\_CLASS}) \quad (18)$$

**Definition 27** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0a)$

Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (19)$$

**Definition 28** We define  $c\_Erealax\_Ereal\_lt$  to be  $\lambda V0t1 \in ty\_Erealax\_Ereal.\lambda V1T2 \in ty\_Erealax\_Ereal$

**Definition 29** We define  $c\_Ereal\_Ereal\_lte$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.\lambda V1y \in ty\_Erealax\_Ereal$

**Definition 30** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21) 2) (\lambda V2t \in 2)))$

**Definition 31** We define  $c\_Epred\_set\_EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_Ebool\_E\_21) 2)$

**Definition 32** We define  $c\_Epred\_set\_EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_Ebool\_E\_21) 2)$

Let  $c\_Emeasure\_Emeasurable\_sets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_Emeasure\_Emeasurable\_sets \\ & A\_27a \in (((2^{(2^{A\_27a})})(ty\_Epair\_Eprod (2^{A\_27a}) (ty\_Epair\_Eprod (2^{(2^{A\_27a})}) (ty\_Erealax\_Ereal^{(2^{A\_27a})})))))) \end{aligned} \quad (20)$$

Let  $c\_Eextreal\_Eextreal\_mul : \iota$  be given. Assume the following.

$$c\_Eextreal\_Eextreal\_mul \in ((ty\_Eextreal\_Eextreal^{ty\_Eextreal\_Eextreal})^{ty\_Eextreal\_Eextreal}) \quad (21)$$

Let  $c\_Eextreal\_Eextreal\_add : \iota$  be given. Assume the following.

$$c\_Eextreal\_Eextreal\_add \in ((ty\_Eextreal\_Eextreal^{ty\_Eextreal\_Eextreal})^{ty\_Eextreal\_Eextreal}) \quad (22)$$

Let  $c\_Epred\_set\_EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_Epred\_set\_EITSET \\ & A\_27a A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \end{aligned} \quad (23)$$

**Definition 33** We define  $c\_Eextreal\_EEXTREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_Eextreal\_Eextreal)$

**Definition 34** We define  $c\_Emeasure\_Epos\_simple\_fn$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_Epair\_Eprod (2^{A\_27a}) 2)$

Let  $c\_Epair\_EESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_Epair\_EESND \\ & A\_27a A\_27b \in (A\_27b^{(ty\_Epair\_Eprod A\_27a A\_27b)}) \end{aligned} \quad (24)$$

Let  $c\_Epair\_EFAST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_Epair\_EFAST \\ & A\_27a A\_27b \in (A\_27a^{(ty\_Epair\_Eprod A\_27a A\_27b)}) \end{aligned} \quad (25)$$

**Definition 35** We define  $c\_Epair\_EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a})^{A\_27b})$

**Definition 36** We define  $c\_ELebesgue\_Epsfs$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_Epair\_Eprod (2^{A\_27a}) (ty\_21))$

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasure\ A\_27a \in ( (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{A\_27a}))\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})) (26)$$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in ( ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) (27)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ( (2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) (28)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in ( ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}} (29)$$

**Definition 37** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 38** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Erealadd : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Erealadd \in ( ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) (30)$$

**Definition 39** We define  $c\_2Erealax\_2Erealadd$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 40** We define  $c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal$

**Definition 41** We define  $c\_2ELebesgue\_2Epos\_simple\_fn\_integral$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod$

**Definition 42** We define  $c\_2ELebesgue\_2Epsfis$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Erealax\_2Ereal$

**Definition 43** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Emin\_2E.40\ ty\_2Erealax\_2Ereal$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal (31)$$

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal (32)$$

**Definition 44** We define  $c\_2Eextreal\_2Eextreal\_sup$  to be  $\lambda V0p \in (2^{ty\_2Eextreal\_2Eextreal}).(ap\ (ap\ (ap\ (c\_2Emin\_2E.40$

**Definition 45** We define  $c\_2E\text{lebesgue\_2Epos\_fn\_integral}$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2E\text{pair\_2Eprod } (2^{A-27a}))$ .

**Definition 46** We define  $c\_2E\text{measure\_2Efn\_plus}$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2E\text{extreal\_2Eextreal}^{A-27a})$ .

Let  $c\_2E\text{extreal\_2Eextreal\_sub} : \iota$  be given. Assume the following.

$$c\_2E\text{extreal\_2Eextreal\_sub} \in ((ty\_2E\text{extreal\_2Eextreal}^{ty\_2E\text{extreal\_2Eextreal}})^{ty\_2E\text{extreal\_2Eextreal}}) \quad (33)$$

**Definition 47** We define  $c\_2E\text{lebesgue\_2Eintegral}$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2E\text{pair\_2Eprod } (2^{A-27a}))$ .

**Definition 48** We define  $c\_2E\text{pred\_set\_2EFUNSET}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A-27a}).\lambda V1Q \in (2^{A-27a})$ .

Let  $c\_2E\text{measure\_2Esubsets} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{measure\_2Esubsets } A\_27a \in (2^{(2^{A-27a})})^{(ty\_2E\text{pair\_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))} \quad (34)$$

**Definition 49** We define  $c\_2E\text{pred\_set\_2ESUBSET}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2E\text{bool\_2E3F}$

**Definition 50** We define  $c\_2E\text{pred\_set\_2EUNIV}$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2E\text{bool\_2ET})$ .

**Definition 51** We define  $c\_2E\text{pred\_set\_2EINJ}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$ .

**Definition 52** We define  $c\_2E\text{pred\_set\_2Ecountable}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c\_2E\text{bool\_2E3F}$

**Definition 53** We define  $c\_2E\text{pred\_set\_2EUNION}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2E\text{bool\_2E3F}$

Let  $c\_2E\text{measure\_2Espace} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{measure\_2Espace } A\_27a \in ((2^{A-27a})^{(ty\_2E\text{pair\_2Eprod } (2^{A-27a}) (2^{(2^{A-27a})}))}) \quad (35)$$

**Definition 54** We define  $c\_2E\text{pred\_set\_2EDIFF}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2E\text{bool\_2E3F}$

**Definition 55** We define  $c\_2E\text{measure\_2Esubset\_class}$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1sts \in (2^{(2^{A-27a})})$ .

**Definition 56** We define  $c\_2E\text{measure\_2Ealgebra}$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2E\text{pair\_2Eprod } (2^{A-27a}))$ .

**Definition 57** We define  $c\_2E\text{measure\_2Esigma\_algebra}$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2E\text{pair\_2Eprod } (2^{A-27a}))$ .

**Definition 58** We define  $c\_2E\text{combin\_2Eo}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A-27c}).\lambda V1g \in (2^{A-27c})$ .

Let  $c\_2E\text{real\_2Esum} : \iota$  be given. Assume the following.

$$c\_2E\text{real\_2Esum} \in ((ty\_2E\text{realax\_2Ereal}^{(ty\_2E\text{realax\_2Ereal}^{ty\_2E\text{enum\_2Eenum}})})^{(ty\_2E\text{pair\_2Eprod } ty\_2E\text{enum\_2Eenum})}) \quad (36)$$

**Definition 59** We define  $c\_2E\text{prim\_rec\_2E3C}$  to be  $\lambda V0m \in ty\_2E\text{enum\_2Eenum}.\lambda V1n \in ty\_2E\text{enum\_2Eenum}$ .

**Definition 60** We define  $c\_2Earithmic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 61** We define  $c\_2Earithmic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Erealax\_2Etreall\_neg : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etreall\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (37)$$

**Definition 62** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

**Definition 63** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 64** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECON$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (38)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric \\ A\_27a)^{(ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})}) \end{aligned} \quad (39)$$

**Definition 65** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}) \quad (40)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (41)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in \\ ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \end{aligned} \quad (42)$$

**Definition 66** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap$

Let  $c\_2Enets\_2Eetends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Eetends \\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ ((2^{A\_27b})^{A\_27b})}))_{A\_27a})_{(A\_27a^{A\_27b})}) \end{aligned} \quad (43)$$

**Definition 67** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 68** We define  $c\_Eseq\_Esums$  to be  $\lambda V0f \in (ty\_Erealx\_Ereal^{ty\_Eenum\_Eenum}).\lambda V1s \in ty\_E$

**Definition 69** We define  $c\_Emeasure\_Ecountably\_additive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_Epair\_Eprod$

**Definition 70** We define  $c\_Emeasure\_Epositive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_Epair\_Eprod (2^{A\_27a})$

**Definition 71** We define  $c\_Emeasure\_Emeasure\_space$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_Epair\_Eprod (2^{A\_27a})$

**Definition 72** We define  $c\_Eprobability\_Eevents$  to be  $\lambda A\_27a : \iota.(c\_Emeasure\_Emeasurable\_sets A\_27a$

**Definition 73** We define  $c\_Epred\_set\_EPREIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V$

**Definition 74** We define  $c\_Emeasure\_Emeasurable$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0a \in (ty\_Epair\_Eprod$

**Definition 75** We define  $c\_Eprobability\_Espace$  to be  $\lambda A\_27a : \iota.(c\_Emeasure\_Espace A\_27a)$ .

**Definition 76** We define  $c\_Eprobability\_Eprob$  to be  $\lambda A\_27a : \iota.(c\_Emeasure\_Espace A\_27a)$ .

**Definition 77** We define  $c\_Eprobability\_Edistribution$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0p \in (ty\_Epair\_Eprod$

**Definition 78** We define  $c\_Eprobability\_Eprob\_space$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (ty\_Epair\_Eprod (2^{A\_27a}$

**Definition 79** We define  $c\_Eprobability\_ERandom\_variable$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0X \in (A\_27b^{A\_27a}$

Assume the following.

$$True \tag{44}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{46}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{47}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{48}$$



Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p V0t))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0m \in (ty\_2Epair\_2Eprod \\
& (2^{A_{.27a}}) (ty\_2Epair\_2Eprod (2^{(2^{A_{.27a}})}) (ty\_2Erealax\_2Ereal^{(2^{A_{.27a}})}))). \\
& (\forall V1s \in (2^{A_{.27a}}).(((p (ap (c\_2Emeasure\_2Emeasure\_space \\
& A_{.27a}) V0m)) \wedge (p (ap (ap (c\_2Ebool\_2EIN (2^{A_{.27a}})) V1s) (ap (c\_2Emeasure\_2Emeasurable\_sets \\
& A_{.27a}) V0m)))) \Rightarrow ((ap (ap (c\_2ELebesgue\_2Eintegral A_{.27a}) V0m) \\
& (ap (c\_2Emeasure\_2Eindicator\_fn A_{.27a}) V1s)) = (ap c\_2Eextreal\_2ENormal \\
& (ap (ap (c\_2Emeasure\_2Emeasure A_{.27a}) V0m) V1s))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in (2^{A_{.27a}}).(\forall V1y \in \\
& (2^{(2^{A_{.27a}})}).(((ap (c\_2Emeasure\_2Espace A_{.27a}) (ap (ap (c\_2Epair\_2E\_2C \\
& (2^{A_{.27a}}) (2^{(2^{A_{.27a}})})) V0x) V1y)) = V0x)))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in (2^{A_{.27a}}).(\forall V1y \in \\
& (2^{(2^{A_{.27a}})}).(((ap (c\_2Emeasure\_2Esubsets A_{.27a}) (ap (ap (c\_2Epair\_2E\_2C \\
& (2^{A_{.27a}}) (2^{(2^{A_{.27a}})})) V0x) V1y)) = V1y)))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0sp \in (2^{A_{.27a}}).(\forall V1sts \in \\
& (2^{(2^{A_{.27a}})}).(\forall V2mu \in (ty\_2Erealax\_2Ereal^{(2^{A_{.27a}})}). \\
& ((ap (c\_2Emeasure\_2Emeasurable\_sets A_{.27a}) (ap (ap (c\_2Epair\_2E\_2C \\
& (2^{A_{.27a}}) (ty\_2Epair\_2Eprod (2^{(2^{A_{.27a}})}) (ty\_2Erealax\_2Ereal^{(2^{A_{.27a}})})))) \\
& V0sp) (ap (ap (c\_2Epair\_2E\_2C (2^{(2^{A_{.27a}})}) (ty\_2Erealax\_2Ereal^{(2^{A_{.27a}})})) \\
& V1sts) V2mu))) = V1sts)))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0sp \in (2^{A-27a}). (\forall V1sts \in \\
& \quad (2^{(2^{A-27a})}). (\forall V2mu \in (ty\_2Erealax\_2Ereal^{(2^{A-27a})}). \\
& ((ap\ (c\_2Emeasure\_2Emeasure\ A.27a)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{A-27a}) \\
& \quad (ty\_2Epair\_2Eprod\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})})))) \\
& V0sp)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))) \\
& \quad V1sts\ V2mu))) = V2mu)))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0a \in (ty\_2Epair\_2Eprod\ (2^{A-27a})\ (2^{(2^{A-27a})})). (\forall V1b \in \\
& \quad (ty\_2Epair\_2Eprod\ (2^{A-27b})\ (2^{(2^{A-27b})})). (\forall V2f \in (A.27b^{A-27a}). \\
& ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (A.27b^{A-27a})\ V2f)\ (ap\ (ap\ (c\_2Emeasure\_2Emeasurable \\
& \quad A.27a\ A.27b)\ V0a)\ V1b)))) \Leftrightarrow ((p\ (ap\ (c\_2Emeasure\_2Esigma\_algebra \\
& \quad A.27a)\ V0a)) \wedge ((p\ (ap\ (c\_2Emeasure\_2Esigma\_algebra\ A.27b)\ V1b)) \wedge \\
& ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (A.27b^{A-27a})\ V2f)\ (ap\ (ap\ (c\_2Epred\_set\_2EFUNSET \\
& \quad A.27a\ A.27b)\ (ap\ (c\_2Emeasure\_2Espace\ A.27a)\ V0a))\ (ap\ (c\_2Emeasure\_2Espace \\
& \quad A.27b)\ V1b)))))) \wedge (\forall V3s \in (2^{A-27b}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (2^{A-27b})\ V3s)\ (ap\ (c\_2Emeasure\_2Esubsets\ A.27b)\ V1b)))) \Rightarrow (p\ ( \\
& \quad ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A-27a})\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER \\
& \quad A.27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EPREIMAGE\ A.27a\ A.27b)\ V2f)\ V3s)) \\
& \quad (ap\ (c\_2Emeasure\_2Espace\ A.27a)\ V0a)))\ (ap\ (c\_2Emeasure\_2Esubsets \\
& \quad A.27a)\ V0a)))))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0p \in (ty\_2Epair\_2Eprod\ (2^{A-27a})\ (ty\_2Epair\_2Eprod\ ( \\
& \quad \quad 2^{(2^{A-27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27a})}))). (\forall V1X \in \\
& \quad (A.27b^{A-27a}). (\forall V2s \in (ty\_2Epair\_2Eprod\ (2^{A-27b})\ (2^{(2^{A-27b})})). \\
& ((p\ (ap\ (ap\ (ap\ (c\_2Eprobability\_2Erandom\_variable\ A.27a\ A.27b) \\
& \quad V1X)\ V0p)\ V2s)) \Rightarrow (p\ (ap\ (c\_2Eprobability\_2Eprob\_space\ A.27b) \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{A-27b})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A-27b})}) \\
& \quad (ty\_2Erealax\_2Ereal^{(2^{A-27b})}))))\ (ap\ (c\_2Emeasure\_2Espace\ A.27b) \\
& \quad V2s))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A-27b})})\ (ty\_2Erealax\_2Ereal^{(2^{A-27b})}))) \\
& \quad (ap\ (c\_2Emeasure\_2Esubsets\ A.27b)\ V2s))\ (ap\ (ap\ (c\_2Eprobability\_2Edistribution \\
& \quad A.27b\ A.27a)\ V0p)\ V1X))))))
\end{aligned} \tag{58}$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0X \in (A\_27b^{A\_27a}).(\forall V1p \in (ty\_2Epair\_2Eprod\ (2^{A\_27a}) \\ & (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))))). \\ & (\forall V2s \in (ty\_2Epair\_2Eprod\ (2^{A\_27b})\ (2^{(2^{A\_27b})})).(\forall V3A \in \\ & (2^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Eprobability\_2Erandom\_variable \\ & A\_27a\ A\_27b)\ V0X)\ V1p)\ V2s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27b}) \\ & V3A)\ (ap\ (c\_2Emeasure\_2Esubsets\ A\_27b)\ V2s)))))) \Rightarrow ((ap\ c\_2Extreal\_2ENormal \\ & (ap\ (ap\ (ap\ (c\_2Eprobability\_2Edistribution\ A\_27b\ A\_27a)\ V1p) \\ & V0X)\ V3A)) = (ap\ (ap\ (c\_2Elebesgue\_2Eintegral\ A\_27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & (2^{A\_27b})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27b})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27b})})))) \\ & (ap\ (c\_2Emeasure\_2Espace\ A\_27b)\ V2s))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & (2^{(2^{A\_27b})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27b})})))\ (ap\ (c\_2Emeasure\_2Esubsets \\ & A\_27b)\ V2s))\ (ap\ (ap\ (c\_2Eprobability\_2Edistribution\ A\_27b\ A\_27a) \\ & V1p)\ V0X))))\ (ap\ (c\_2Emeasure\_2Eindicator\_fn\ A\_27b)\ V3A)))))) \end{aligned}$$