

thm_2Eprobability_2Emarginal_joint_zero3
(TMWfnYG2JAcB3T2ywTyPzM1hk5apXr8zu1Y)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a})).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 5 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in (A_27b^{A_27c})).\lambda V1g$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{2}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{3}$$

Definition 6 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a})).(ap V1f V0x)))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b}})^{A_27a}) \end{aligned} \quad (4)$$

Definition 9 We define c_2Epair_2E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (5)$$

Definition 10 We define $c_2Epred_set_2ECROSS$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A$

Definition 11 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ ($

Definition 12 We define $c_2Epred_set_2EPOW$ to be $\lambda A_27a : \iota.\lambda V0set \in (2^{A_27a}).(ap\ (c_2Epred_set_2E$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (6)$$

Let $c_2Emeasure_2Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Em_space\ A_27a \in \\ ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \end{aligned} \quad (7)$$

Definition 13 We define $c_2Eprobability_2Ep_space$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Em_space\ A_27a).$

Definition 14 We define $c_2Epred_set_2EPREIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b)^{A_27a}.\lambda V$

Definition 15 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c$

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasure\ A_27a \in (\\ (ty_2Erealax_2Ereal^{(2^{A_27a})})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})}))) \end{aligned} \quad (8)$$

Definition 16 We define $c_2Eprobability_2Eprob$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Emeasure\ A_27a).$

Definition 17 We define $c_2Eprobability_2Edistribution$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epair_2E$

Definition 18 We define $c_2Eprobability_2Ejoint_distribution3$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{9}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{10}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{11}$$

Definition 19 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{12}$$

Let $c_2Emeasure_2Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasurable_sets \\ A_27a \in & ((2^{(2^{A_27a})})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})})))) \end{aligned} \tag{13}$$

Definition 20 We define $c_2Eprobability_2Eevents$ to be $\lambda A_27a : \iota.(c_2Emeasure_2Emeasurable_sets\ A_27a)$.

Definition 21 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{14}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{15}$$

Definition 22 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{16}$$

Definition 23 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))\ 1)$.

Definition 24 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 25 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 26 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 27 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 28 We define $c_2Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 29 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A.27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c_2Epred_set$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (17)$$

Definition 30 We define $c_2Ebool_2E_7E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 31 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Definition 32 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 33 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 34 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 35 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (18)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal_REP_CLASS}) \quad (19)$$

Definition 36 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (t$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal}) \quad (20)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (21)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})}) \quad (22)$$

Definition 37 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty$

Definition 38 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Let $c_2Erealax_2Etreall_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (23)$$

Definition 39 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 40 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (24)$$

Definition 41 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 42 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 43 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 44 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Definition 45 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a}$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (25)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)^{(ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}}))^{(ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}} \quad (26)$$

Definition 46 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c_2Emetric_2Emetric$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}} \quad (27)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (28)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^{A_27a})})})^{(2^{(2^{A_27a})})}) \quad (29)$$

Definition 47 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric A_27a).(ap$
 Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends \\ & A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) ((2^{A_27b})^{A_27b}))})_{A_27a})_{(A_27a)^{A_27b}})) \end{aligned} \quad (30)$$

Definition 48 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 49 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 50 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 51 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap$

Definition 52 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b})$

Definition 53 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod$

Definition 54 We define $c_2Emeasure_2Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2E$

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Esubsets A_27a \in (\\ & (2^{(2^{A_27a})})_{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})})})) \end{aligned} \quad (31)$$

Definition 55 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 56 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_3F$

Definition 57 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Emeasure_2Espace A_27a \in ((2^{A_27a})_{(ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})})})) \end{aligned} \quad (32)$$

Definition 58 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 59 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})})$

Definition 60 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})})$

Definition 61 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}) (2^{(2^{A_27a})})$

Definition 62 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2E$

Definition 63 We define $c_2Eprobability_2Eprob_space$ to be $\lambda A_27a : \iota.\lambda V0p \in (ty_2Epair_2Eprod (2^{A_27a}) (ty_2E$

Assume the following.

$$True \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (37)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A_27a.(p (ap V1Q V4x))))))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (43)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (44)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (45)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.((ap (c_{.2E}pair_{.2EFST} A_{.27a} A_{.27b}) (ap (ap (c_{.2E}pair_{.2E_{.2C}} A_{.27a} A_{.27b}) V0x) V1y)) = V0x))) \quad (46)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.((ap (c_{.2E}pair_{.2ESND} A_{.27a} A_{.27b}) (ap (ap (c_{.2E}pair_{.2E_{.2C}} A_{.27a} A_{.27b}) V0x) V1y)) = V1y))) \quad (47)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).(\forall V2x \in A_{.27a}.((p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a} V2x) (ap (ap (c_{.2E}pred_{.2EINTER} A_{.27a} V0s) V1t))) \Leftrightarrow ((p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a} V2x) V0s)) \wedge (p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a} V2x) V1t)))))))))) \quad (48)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).((p (ap (ap (c_{.2E}pred_{.2ESUBSET} A_{.27a} (ap (ap (c_{.2E}pred_{.2EINTER} A_{.27a} V0s) V1t)) V0s)))) \wedge (\forall V2s \in (2^{A_{.27a}}).(\forall V3t \in (2^{A_{.27a}}).((p (ap (ap (c_{.2E}pred_{.2ESUBSET} A_{.27a} (ap (ap (c_{.2E}pred_{.2EINTER} A_{.27a} V3t) V2s)) V2s)))))))))) \quad (49)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1Q \in (2^{A_{.27b}}).(\forall V2x \in (ty_{.2E}pair_{.2E}prod A_{.27a} A_{.27b}).((p (ap (ap (c_{.2E}bool_{.2EIN} (ty_{.2E}pair_{.2E}prod A_{.27a} A_{.27b}) V2x) (ap (ap (c_{.2E}pred_{.2ECROSS} A_{.27a} A_{.27b}) V0P) V1Q))) \Leftrightarrow ((p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a} (ap (c_{.2E}pair_{.2EFST} A_{.27a} A_{.27b}) V2x)) V0P)) \wedge (p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27b} (ap (c_{.2E}pair_{.2ESND} A_{.27a} A_{.27b}) V2x)) V1Q)))))))))) \quad (50)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0set \in (2^{A_27a}). (\forall V1e \in \\ (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V1e)\ (ap\ (c_2Epred_set_2EPOW \\ A_27a)\ V0set))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V1e) \\ V0set)))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in (A_27b^{A_27a}). (\forall V1s \in (2^{A_27b}). (\forall V2x \in \\ A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EPREIMAGE \\ A_27a\ A_27b)\ V0f)\ V1s))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ (ap\ V0f \\ V2x)\ V1s)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\ (\forall V1s \in (2^{A_27a}). (((p\ (ap\ (c_2Eprobability_2Eprob_space \\ A_27a)\ V0p)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V1s)\ (ap\ (c_2Eprobability_2Eevents \\ A_27a)\ V0p)))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0))\ (ap\ (ap\ (c_2Eprobability_2Eprob\ A_27a)\ V0p)\ V1s)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})})\ (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\ (\forall V1s \in (2^{A_27a}). (\forall V2t \in (2^{A_27a}). (((p\ (ap\ (c_2Eprobability_2Eprob_space \\ A_27a)\ V0p)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V1s)\ (ap\ (c_2Eprobability_2Eevents \\ A_27a)\ V0p)))) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V2t)\ (ap\ (c_2Eprobability_2Eevents \\ A_27a)\ V0p)))) \wedge (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V1s)\ V2t)))))) \Rightarrow \\ (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ (ap\ (c_2Eprobability_2Eprob \\ A_27a)\ V0p)\ V1s))\ (ap\ (ap\ (c_2Eprobability_2Eprob\ A_27a)\ V0p)\ V2t)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\ (((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\ V1y)\ V0x))) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (55)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (59)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (63)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (64)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (65)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (66)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (67)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (68)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (69)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (70)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\ & (2^{A_27a}) (ty_2Epair_2Eprod (2^{(2^{A_27a})}) (ty_2Erealax_2Ereal^{(2^{A_27a})}))). \\ & (\forall V1X \in (A_27b^{A_27a}).(\forall V2Y \in (A_27c^{A_27a}).(\forall V3Z \in \\ & (A_27d^{A_27a}).(\forall V4s \in (2^{A_27b}).(\forall V5t \in (2^{A_27c}). \\ & (\forall V6u \in (2^{A_27d}).(((p (ap (c_2Eprobability_2Eprob_space \\ & A_27a) V0p)) \wedge (((ap (c_2Eprobability_2Eevents\ A_27a) V0p) = (ap \\ & (c_2Epred_set_2EPOW\ A_27a) (ap (c_2Eprobability_2Ep_space \\ & A_27a) V0p))) \wedge (((ap (ap (ap (c_2Eprobability_2Edistribution \\ & A_27b\ A_27a) V0p) V1X) V4s) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \vee \\ & (((ap (ap (ap (c_2Eprobability_2Edistribution\ A_27c\ A_27a) V0p) \\ & V2Y) V5t) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \vee ((ap (\\ & ap (ap (c_2Eprobability_2Edistribution\ A_27d\ A_27a) V0p) V3Z) \\ & V6u) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)))))) \Rightarrow ((ap (\\ & ap (ap (ap (ap (c_2Eprobability_2Ejoint_distribution3\ A_27b \\ & A_27c\ A_27d\ A_27a) V0p) V1X) V2Y) V3Z) (ap (ap (c_2Epred_set_2ECROSS \\ & A_27b (ty_2Epair_2Eprod\ A_27c\ A_27d) V4s) (ap (ap (c_2Epred_set_2ECROSS \\ & A_27c\ A_27d) V5t) V6u))) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))))))))) \vee \end{aligned}$$