

thm_2Eproduct_2ENPRODUCT__CLAUSES (TMZ6tCFaxRWSSX6eiarA68JE5kQKbb2x2eZ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 6 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS_prod$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

Definition 9 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Epair_2EABS_prod$

Definition 10 We define c_Ebool_EF to be $(ap (c_Ebool_E21) 2) (\lambda V0t \in 2.V0t)$.

Definition 11 We define $c_Epred_set_EEMPTY$ to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_Ebool_EF)$.

Definition 12 We define $c_Epred_set_EFINITE$ to be $\lambda A.27a : \iota.(\lambda V0s \in (2^{A-27a}).(ap (c_Ebool_E21) 2))$.

Let $c_Enum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Enum_EZERO_REP \in \omega \tag{4}$$

Let $ty_Enum_Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_Enum_Enum \tag{5}$$

Let $c_Enum_EABS_num : \iota$ be given. Assume the following.

$$c_Enum_EABS_num \in (ty_Enum_Enum^{\omega}) \tag{6}$$

Definition 13 We define c_Enum_E0 to be $(ap\ c_Enum_EABS_num\ c_Enum_EZERO_REP)$.

Definition 14 We define $c_Earithmetic_EZERO$ to be c_Enum_E0 .

Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \tag{7}$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \tag{8}$$

Definition 15 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap\ c_Enum_EABS_num\ m)$.

Let $c_Earithmetic_E2B : \iota$ be given. Assume the following.

$$c_Earithmetic_E2B \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \tag{9}$$

Definition 16 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap (ap\ c_Earithmetic_E2B) n)$.

Definition 17 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Definition 18 We define c_Emin_E40 to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A)\ P)$ of type $\iota \Rightarrow \iota$.

Definition 19 We define $c_Eiterate_Eneutral$ to be $\lambda A.27a : \iota.\lambda V0op \in ((A.27a^{A-27a})^{A-27a}).(ap (c_Emin_E40) op)$.

Definition 20 We define $c_Eiterate_Emonoidal$ to be $\lambda A.27a : \iota.\lambda V0op \in ((A.27a^{A-27a})^{A-27a}).(ap (ap\ c_Eiterate_Eneutral) op)$.

Let $c_Earithmetic_E2A : \iota$ be given. Assume the following.

$$c_Earithmetic_E2A \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \tag{10}$$

Definition 21 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Definition 22 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Definition 23 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 24 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V$

Definition 25 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Definition 26 We define $c_2Eproduct_2Eproduct$ to be $\lambda A_27a : \iota.(ap (c_2Eiterate_2Eiterate A_27a ty_2E$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in \\ & (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow \\ & ((\forall V3x \in A_27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A_27a.(p (\\ & ap V1Q V4x)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((p\ V0P) \wedge (\forall V2x \in A.27a. (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow (\forall V3x \in A.27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q)))))) \Leftrightarrow ((\forall V3x \in A.27a. (p\ (ap\ V1P\ V3x))) \vee (p\ V0Q)))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0f \in (A.27b^{A.27a}). (\forall V1b \in 2. (\forall V2x \in A.27a. (\forall V3y \in A.27a. ((ap\ V0f\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27b)\ V1b)\ (ap\ V0f\ V2x))\ (ap\ V0f\ V3y)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0op \in ((A.27a^{A.27a})^{A.27a}). ((p\ (ap\ (c.2Eiterate.2Emonoidal\ A.27a)\ V0op)) \Rightarrow ((\forall V1f \in (A.27a^{A.27b}). ((ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate\ A.27b\ A.27a)\ V0op)\ (c.2Epred_set.2EEMPTY\ A.27b))\ V1f) = (ap\ (c.2Eiterate.2Eneutral\ A.27a)\ V0op))) \wedge (\forall V2f \in (A.27a^{A.27b}). (\forall V3x \in A.27b. (\forall V4s \in (2^{A.27b}). ((p\ (ap\ (c.2Epred_set.2EFINITE\ A.27b)\ V4s)) \Rightarrow ((ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate\ A.27b\ A.27a)\ V0op)\ (ap\ (ap\ (c.2Epred_set.2EINSERT\ A.27b)\ V3x)\ V4s))\ V2f) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27b)\ V3x)\ V4s))\ (ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate\ A.27b\ A.27a)\ V0op)\ V4s)\ V2f))\ (ap\ (ap\ V0op\ (ap\ V2f\ V3x))\ (ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate\ A.27b\ A.27a)\ V0op)\ V4s)\ V2f)))))))))) \quad (23)$$

Assume the following.

$$((ap\ (c.2Eiterate.2Eneutral\ ty.2Enum.2Enum)\ c.2Earithmetic.2E.2A) = (ap\ c.2Earithmetic.2ENUMERAL\ (ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO))) \quad (24)$$

Assume the following.

$$(p\ (ap\ (c.2Eiterate.2Emonoidal\ ty.2Enum.2Enum)\ c.2Earithmetic.2E.2A)) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
& 2. (((p V0p) \Leftrightarrow (p (ap (ap (ap (c_2Ebool_2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow \\
& (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge \\
& (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge \\
& ((p V1q) \vee ((p V3s) \vee (\neg(p V0p)))))))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \tag{37}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{38}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{39}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{40}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{41}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& (\forall V0f \in (ty_2Enum_2Enum^{A_27a}). ((ap (ap (c_2Eproduct_2Enproduct \\
A_27a) (c_2Epred_set_2EEMPTY A_27a)) V0f) = (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \wedge (\forall V1x \in \\
& A_27b. (\forall V2f \in (ty_2Enum_2Enum^{A_27b}). (\forall V3s \in (2^{A_27b}). \\
& ((p (ap (c_2Epred_set_2EFINITE A_27b) V3s)) \Rightarrow ((ap (ap (c_2Eproduct_2Enproduct \\
& A_27b) (ap (ap (c_2Epred_set_2EINSERT A_27b) V1x) V3s)) V2f) = \\
& (ap (ap (ap (c_2Ebool_2ECOND ty_2Enum_2Enum) (ap (ap (c_2Ebool_2EIN \\
& A_27b) V1x) V3s)) (ap (ap (c_2Eproduct_2Enproduct A_27b) V3s) V2f)) \\
& (ap (ap c_2Earithmetic_2E_2A (ap V2f V1x)) (ap (ap (c_2Eproduct_2Enproduct \\
& A_27b) V3s) V2f))))))))))
\end{aligned}$$