

# thm\_2Eproduct\_2ENPRODUCT\_CLOSED (TMVK3G1cp4Rp7K18N71X1atukKCqFAAXtRV)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2E$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1f \in 2.V1f) V0P)))$

**Definition 4** We define  $c\_2Ebool\_2E\_2E$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2E))$

**Definition 7** We define  $c\_2Ebool\_2E\_2E$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t) V1t2)))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 10** We define  $c\_2Earithmic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (6)$$

**Definition 12** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 13** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 15** We define  $c\_2Eiterate\_2Eneutral$  to be  $\lambda A\_27a : \iota.\lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}).(ap\ (c\_2Emin$

**Definition 16** We define  $c\_2Eiterate\_2Emonoidal$  to be  $\lambda A\_27a : \iota.\lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}).(ap\ (ap\ c\_2$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (9)$$

**Definition 17** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (10)$$

**Definition 18** We define  $c\_2Eiterate\_2Esupport$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0op \in ((A\_27b^{A\_27b})^{A\_27b}).\lambda V$

**Definition 19** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 20** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 21** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2$

**Definition 22** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF).$

**Definition 23** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_21 2)$

**Definition 24** We define  $c\_2Eiterate\_2EITSET$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in ((A\_27a^{A\_27a})^{A\_27b}). \lambda V$

**Definition 25** We define  $c\_2Eiterate\_2Eiterate$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0op \in ((A\_27b^{A\_27b})^{A\_27b}). \lambda V$

**Definition 26** We define  $c\_2Eproduct\_2Enproduct$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eiterate\_2Eiterate A\_27a ty\_2En$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (13) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \quad (14) \end{aligned}$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg (p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg ( \\ & p V0t)))))) \quad (16) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (17) \end{aligned}$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x\_27)) \wedge ((p \ V1x\_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y\_27)))) \Rightarrow \quad (18)$$

$$(((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x\_27) \Rightarrow (p \ V3y\_27))))$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow ($$

$$\forall V0op \in ((A\_27b^{A\_27b})^{A\_27b}).((p \ (ap \ (c\_2Eiterate\_2Emonoidal$$

$$A\_27b) \ V0op)) \Rightarrow (\forall V1P \in (2^{A\_27b}).(((p \ (ap \ V1P \ (ap \ (c\_2Eiterate\_2Eneutral$$

$$A\_27b) \ V0op))) \wedge (\forall V2x \in A\_27b.(\forall V3y \in A\_27b.(((p \ ($$

$$ap \ V1P \ V2x)) \wedge (p \ (ap \ V1P \ V3y))) \Rightarrow (p \ (ap \ V1P \ (ap \ (ap \ V0op \ V2x) \ V3y)))))) \Rightarrow$$

$$(\forall V4f \in (A\_27b^{A\_27a}).(\forall V5s \in (2^{A\_27a}).((\forall V6x \in$$

$$A\_27a.(((p \ (ap \ (ap \ (c\_2Ebool\_2EIN \ A\_27a) \ V6x) \ V5s)) \wedge (\neg((ap \ V4f$$

$$V6x) = (ap \ (c\_2Eiterate\_2Eneutral \ A\_27b) \ V0op)))) \Rightarrow (p \ (ap \ V1P \ (ap$$

$$V4f \ V6x)))) \Rightarrow (p \ (ap \ V1P \ (ap \ (ap \ (ap \ (c\_2Eiterate\_2Eiterate \ A\_27a$$

$$A\_27b) \ V0op) \ V5s) \ V4f))))))$$

$$(19)$$

Assume the following.

$$((ap \ (c\_2Eiterate\_2Eneutral \ ty\_2Enum\_2Enum) \ c\_2Earithmetic\_2E\_2A) =$$

$$(ap \ c\_2Earithmetic\_2ENUMERAL \ (ap \ c\_2Earithmetic\_2EBIT1 \ c\_2Earithmetic\_2EZERO)))$$

$$(20)$$

Assume the following.

$$(p \ (ap \ (c\_2Eiterate\_2Emonoidal \ ty\_2Enum\_2Enum) \ c\_2Earithmetic\_2E\_2A))$$

$$(21)$$

### Theorem 1

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{ty\_2Enum\_2Enum}).$$

$$(\forall V1f \in (ty\_2Enum\_2Enum^{A\_27a}).(\forall V2s \in (2^{A\_27a}).$$

$$(((p \ (ap \ V0P \ (ap \ c\_2Earithmetic\_2ENUMERAL \ (ap \ c\_2Earithmetic\_2EBIT1$$

$$c\_2Earithmetic\_2EZERO)))) \wedge ((\forall V3x \in ty\_2Enum\_2Enum.($$

$$\forall V4y \in ty\_2Enum\_2Enum.(((p \ (ap \ V0P \ V3x)) \wedge (p \ (ap \ V0P \ V4y))) \Rightarrow$$

$$(p \ (ap \ V0P \ (ap \ (ap \ c\_2Earithmetic\_2E\_2A \ V3x) \ V4y)))))) \wedge (\forall V5a \in$$

$$A\_27a.((p \ (ap \ (ap \ (c\_2Ebool\_2EIN \ A\_27a) \ V5a) \ V2s)) \Rightarrow (p \ (ap \ V0P \ (ap$$

$$V1f \ V5a)))))) \Rightarrow (p \ (ap \ V0P \ (ap \ (ap \ (c\_2Eproduct\_2Enproduct \ A\_27a)$$

$$V2s) \ V1f))))))$$