

thm_2Eproduct_2ENPRODUCT__CONST (TMdkH3x6U1PAoJ4wu6z1Qvzpsnky2JLw3h5)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ecombin_2E_2K$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{4}$$

Definition 4 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{6}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Let $c_2Epred_set_2ECARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epred_set_2ECARD\ A_27a \in (ty_2Enum_2Enum^{(2^{A-27a})}) \quad (7)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 7 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A-27a}). (ap\ V1f\ V0x)))$

Definition 8 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. V2t))))$

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 12 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V3t3 \in 2. V3t3))))))$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (9)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \quad (10)$$

Definition 14 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ (V0x\ V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A-27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b})}) \quad (11)$$

Definition 15 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A-27a}). (ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27a)\ (V0x\ V1s))$

Definition 16 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 17 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). (ap\ (c_2Ebool_2E_21\ 2)\ (V0s))$

Definition 18 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 19 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B V0n) c_2Enum_2E0)$.

Definition 20 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 21 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota. \lambda V0op \in ((A_27a^{A_27a})^{A_27a}). (ap (c_2Emin_2E_2A V0op) c_2Enum_2E0)$.

Definition 22 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_2A V0t) c_2Ebool_2E_27E) c_2Ebool_2E_27E))$.

Definition 23 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V0x \in ty_2Enum_2Enum. (ap (ap c_2Eiterate_2Eneutral A_27a V0x) c_2Eiterate_2Eneutral)$.

Definition 24 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in ((A_27a^{A_27a})^{A_27b}). \lambda V0x \in ty_2Enum_2Enum. (ap (ap c_2Eiterate_2Esupport A_27a V0x) c_2Eiterate_2Esupport)$.

Definition 25 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V0x \in ty_2Enum_2Enum. (ap (ap c_2Eiterate_2Esupport A_27a V0x) c_2Eiterate_2Esupport)$.

Definition 26 We define $c_2Eproduct_2Enproduct$ to be $\lambda A_27a : \iota. (ap (c_2Eiterate_2Eiterate A_27a ty_2Enum_2Enum) c_2Enum_2E0)$.

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2EEXP V0m) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & \quad c_2Earithmetic_2EZERO)))) \wedge (\forall V1m \in ty_2Enum_2Enum. (\forall V2n \in \\ & \quad ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2EEXP V1m) (ap c_2Enum_2ESUC \\ & \quad V2n)) = (ap (ap c_2Earithmetic_2E_2A V1m) (ap (ap c_2Earithmetic_2EEXP \\ & \quad V1m) V2n)))))) \end{aligned} \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (16)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (17)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True))) \quad (20)
\end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t)))))) \quad (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\
& A_27a.(((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2EF) \\
& V0t1) \ V1t2) = V1t2)))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (26)
\end{aligned}$$

Assume the following.

$$2.((\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in 2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A.27a.(\forall V3x.27 \in A.27a.(\forall V4y \in A.27a. \\ & (\forall V5y.27 \in A.27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x.27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y.27)))))) \Rightarrow ((ap (ap (ap (c.2Ebool.2ECOND A.27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c.2Ebool.2ECOND A.27a) V1Q) V3x.27) \\ & V5y.27))))))))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{(2^{A.27a})}).((\\ & (p (ap V0P (c.2Epred_set.2EEMPTY A.27a))) \wedge (\forall V1s \in (2^{A.27a}). \\ & (((p (ap (c.2Epred_set.2EFINITE A.27a) V1s)) \wedge (p (ap V0P V1s))) \Rightarrow \\ & (\forall V2e \in A.27a.((\neg(p (ap (ap (c.2Ebool.2EIN A.27a) V2e) V1s))) \Rightarrow \\ & (p (ap V0P (ap (ap (c.2Epred_set.2EINSERT A.27a) V2e) V1s)))))) \Rightarrow \\ & (\forall V3s \in (2^{A.27a}).((p (ap (c.2Epred_set.2EFINITE A.27a) \\ & V3s)) \Rightarrow (p (ap V0P V3s)))))) \quad (29) \end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow ((ap (c.2Epred_set.2ECARD A.27a) (c.2Epred_set.2EEMPTY A.27a)) = c.2Enum.2E0) \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).((p (ap \\ & (c.2Epred_set.2EFINITE A.27a) V0s)) \Rightarrow (\forall V1x \in A.27a.((\\ & ap (c.2Epred_set.2ECARD A.27a) (ap (ap (c.2Epred_set.2EINSERT \\ & A.27a) V1x) V0s)) = (ap (ap (ap (c.2Ebool.2ECOND ty.2Enum.2Enum) \\ & (ap (ap (c.2Ebool.2EIN A.27a) V1x) V0s)) (ap (c.2Epred_set.2ECARD \\ & A.27a) V0s)) (ap c.2Enum.2ESUC (ap (c.2Epred_set.2ECARD A.27a) \\ & V0s)))))) \quad (31) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0f \in (ty_2Enum_2Enum^{A_27a}).((ap\ (ap\ (c_2Eproduct_2Enproduct \\
A_27a)\ (c_2Epred_set_2EEMPTY\ A_27a))\ V0f) = (ap\ c_2Earithmetic_2ENUMERAL \\
& (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) \wedge (\forall V1x \in \\
& A_27b.(\forall V2f \in (ty_2Enum_2Enum^{A_27b}).(\forall V3s \in (2^{A_27b}). \\
& ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b)\ V3s)) \Rightarrow ((ap\ (ap\ (c_2Eproduct_2Enproduct \\
& A_27b)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27b)\ V1x)\ V3s))\ V2f) = \\
& (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Enum_2Enum)\ (ap\ (ap\ (c_2Ebool_2EIN \\
& A_27b)\ V1x)\ V3s))\ (ap\ (ap\ (c_2Eproduct_2Enproduct\ A_27b)\ V3s)\ V2f)) \\
& (ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ V2f\ V1x))\ (ap\ (ap\ (c_2Eproduct_2Enproduct \\
& A_27b)\ V3s)\ V2f))))))))) \\
& \tag{32}
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{33}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \tag{35}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \tag{36}
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \tag{38}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge (\\
& \neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \\
& \tag{39}
\end{aligned}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (44)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0c \in \text{ty_2Enum_2Enum}. (\\ & \quad \forall V1s \in (2^{A_{27a}}). ((p \text{ (ap (c_2Epred_set_2EFINITE } A_{27a}) \\ & \quad V1s)) \Rightarrow ((\text{ap (ap (c_2Eproduct_2Enproduct } A_{27a}) V1s) (\lambda V2x \in \\ & \quad A_{27a}.V0c)) = (\text{ap (ap c_2Earithmic_2EEXP } V0c) (\text{ap (c_2Epred_set_2ECARD} \\ & \quad \quad \quad A_{27a}) V1s)))))) \end{aligned}$$