

thm_2Eproduct_2ENPRODUCT_DELTA (TMSaS3g3Z3TDPbydFED4DyoXtnZPU7rUep9)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_7E` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2E_7E` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2. V0t)$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (P \Rightarrow Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t)) (\text{c_2Ebool_2E_7E } V0t)))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2. V2t)))$

Definition 8 We define `c_2Ebool_2E_IN` to be $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f V0x)))$

Definition 9 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P \ x) \text{ then } (\lambda x. x \in A \wedge P \ x)$ of type $\iota \Rightarrow \iota$.

Definition 10 We define `c_2Ebool_2ECOND` to be $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. (V1t1 = V2t2))))$

Let `c_2Enum_2EZERO_REP` : ι be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } ty_2Enum_2Enum \tag{2}$$

Let `c_2Enum_2EABS_num` : ι be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\text{omega}}) \tag{3}$$

Definition 11 We define `c_2Enum_2E0` to be $(\text{ap } (\text{c_2Enum_2EABS_num } c_2Enum_2EZERO_REP))$.

Definition 12 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 13 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 14 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic$

Definition 15 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 16 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota. \lambda V0op \in ((A_27a^{A_27a})^{A_27a}). (ap\ (c_2Emin$

Definition 17 We define $c_2Eiterate_2Emonoidal$ to be $\lambda A_27a : \iota. \lambda V0op \in ((A_27a^{A_27a})^{A_27a}). (ap\ (ap\ c_2$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (9)$$

Definition 18 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (10)$$

Definition 19 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 21 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2E$

Definition 22 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF).$

Definition 23 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2)$

Definition 24 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V$

Definition 25 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Definition 26 We define $c_2Eproduct_2Eproduct$ to be $\lambda A_27a : \iota.(ap (c_2Eiterate_2Eiterate A_27a ty_2E$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t) \Leftrightarrow (p V0t)))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & \forall V0op \in ((A_27a^{A_27a})^{A_27a}).((p (ap (c_2Eiterate_2Emonoidal \\ & A_27a) V0op)) \Rightarrow (\forall V1f \in (A_27a^{A_27b}).(\forall V2a \in A_27b. \\ & (\forall V3s \in (2^{A_27b}).((ap (ap (ap (c_2Eiterate_2Eiterate A_27b \\ & A_27a) V0op) V3s) (\lambda V4x \in A_27b.(ap (ap (ap (c_2Ebool_2ECOND \\ & A_27a) (ap (ap (c_2Emin_2E_3D A_27b) V4x) V2a)) (ap V1f V4x)) (ap \\ & (c_2Eiterate_2Eneutral A_27a) V0op)))))) = (ap (ap (ap (c_2Ebool_2ECOND \\ & A_27a) (ap (ap (c_2Ebool_2EIN A_27b) V2a) V3s)) (ap V1f V2a)) (ap \\ & (c_2Eiterate_2Eneutral A_27a) V0op)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & ((ap (c_2Eiterate_2Eneutral \ ty_2Enum_2Enum) \ c_2Earithmetic_2E_2A) = \\ & (ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) \end{aligned} \tag{17}$$

Assume the following.

$$(p \ (ap \ (c_2Eiterate_2Emonoidal \ ty_2Enum_2Enum) \ c_2Earithmetic_2E_2A)) \tag{18}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0b \in \ ty_2Enum_2Enum. (\\ & \forall V1s \in (2^{A_27a}). (\forall V2a \in A_27a. ((ap \ (ap \ (c_2Eproduct_2Eproduct \\ & A_27a) \ V1s) \ (\lambda V3x \in A_27a. (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ ty_2Enum_2Enum) \\ & (ap \ (ap \ (c_2Emin_2E_3D \ A_27a) \ V3x) \ V2a)) \ V0b) \ (ap \ c_2Earithmetic_2ENUMERAL \\ & (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO)))))) = (ap \ (\\ & ap \ (ap \ (c_2Ebool_2ECOND \ ty_2Enum_2Enum) \ (ap \ (ap \ (c_2Ebool_2EIN \\ & A_27a) \ V2a) \ V1s)) \ V0b) \ (ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))))) \end{aligned}$$