

thm_2Eproduct_2ENPRODUCT_IMAGE (TMYRs27Bj3WGWthei7qtEbpKj6gyupTKKR4)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Definition 8 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b} A_27a)}) \tag{2}$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

Definition 11 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \text{ (ap } P \ x)) \text{ then (the } (\lambda x.x \in A \wedge P \ x) \text{ of type } \iota \Rightarrow \iota.$

Definition 13 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(\text{ap } (c_2Emin$

Definition 14 We define $c_2Eiterate_2Emonoidal$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(\text{ap } (\text{ap } c_2E$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$\text{nonempty } ty_2Enum_2Enum \tag{4}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{5}$$

Definition 15 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\lambda V$

Definition 17 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V2t \in$

Definition 18 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(\text{ap } (c_2E$

Definition 19 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF).$

Definition 20 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V$

Definition 21 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V$

Definition 22 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Definition 23 We define $c_2Eproduct_2Eproduct$ to be $\lambda A_27a : \iota.(\text{ap } (c_2Eiterate_2Eiterate \ A_27a \ ty_2Enum$

Assume the following.

$$True \tag{6}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p \ V0t)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
nonempty\ A.27c & \Rightarrow (\forall V0op \in ((A.27c^{A.27c})^{A.27c}).((p\ (ap\ (c.2Eiterate_2Emonoidal \\
& A.27c)\ V0op)) \Rightarrow (\forall V1f \in (A.27b^{A.27a}).(\forall V2g \in (A.27c^{A.27b}). \\
& (\forall V3s \in (2^{A.27a}).((\forall V4x \in A.27a.(\forall V5y \in A.27a. \\
& (((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V4x)\ V3s)) \wedge ((p\ (ap\ (ap\ (c.2Ebool_2EIN \\
& A.27a)\ V5y)\ V3s)) \wedge ((ap\ V1f\ V4x) = (ap\ V1f\ V5y)))) \Rightarrow (V4x = V5y)))) \Rightarrow \\
& ((ap\ (ap\ (ap\ (c.2Eiterate_2Eiterate\ A.27b\ A.27c)\ V0op)\ (ap\ (ap\ (\\
& c.2Epred_set_2EIMAGE\ A.27a\ A.27b)\ V1f)\ V3s))\ V2g) = (ap\ (ap\ (ap \\
& (c.2Eiterate_2Eiterate\ A.27a\ A.27c)\ V0op)\ V3s)\ (ap\ (ap\ (c.2Ecombin_2Eo \\
& A.27a\ A.27c\ A.27b)\ V2g)\ V1f)))))))))
\end{aligned} \tag{8}$$

Assume the following.

$$(p\ (ap\ (c.2Eiterate_2Emonoidal\ ty_2Enum_2Enum)\ c.2Earithmetic_2E_2A)) \tag{9}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0f \in (A.27b^{A.27a}).(\forall V1g \in (ty_2Enum_2Enum^{A.27b}). \\
& (\forall V2s \in (2^{A.27a}).((\forall V3x \in A.27a.(\forall V4y \in A.27a. \\
& (((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V3x)\ V2s)) \wedge ((p\ (ap\ (ap\ (c.2Ebool_2EIN \\
& A.27a)\ V4y)\ V2s)) \wedge ((ap\ V0f\ V3x) = (ap\ V0f\ V4y)))) \Rightarrow (V3x = V4y)))) \Rightarrow \\
& ((ap\ (ap\ (c.2Eproduct_2Enproduct\ A.27b)\ (ap\ (ap\ (c.2Epred_set_2EIMAGE \\
& A.27a\ A.27b)\ V0f)\ V2s))\ V1g) = (ap\ (ap\ (c.2Eproduct_2Enproduct\ A.27a) \\
& V2s)\ (ap\ (ap\ (c.2Ecombin_2Eo\ A.27a\ ty_2Enum_2Enum\ A.27b)\ V1g)\ V0f)))))))))
\end{aligned}$$