

thm_2Eproduct_2EPRODUCT__MUL__GEN (TMTvHUAfSK3TkjWEP8hYogsmdbYEiaFpkve)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2E$

Definition 7 We define $c_2Ebool_2E_IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A$. **if** $(\exists x \in A. p (ap P x))$ **then** (the $(\lambda x. x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 11 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota. \lambda V0op \in ((A_27a^{A_27a})^{A_27a})$. $(ap (c_2Emin_2E_40) (c_2Eiterate_2Eneutral V0op))$

Definition 12 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27a})$. $\lambda V1 (c_2Eiterate_2Eneutral V0op)$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2. (ap (c_2Ebool_2E_21) t2))))$

Definition 14 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a})$. $(ap (c_2Ebool_2E_5C_2F) (ap (c_2Eiterate_2Esupport V0x) s))$

Definition 15 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E_2F)$.

Definition 16 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a})$. $(ap (c_2Ebool_2E_21) 2)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{4}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty \ ty_2Enum_2Enum \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 17 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 18 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{7}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{8}$$

Definition 19 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum$. $(ap c_2Enum_2EABS_num (ap (c_2Enum_2EREP_num) m))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{9}$$

Definition 20 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum$. $(ap (ap c_2Earithmetic_2E_2B) n)$

Definition 21 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum$. $V0x$.

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (10)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (11)$$

Definition 22 We define $c_2Eiterate_2Emonoidal$ to be $\lambda A_27a : \iota. \lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap (ap c_2Erealax_2Ereal_of_num))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (12)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} ty_2Erealax_2Ereal_of_num)) \quad (13)$$

Definition 23 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E40))$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (14)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} ty_2Etrealmul)) \quad (15)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} ty_2Etrealeq)}) \quad (16)$$

Definition 24 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 25 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 26 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (c_2Erealax_2Ereal_mul t1 t2)))$

Definition 27 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in ((A_27a^{A_27a})^{A_27b}). \lambda V1g \in (A_27b^{A_27a})$

Definition 28 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V1f \in (A_27b^{A_27a})$

Definition 29 We define $c_2Eproduct_2Eproduct$ to be $\lambda A_27a : \iota. (ap (c_2Eiterate_2Eiterate A_27a ty_2Erealax_2Ereal_ABS_CLASS))$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0op \in ((A_27b^{A_27b})^{A_27b}). ((p\ (ap\ (c_2Eiterate_2Emonoidal\ A_27b)\ V0op)) \Rightarrow (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). \\ & (\forall V3s \in (2^{A_27a}). (((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a) \\ & (ap\ (ap\ (ap\ (c_2Eiterate_2Esupport\ A_27a\ A_27b)\ V0op)\ V1f)\ V3s)))) \wedge \\ & (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (ap\ (ap\ (ap\ (c_2Eiterate_2Esupport\ A_27a\ A_27b)\ V0op)\ V2g)\ V3s)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27a\ A_27b)\ V0op)\ V3s)\ (\lambda V4x \in A_27a. (ap\ (ap\ V0op\ (ap\ V1f\ V4x)) \\ & (ap\ V2g\ V4x)))))) = (ap\ (ap\ V0op\ (ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27a\ A_27b)\ V0op)\ V3s)\ V1f))\ (ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27a\ A_27b)\ V0op)\ V3s)\ V2g))))))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & ((ap\ (c_2Eiterate_2Eneutral\ ty_2Erealax_2Ereal)\ c_2Erealax_2Ereal_mul) = \\ & (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (\\ & ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) \end{aligned} \quad (19)$$

Assume the following.

$$(p\ (ap\ (c_2Eiterate_2Emonoidal\ ty_2Erealax_2Ereal)\ c_2Erealax_2Ereal_mul)) \quad (20)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Erealax_2Ereal^{A_27a}). \\ & (\forall V1g \in (ty_2Erealax_2Ereal^{A_27a}). (\forall V2s \in (2^{A_27a}). \\ & (((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ (\lambda V3x \in A_27a. (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V3x)\ (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V2s))\ (ap\ c_2Ebool_2E_7E\ (ap\ (ap\ (c_2Emin_2E_3D\ ty_2Erealax_2Ereal)\ (ap\ V0f\ V3x))\ (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))))) \wedge \\ & (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ (\lambda V4x \in A_27a. (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V4x)\ (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V4x)\ V2s))\ (ap\ c_2Ebool_2E_7E\ (ap\ (ap\ (c_2Emin_2E_3D\ ty_2Erealax_2Ereal)\ (ap\ V1g\ V4x))\ (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))))) \Rightarrow \\ & ((ap\ (ap\ (c_2Eproduct_2Eproduct\ A_27a)\ V2s)\ (\lambda V5x \in A_27a. (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ V0f\ V5x))\ (ap\ V1g\ V5x)))) = (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ (ap\ (c_2Eproduct_2Eproduct\ A_27a)\ V2s)\ V0f))\ (ap\ (ap\ (c_2Eproduct_2Eproduct\ A_27a)\ V2s)\ V1g)))))) \end{aligned}$$