

# thm\_2Eproduct\_2EPRODUCT\_UNION (TMdp4HWupFjBgJkLWPRi54WWiSoFCinAhf8)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2E\_2F$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \tag{3}$$

**Definition 11** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c\_2E$

**Definition 12** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 13** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c\_2E$

**Definition 14** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c\_2E$

**Definition 15** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2E$

**Definition 16** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E21 (2$

**Definition 17** We define  $c\_2Emin\_2E40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 18** We define  $c\_2Eiterate\_2Eneutral$  to be  $\lambda A\_27a : \iota. \lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}). (ap (c\_2Emin\_2E40 ($

**Definition 19** We define  $c\_2Eiterate\_2Emonoidal$  to be  $\lambda A\_27a : \iota. \lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}). (ap (ap c\_2E$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{4}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{5}$$

Let  $c\_2Erealax\_2Ereal\_2EREPC\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_2EREPC\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})_{ty\_2Erealax} \tag{6}$$

**Definition 20** We define  $c\_2Erealax\_2Ereal\_2EREPC$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap (c\_2Emin\_2E40 ($

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)_{ty\_2Erealax} \tag{7}$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})_{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal} \tag{8}$$

Let  $c\_2Erealax\_2Ereal\_2EABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_2EABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \tag{9}$$

**Definition 21** We define  $c\_2Erealax\_2Ereal\_2EABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 22** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 23** We define  $c\_2Eiterate\_2Esupport$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0op \in ((A\_27b^{A\_27b})^{A\_27b}).\lambda V$

**Definition 24** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 25** We define  $c\_2Eiterate\_2EITSET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in ((A\_27a^{A\_27a})^{A\_27b}).\lambda V$

**Definition 26** We define  $c\_2Eiterate\_2Eiterate$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0op \in ((A\_27b^{A\_27b})^{A\_27b}).\lambda V$

**Definition 27** We define  $c\_2Eproduct\_2Eproduct$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eiterate\_2Eiterate A\_27a ty\_2Erealax\_2Ereal$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (17)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x\_27)) \wedge ((p \ V1x\_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y\_27)))) \Rightarrow ((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x\_27) \Rightarrow (p \ V3y\_27)) \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow ( \\ & \forall V0op \in ((A\_27a^{A\_27a})^{A\_27a}).((p \ (ap \ (c\_2Eiterate\_2Emonoidal \\ & \ A\_27a) \ V0op)) \Rightarrow (\forall V1f \in (A\_27a^{A\_27b}).(\forall V2s \in (2^{A\_27b}). \\ & (\forall V3t \in (2^{A\_27b}).(((p \ (ap \ (c\_2Epred\_set\_2EFINITE \ A\_27b) \\ & \ V2s)) \wedge ((p \ (ap \ (c\_2Epred\_set\_2EFINITE \ A\_27b) \ V3t)) \wedge (p \ (ap \ (ap \\ & \ (c\_2Epred\_set\_2EDISJOINT \ A\_27b) \ V2s) \ V3t)))) \Rightarrow ((ap \ (ap \ (ap \ (c\_2Eiterate\_2Eiterate \\ & \ A\_27b \ A\_27a) \ V0op) \ (ap \ (ap \ (c\_2Epred\_set\_2EUNION \ A\_27b) \ V2s) \ V3t)) \\ & \ V1f) = (ap \ (ap \ V0op \ (ap \ (ap \ (ap \ (c\_2Eiterate\_2Eiterate \ A\_27b \ A\_27a) \\ & \ V0op) \ V2s) \ V1f)) \ (ap \ (ap \ (ap \ (c\_2Eiterate\_2Eiterate \ A\_27b \ A\_27a) \\ & \ V0op) \ V3t) \ V1f))))))))) \quad (19) \end{aligned}$$

Assume the following.

$$(p \ (ap \ (c\_2Eiterate\_2Emonoidal \ ty\_2Erealax\_2Ereal) \ c\_2Erealax\_2Ereal\_mul)) \quad (20)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0f \in (ty\_2Erealax\_2Ereal^{A\_27a}). \\ & (\forall V1s \in (2^{A\_27a}).(\forall V2t \in (2^{A\_27a}).(((p \ (ap \ (c\_2Epred\_set\_2EFINITE \\ & \ A\_27a) \ V1s)) \wedge ((p \ (ap \ (c\_2Epred\_set\_2EFINITE \ A\_27a) \ V2t)) \wedge (p \\ & \ (ap \ (ap \ (c\_2Epred\_set\_2EDISJOINT \ A\_27a) \ V1s) \ V2t)))) \Rightarrow ((ap \ (ap \\ & \ (c\_2Eproduct\_2Eproduct \ A\_27a) \ (ap \ (ap \ (c\_2Epred\_set\_2EUNION \\ & \ A\_27a) \ V1s) \ V2t)) \ V0f) = (ap \ (ap \ c\_2Erealax\_2Ereal\_mul \ (ap \ (ap \ ( \\ & \ c\_2Eproduct\_2Eproduct \ A\_27a) \ V1s) \ V0f)) \ (ap \ (ap \ (c\_2Eproduct\_2Eproduct \\ & \ A\_27a) \ V2t) \ V0f)))))) \quad (19) \end{aligned}$$