

thm_2Equotient_2EFORALL_PRS (TMaNY- wWmj9HnD7VaM5QpzA3Jj2R6s3NJvyK)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a})) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (P \Rightarrow Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t) (\text{c_2Ebool_2EF } 2)) (\lambda V1t \in 2. V1t)))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))))$

Definition 8 We define `c_2Ecombin_2EK` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Definition 9 We define `c_2Ecombin_2ES` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A-27b})^{A-27a}))$

Definition 10 We define `c_2Ecombin_2EI` to be $\lambda A_27a : \iota. (\text{ap } (\text{ap } (\text{c_2Ecombin_2ES } A_27a (A_27a^{A-27a})) (\lambda V0x \in A_27a. V0x)) (\lambda V1x \in A_27a. V1x))$

Definition 11 We define `c_2Equotient_2EQUOTIENT` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A-27a})^{A-27a}). (\lambda V1x \in 2. \lambda V2y \in 2. V1x = V2y)$

Definition 12 We define `c_2Equotient_2E_2D_2D_3E` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda A_27d : \iota. \lambda V0f \in ((A_27d^{A-27c})^{A-27b}). (\lambda V1x \in 2. \lambda V2y \in 2. V1x = V2y)$

Definition 13 We define `c_2Ecombin_2EW` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0f \in ((A_27b^{A-27a})^{A-27a}). (\lambda V1x \in A_27a. \lambda V2y \in A_27b. V1x = V2y))$

Definition 14 We define `c_2Equotient_2Erespects` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\text{c_2Ecombin_2EW } A_27a A_27b)$

Definition 15 We define `c_2Ebool_2EIN` to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f V0x)))$

Definition 16 We define `c_2Ebool_2ERES_FORALL` to be $\lambda A_27a : \iota. (\lambda V0p \in (2^{A-27a}). (\lambda V1m \in (2^{A-27a}). (\text{ap } V1m V0p)))$

Assume the following.

$$True \quad (1)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (2)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (3)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (4)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (5)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0f \in ((A_27b^{A_27a})^{A_27a}). (\forall V1x \in A_27a. ((ap (ap (c_2Ecombin_2EW A_27a A_27b) V0f) V1x) = (ap (ap V0f V1x) V1x)))) \quad (6)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((ap (c_2Ecombin_2EI A_27a) V0x) = V0x)) \quad (7)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) V1x) V0P)) \Leftrightarrow (p (ap V0P V1x)))))) \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_27a A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3a \in A_27b. ((ap V1abs (ap V2rep V3a)) = V3a)))))) \quad (9)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A_27b.(p\ (ap\ (ap \\
& \quad V0R\ (ap\ V2rep\ V3a))\ (ap\ V2rep\ V3a)))))))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0f \in (A_27c^{A_27a}). \\
& \quad (\forall V1g \in (A_27d^{A_27b}).(\forall V2h \in (A_27b^{A_27c}).(\forall V3x \in \\
& A_27a.((ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27a\ A_27b\ A_27c \\
& A_27d)\ V0f)\ V1g)\ V2h)\ V3x) = (ap\ V1g\ (ap\ V2h\ (ap\ V0f\ V3x)))))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1f \in \\
& (2^{A_27a}).((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ V0P)\ V1f)) \Leftrightarrow \\
& \quad (\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0P)) \Rightarrow \\
& \quad \quad (p\ (ap\ V1f\ V2x)))))))))
\end{aligned} \tag{12}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2Erespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f)))))))))
\end{aligned}$$