

thm_2Equotient_2ERES_EXISTS_UNIQUE_REGULAR (TMU4vhwimyKNooC1ScY1aGpXshEoGSgMzKH)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 4 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 5 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Definition 6 We define $c_2Ecombin_2EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x \in A_27b.V0f x))$

Definition 7 We define $c_2Equotient_2Erespects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2Ecombin_2EW A_27a A_27b)$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$
of type ι .

Definition 9 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) P) P))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (V0t1 V1t2)))$

Definition 11 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 12 We define $c_2Ebool_2ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).(ap V1m V0p)))$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x))$
of type $\iota \Rightarrow \iota$.

Definition 14 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 P) P)))$

Definition 15 We define $c_2Ebool_2ERES_EXISTS$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).(ap V1m V0p)))$

Definition 16 We define $c_2Equotient_2ERES_EXISTS_EQUIV$ to be $\lambda A_27a : \iota.(\lambda V0R \in ((2^{A_27a})^{A_27a}))$.

Definition 17 We define $c_2Ebool_2ERES_EXISTS_UNIQUE$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in$

Definition 18 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 20 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Assume the following.

$$True \tag{1}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{2}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{3}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \tag{4}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2.(((True) \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))) \tag{6}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \tag{7}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{8}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{9}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (10)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\neg(\forall V1x \in A.27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (11)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\neg(\exists V1x \in A.27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((p \ V0P) \vee (\exists V2x \in A.27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\exists V3x \in A.27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V3x)))))) \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in 2.((\exists V2x \in A.27a.((p \ (ap \ V0P \ V2x)) \wedge (p \ V1Q))) \Leftrightarrow ((\exists V3x \in A.27a.(p \ (ap \ V0P \ V3x)) \wedge (p \ V1Q)))))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\exists V2x \in A.27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \ V0P) \wedge (\exists V3x \in A.27a.(p \ (ap \ V1Q \ V3x)))))) \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\forall V2x \in A.27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \ V0P) \vee (\forall V3x \in A.27a.(p \ (ap \ V1Q \ V3x)))))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (p \ V1B) \vee (p \ V2C)) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C)))))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee (p \ V0A)))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))))) \quad (19)$$

Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0x \in A.27a. ((\text{ap } (c.2Ecombin.2EI A.27a) V0x) = V0x)) \quad (20)$$

Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1x \in A.27a. ((p (\text{ap } (\text{ap } (c.2Ebool.2EIN A.27a) V1x) V0P)) \Leftrightarrow (p (\text{ap } V0P V1x)))))) \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\ & (\forall V1m \in (2^{A.27a}). ((p (\text{ap } (\text{ap } (c.2Equotient.2ERES_EXISTS_EQUIV A.27a) V0R) V1m)) \Leftrightarrow ((p (\text{ap } (\text{ap } (c.2Ebool.2ERES_EXISTS A.27a) (\text{ap } (c.2Equotient.2Erespects A.27a 2) V0R)) (\lambda V2x \in A.27a. (\\ & \text{ap } V1m V2x)))) \wedge (p (\text{ap } (\text{ap } (c.2Ebool.2ERES_FORALL A.27a) (\text{ap } (c.2Equotient.2Erespects A.27a 2) V0R)) (\lambda V3x \in A.27a. (\text{ap } (\text{ap } (c.2Ebool.2ERES_FORALL A.27a) (\text{ap } (c.2Equotient.2Erespects A.27a 2) V0R)) (\lambda V4y \in \\ & A.27a. (\text{ap } (\text{ap } c.2Emin.2E_3D_3D_3E (\text{ap } (\text{ap } c.2Ebool.2E_2F_5C (\text{ap } V1m V3x)) (\text{ap } V1m V4y)))) (\text{ap } (\text{ap } V0R V3x) V4y))))))))))))) \quad (22) \end{aligned}$$

Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1f \in (2^{A.27a}). ((p (\text{ap } (\text{ap } (c.2Ebool.2ERES_FORALL A.27a) V0P) V1f)) \Leftrightarrow (\forall V2x \in A.27a. ((p (\text{ap } (\text{ap } (c.2Ebool.2EIN A.27a) V2x) V0P)) \Rightarrow (p (\text{ap } V1f V2x)))))))) \quad (23)$$

Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1f \in (2^{A.27a}). ((p (\text{ap } (\text{ap } (c.2Ebool.2ERES_EXISTS A.27a) V0P) V1f)) \Leftrightarrow (\exists V2x \in A.27a. ((p (\text{ap } (\text{ap } (c.2Ebool.2EIN A.27a) V2x) V0P)) \wedge (p (\text{ap } V1f V2x)))))))) \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1f \in \\ & (2^{A.27a}). ((p (\text{ap } (\text{ap } (c.2Ebool.2ERES_EXISTS_UNIQUE A.27a) V0P) V1f)) \Leftrightarrow ((p (\text{ap } (\text{ap } (c.2Ebool.2ERES_EXISTS A.27a) V0P) (\lambda V2x \in \\ & A.27a. (\text{ap } V1f V2x)))) \wedge (p (\text{ap } (\text{ap } (c.2Ebool.2ERES_FORALL A.27a) V0P) (\lambda V3x \in A.27a. (\text{ap } (\text{ap } (c.2Ebool.2ERES_FORALL A.27a) V0P) \\ & (\lambda V4y \in A.27a. (\text{ap } (\text{ap } c.2Emin.2E_3D_3D_3E (\text{ap } (\text{ap } c.2Ebool.2E_2F_5C (\text{ap } V1f V3x)) (\text{ap } V1f V4y)))) (\text{ap } (\text{ap } (c.2Emin.2E_3D A.27a) V3x) V4y))))))))))))) \quad (25) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (35)$$

Theorem 1

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1R \in \\ ((2^{A_27a})^{A_27a}). (\forall V2Q \in (2^{A_27a}). ((\forall V3x \in A_27a. \\ ((p\ (ap\ V0P\ V3x)) \Rightarrow (p\ (ap\ V2Q\ V3x)))) \wedge (\forall V4x \in A_27a. (\forall V5y \in \\ A_27a. ((p\ (ap\ (ap\ (c_2Equotient_2Erespects\ A_27a\ 2)\ V1R)\ V4x)) \wedge \\ ((p\ (ap\ V2Q\ V4x)) \wedge ((p\ (ap\ (ap\ (c_2Equotient_2Erespects\ A_27a\ 2)\ \\ V1R)\ V5y)) \wedge (p\ (ap\ V2Q\ V5y)))))) \Rightarrow (p\ (ap\ (ap\ V1R\ V4x)\ V5y)))))) \Rightarrow ((p \\ (ap\ (ap\ (c_2Ebool_2ERES_EXISTS_UNIQUE\ A_27a)\ (ap\ (c_2Equotient_2Erespects \\ A_27a\ 2)\ V1R))\ V0P)) \Rightarrow (p\ (ap\ (ap\ (c_2Equotient_2ERES_EXISTS_EQUIV \\ A_27a)\ V1R)\ V2Q)))))) \end{aligned}$$